




Departmental Manual

THE  
**ELBE**  
LINE

No. 118-A  
SPRING BINDER

Made in 1", 1½", 2" capacities  
and 25 sizes. Special sizes to order.



Made in U. S. A.





- 1938 N.G. Exp.


Catalogue

Mammals listed in Field Catalogue - No specimens found, therefore not in office

Page #	Col #	Locality	Genus	TL	T	HF	E	
57A	6271	Hollandia	Dactylopsila	895	342	44	19	
-	6274	-	Bandicoot	472	92	60	27	
-	6277	Hollandia	Phalanger					
-	6278	"	"					
-	6279	"	"					
-	6280	"	"					
-	6281	"	"					
-	6282	"	Bandicoot					
-	6283	"	Dendrolagus					
-	8043	Locos	House rat	352	203	31.5	19.3	
-	8046	"	"	404	223	35	18	
6	4135	Hollandia	Dobsonia	268	29	38	33	alcoholic
6	4136	"	"	no specimen				"
11	4309	"	Phalanger	See Field Catalogue				"
25	4741	L Haberna	Hydromys	310	159	34	8	
33	4972	Two catalogue nos.						
35	5048	"	"					
35	5049	"	"					
35A	5087	"	"					
41	5205	"	"					
42	5237	"	"					
49	5457	"	"					
66	6067	"	"	284	106	20	18	
74	7090	"	"					
76	7175	"	"					
80	7283	Bernhard Camp	Phalanger					alcoholic
81	7304	15 Km SW	Pseudochairus					"
82	7351	"	Stenomys	234	112	26	15	Skull only
82	7359	Two catalogue nos						
84	7408	Aramaria Ck	Phanogale	185	82	23	10	
84	7409	Two catalogue nos						
85	7426	"	"					
88	7506	"	"					
91	7557	"	"					
95	7642	"	"					
97	7689	"	"					
98	7698	4 Km SW D.C.	Lehymsifera	347	48	50	25	Head only
98	7720	"	"					alcoholic
101	7787	"	Brongyctes					



Page	Col. #	Locality	Genus					
105	7906	Bernhard Camp	Dobsonia	253	22	35	32	
106	7915	"	"					alcoholic
108	7972	Two catalogues #s	"					
108	7976	"	"					
108	7979	Bernhard Camp	Phalanger					alcoholic
109	8018	"	Phascogale					"
109	8019	"	Echymipera					"
109	8020	"	"					"
109	8030	"	Phalanger	1035	487	83	23	Head in alc. alcoholic
110	8032	"	Hydromys					"
110	8035	"	Echymipera					"
111	6260	?	?					?



Mammals listed in catalogue - not in field note book

#	Field #	Locality	Genus					
10131	6284	Hollandia	Rattus	165	75	24	13	Skins & skull
10133	6261	"	"	382	75	39	19	" "
50662	3739	L. Habberma	Pogonomys	230	121	26	17	Skin only
50663	3742	"	Stenomys	245	103	27	16	" "
50914	2488	Bele R	"	250	120	28	17	" "
50915	2489	"	"	242	119	27	17	" "
50916	2490	"	Melomys	244	126	28	17	" "
50917	2491	"	"	235	120	28	16	" "
50918	2492	"	"	326	151	40	21	" "
151353	No #	—	—	—	—	—	—	Port of skin only
51469	"	"	?	426	168	53	23	Skin only
51496	"	Coras	—	—	—	—	—	Skull only
51497	"	"	—	—	—	—	—	" "
51498	"	"	—	—	—	—	—	" "
151499	"	"	—	—	—	—	—	" "
151500	"	"	—	—	—	—	—	" "
151817	6288	Hollandia	Thomomys	1155	557	85	17	Skins only
151818	6311	"	"	490	246	43	16	Skins & skull
151819	6314	"	"	750	382	63	15	" "
151823	6286	"	"	1760	965	175	60	" "
151824	6315	"	"	—	—	—	—	" "
151856	3788	Cyclops	"	728	? 72	57	24	" "
151857	3794	"	"	1076	520	167	57	" "
151858	3933	"	"	750	338	57	—	" only
151859	3937	"	"	527	? 421	62	25	" "
151860	3987	"	"	887	360	77	28	" & skull
151861	3989	"	"	741	382	71	27	" "
151862	No #	"	"	1062	584	90	—	" only
151913	3786	"	Echymipera	183	42	30	20	" & skull
151914	3787	"	"	135	—	39	20	" "
151915	3789	"	"	278	60	41	26	" "
151916	3790	"	"	377	75	54	28	" "
151917	3793	"	"	377	—	—	26	" "
151918	3999	"	"	195	42	35	17	" "
151919	3986	"	"	250	48	40	24	" only
151920	6329	Hollandia	"	328	92	67	73	" & skull
151969	3993	Cyclops	Phalanger	447	213	38	14	" "
151983	No #	"	Dasyurus	587	263	28	24	" only
152039	3996	"	Phascogale	? 147	146	21	15	" & skull



152344	3982	Cycloops	Neomys	269	141	27	16	Skin + skull
152345	3998	-	-	275	144	26	13	-
152355	3791	-	Rattus	387	199	42	27	-
152366	No #	Hollandia	Pogonomys	-	-	-	-	only
152371	3795	Cycloops	Dobsonia	-	-	-	-	+ skull
152372	3983	-	-	-	-	-	-	-
152373	3990	-	-	-	-	-	-	-
152374	3991	-	-	-	-	-	-	-
152375	3992	-	-	-	-	-	-	-
152406	No #	-	Pteropus	-	-	-	-	Skin only
152437	3994	-	Nyctimene	-	-	-	-	+ skull
152438	3995	-	-	-	-	-	-	-
152446	3792	-	Dobsonia	-	-	-	-	-
152488	3988	?	?	-	-	-	-	Skull only
152489	3987	?	?	-	-	-	-	-
152490	3984	?	?	-	-	-	-	-
152491	6287	?	?	-	-	-	-	-
152492	3985	?	?	-	-	-	-	-
152493	3997	?	?	-	-	-	-	-
152494	3796	?	?	-	-	-	-	-
152495	No #	?	?	-	-	-	-	-
152497	-	W. Java	?	267	161	27	20	Skin + skull
152498	-	Hollandia	?	740	308	115	50	only
152659	-	-	Emballonura	No measurements				alcoholic
152660	-	-	-					-
152661	-	-	-					-
152662	-	-	-					-
152663	-	-	-					-
152664	-	-	-					-
152688	-	-	Bat					-
152689	-	-	-					-
152690	-	-	-					-
152691	-	-	-					-
152692	-	-	-					-
152693	-	-	-					-
152694	-	-	-					-
152695	-	-	-					-
152696	-	-	-					-
152697	-	-	-					-
152698	-	-	-					-



	No #	Hollandia	Bat	No measurements	alcoholic
152699					
152700	"	"	"	"	"
152701	"	"	"	"	"
152702	"	"	"	"	"
152703	"	"	"	"	"
152704	"	"	"	"	"
152705	"	"	"	"	"
152706	"	"	"	"	"
152707	"	"	"	"	"
152708	"	"	"	"	"



MAMMAL CATALOGUE

6271 Aug. 2, 1938 Hollandia O M. ? Dactylopsila 895-342-44-19 Brought in by native  
 6272 152743.  
 6273 151788 ^  
 6274 10 151821 ^  
 6275 151822 ^  
 6276  
 6277 Sept. ?? 1938 Hollandia O M. ? Phalanger brought in and skinned by native  
 6278 ? ditto ditto  
 6279 ? ditto  
 6280 ? ditto  
 6281 ? ditto  
 6282 ? Bandicoot ditto  
 6283 ? Dendrolagus Ditto

Cocos Islands

8043 June 9 1939 new selma island  
 clunus Ross " ♀ house rat 352-203-31.5-19.3  
 8044 151485 ^ know locally as ♀ 424-227-32-21  
 8045 151486 ^ "Home Island" ♂ 393-221-32-20 dark under parts  
 8046 or Pulo clapa ♀ 404-223-35-18  
 8047 151487 ^ ♀ 405-217-32-21 SKIN ONLY  
 8048 151488 ^ ♀ 344-182-32-19.5 SKIN ONLY  
 8049 151489 ^ ♀ 352-192-32.5-13.5 SKIN ONLY  
 8050 151490 ^ ♂ 378-198-33-17.5  
 8051 151491 ^ ♀ 404-233-32-19.  
 8052 Junell, 1939 ditto 151492 ^ ♂ 362-196-39-20.  
 8053 151493 ^ ♀ 369-208-33-20  
 8054 151494 ^ ♂ juv. 236-129-27-18  
 8055 Junell, 1939 ditto 151495 ^ ♂ 414-231-36-20

6284 - 110131

6261 - 110133

6263. 152741 (Rattus)

6265 152742

6288 151817

6311 151818

6314 151819

6286 151823

6315 151824

3788 151850

3794 151857

3933 151858

3939 151859

3987 151860

3989 151861

Not 151862

6267 152820 → 152824

6268 152821 → 152825

6269 152822 → 152826

3771 152355

5004 109400

4964 109590

4957 109752

4958 109753

6284 110131

6261 110133

4967 110161

3739 150662 ^

3742 150663 ^

2488 150914 ^

2489 150915 ^

2490 150916 ^

2491 150917 ^

2492 150918 ^

Not 151353

Not 151469

3988 152488

3987 152489

3984 152490

6282 152491

3786 151012

3787 151013

3789 151015

3790 151016

3793 151017

3999 151018

3986 151019

6329 151020

3993 151060

Not 151496 ^

Not 151497

Not 151498

Not 151499

Not 151500

Not 151501

Not 152492

Not 152493

Not 152494

Not 152495


Not 152496

Not 152497

3996 152039

3982 152100

3985 152101



No#	- - -	152366
3795	- - -	152371
3983	- - -	152372
3990	- - -	152373
3991	- - -	152374
3992	- - -	152375
No#	- - -	152406
3994	- - -	152437
3995	- - -	152438
3792	- - -	152446
3988	- - -	152488
3987	- - -	152489
3984	- - -	152490
6287	- - -	152491
3985	- - -	152492
3997	- - -	152493
3796	- - -	152494
No#	- - -	152495
"	- - -	152497
"	- - -	152498
"	- - -	152659
"	- - -	660
"	- - -	661
"	- - -	662
"	- - -	663
"	- - -	664
"	- - -	688
"	- - -	689
"	- - -	690
"	- - -	691
"	- - -	692
"	- - -	693
"	- - -	694
"	- - -	695
"	- - -	696
"	- - -	697
"	- - -	698
"	- - -	699
"	- - -	700
"	- - -	701
"	- - -	702
"	- - -	703
"	- - -	704
"	- - -	705
"	- - -	706
"	- - -	707
"	- - -	708



Wm B. Richardson  
1938

# Catalogue

Hollandia, Netherlands New Guinea (sea level)

May 21, 1938

4000 ♀ Juv. *Phalanger*

109447 A

628-320-62-23 <sup>Noted</sup>

June 4, 1938

4001 ♀ Juv. *Phalanger*

109653 A

525-204-55-25 <sup>Noted</sup>

June 12, 1938

4002 ♂ *Hipposideros*

110062 ✓

79-29-7-11

3 ♀

"

110063 ✓

82-31-7-12

4 ♀

"

110064 ✓

67-23-6-12

5 ♂

"

109981 ✓

65-22-6-11

June 13, 1938

4006 ♂ ~~Phalanger~~ *Echymipera*

109729 A

494-95-73-25

7 ♂ *Melomys*

110080 A

159-19-29-15

8 ♀ *Calicore*

151789 A

stomach contents Skeleton only

June 15, 1938

4009 ♀ *Melomys*

110081 A

268-122-~~32~~<sup>29</sup>-~~14~~<sup>15</sup>

10 ♀ Juv. *Phalanger*

109458 A

538-271-48-20

June 16, 1938

4011 ♂ *Hipposideros*

109982 ✓

66-24-6-11

2 ♂ *Phalanger*

109448 A

706-380-60-18

3 ♀ *Melomys* (1 emb. 25)

110082 A

240-100-27-15

4 ♀ " (2 emb. 35 mm)

110083 A

254-116-30-16

5 ♀ " (2 emb. 10)

110084 A

232-101-29-14

6 ♂ Juv. *Musa*

110085 A

144-74-19-10

June 17, 1938

4017 ♀ *Melomys* (3 emb. 25 mm)

110086 A

279-136-27-11

8 ♀ *Hipposideros* (1 emb.)

110065 A

74-25-6-12

9 ♀ *Hipposideros* (1 emb.)

110066 A

70-23-6-12

4020 ♀

110067 A

64-20-6-11

1 ♀

"

109983 A

71-27-6-12

2 ♀

"

110068 A

70-23-6-12

3 ♂

"

110069 A

65-21-6-12

4 ♂

"

110010 A

70-25-6-11



Wm B. Richardson  
1938

# Catalogue

## Hollandia, Netherlands New Guinea

June 17, 1938

4025 ♂ *Hipposideros*

6 ♂ "

7 ♂ "

8 ♂ "

9 ♂ "

4030 ♀ ~~*Hipposideros*~~ *Echymipera*

1 *Hipposideros* (

2 "

109984 ✓

110011 ✓

110012 ✓

110013 ✓

109985 ✓

109730 ✓

152612 ✓

152613 ✓

63-22-6-11

66-22-6-11

72-24-6-12

64-21-6-11

66-22-6-11

412-100-59-—

Alcoholic

Alcoholic

June 18, 1938.

4033 ♂ *Melomys*

110087 ✓

261-118-29-15

June 19, 1938

4034 ♀ Juv. *Calicote*

151787 ✓ stomach + mouth contents Skull only

June 20, 1938

4035 ♂ *Hipposideros*

6 ♂ "

7 ♂ "

8 ♀ "

9 ♀ "

4040 ♀ "

1 ♀ "

2 ♀ "

3 ♀ "

4 ♀ "

5 ♀ "

6 ♂ "

7 ♀ "

8 ♀ "

152614 ✓

152615 ✓

152616 ✓

152617 ✓

152618 ✓

152619 ✓

152620 ✓

152621 ✓

152622 ✓

152623 ✓

152624 ✓

152625 ✓

152626 ✓

152627 ✓

Alcoholic

67-23-(11)-6✓

67-21-(12)-6✓

63-22-(11)-6✓

63-22-(12)-6✓

64-22-6-11

67-22-6-11

69-22-6-11

65-22-6-12

67-21-6-11.5

64-21-6-12

65-22-6-11

70-22-7-11

75-22-6.5-11

81-28-6.5-11

June 21, 1938

4049 ♂ *Rattus*

4050 ♀ *Phalanger*

110088 ✓

109456 ✓

Skin only

275-142-25-15

Brought in by natives

June 23, 1938

4051 ♀ *Phalanger*

109449 ✓

1204-585-90-20



B. Richardson  
1938

# Catalogue

## Hollandia, Netherlands New Guinea.

June 23, 1938

- 4052 ♀ Juv. *Phalanger*  
3 ♀ *Rattus*  
4 Juv. *Rattus*  
5 Juv. *Rattus*

152751 ♂

Alcoholic

110089 ♂

249-127-24-15

152754 ♂

Alcoholic

100-40-14-5

152755 ♂

"

104-38-14-4

June 24, 1938

- 4056 ♂ *Rattus*  
7 ♂ *Melomys*  
8 ♀ *Rattus*  
9 ♂ "  
4060 ♂ "  
1 ♂ *Dorcopsis*

110090 ♂

344-168-34-18

110091 ♂

261-116-30-15

110092 ♂

212-106-23-14

110093 ♂

216-113-24-14

110094 ♂

146-72-19-9

109380 ♂

1065-435-104-50

June 25, 1938

- 4062 ♂ *Rattus*

110095 ♂

187-101-24-11

3 ♂ "

110096 ♂

132-64-19-9

4 ♂ "

150919 ♂

300-162-28-17

5 ♂ "

110097 ♂

144-72-19-9

6 ♀ "

110098 ♂

285-150-26-13

7 ♀ "

110099 ♂

248-131-25-15

8 ♂ "

110100 ♂

240-128-26-13

9 ♂ "

110101 ♂

216-116-25-14

4070 ♀ "

110102 ♂

199-103-24-13

1 ♂ "

110103 ♂

147-80-19-10

2 ♀ *Melomys*

110104 ♂

227-93-29--

3 ♀ "

110105 ♂

244-110-30-13

4 ♀ *Pogonomys* (3 emb. x 12mm.)

110106 ♂

286-168-22-12

5 ♂ *Rattus*

110107 ♂

172-87-20-13

6 ♀ "

110108 ♂

167-85-20-12

7 ♀ *Dorcopsis*

109377 ♂

-----

June 26, 1938

- 4078 ♂ *Dorcopsis*  
9 ♂ *Echymipera*  
4080 ♀ *Rattus*  
1 ♀ *Phalanger*  
2 Juv. *Phalanger*

109375 ♂

1130-465-147-47

109731 ♂

433-85-62-19

110109 ♂

256-144-24-14


109450 ♂

1160-580-83-25

152756 ♂

Alcoholic

442-233-46-18



Wm. B. Anderson  
1938

# Catalogue

Hollandia, Netherlands New Guinea,

June 24, 1938

4083 *Dendrolagus*

109460  $\wedge$

Tail only

June 27, 1938

4084 ♀ *Dorcopsis*

109382  $\wedge$

860 - 350 - 120 - 50

5 ♀

109381  $\wedge$

774 - 339 - 115 - 50

6 ♀

109384  $\wedge$

Urogenital Syd. 752 - 310 - 110 - 45

7 ♂ *Rattus*

110110  $\wedge$

Skin only 262 - 150 - 27 - 15

8 ♂ *Dorcopsis*

109383  $\wedge$

705 - 302 - 118 - 45

June 28, 1938

4089 ♀ *Dorcopsis*

109379  $\wedge$

900 - 380 - 125 - 50

4090 ♀ Juv. *Dorcopsis*

152758  $\wedge$

199 - 62 - 31 - 12

1 ♂ *Rattus*

110111  $\wedge$

253 - 129 - 24 - 15

2 ♂ *Melomys*

151502  $\wedge$  Skull only

259 - 104 - 29 - —

3 ♀

151503  $\wedge$  Skull only

273 - 129 - 27 - 15

4 ♂ *Dorcopsis*

109389  $\wedge$

1112 450 - 143 - 44

June 29, 1938

4095 ♂ *Echymipera*

109732  $\wedge$

405 - 90 - 62 - 25

6 ♂ *Melomys*

110112  $\wedge$

248 - 107 - 30 - 14

7 ♂ Juv. *Rattus*

110113  $\wedge$

262 - 128 - 32 - 17

8 ♂ *Rattus*

110114  $\wedge$

300 - 141 - 26 - 16

9 ♂

110115  $\wedge$

351 - 148 - 39 - 18

4100 ♂

110116  $\wedge$

367 - 171 - 40 - 22

1 ♂ Juv. *Echymipera*

109733  $\wedge$

206 - 45 - 33 - 18

June 30, 1938

4102 ♀ Juv. *Rattus*

110117  $\wedge$

156 - 81 - 20 - 12

3 *Dendrolagus*

109461  $\wedge$

Tail only

4 ♂ *Dorcopsis*

109376  $\wedge$

1160 - 489 - 150 - 50

July 2, 1938

4105 ♂ *Dorcopsis*

109378  $\wedge$

1120 - 463 - 145 - 53

6 ♂

109398  $\wedge$

872 - 375 - 125 - 48

7 ♀ *Hypsignathos*

109986  $\wedge$

68 - 23 - 6 - 11

8 *Melomys*

151504  $\wedge$

Skull only



# Catalogue



## Hollandia, Netherlands New Guinea

July 3, 1938.

4109 ♀	<i>Hipposideros</i>	110014 ✓	65-24-6-12
4110 ♂	Juv. <i>Rattus</i>	110118 ✓	270-138-32--

July 4, 1938

4111 ♂	<i>Rattus</i>	110121 ✓	190-99-22-14
2 ♂	<i>Hipposideros</i>	109987 ✓	70-26-6-12
3 ♂	<i>Phalanger</i>	109469 ✓	1140-570-87-25
4 ♂	<i>Pogonomys</i>	110119 ✓	273-159-22-13
5 ♀	<i>Phalanger</i>	109451 ✓	Emb? 1160-595-90-23

July 5, 1938

4116 ♂	<i>Echymipera</i>	109734 ✓	[393]-- --69-21
--------	-------------------	----------	-----------------

## 11 km. SE Hollandia, Netherlands New Guinea

July 5, 1938

4117 ♀	<i>Myotis</i>	109888 ✓	<del>94-35-10-12</del>
8 ♂	<i>Miniopterus</i>	109963 ✓	94-35-10-12
9 ♂	"	109889 ✓	101-43-8-8
4120 ♂	"	109964 ✓	99-46-8-7
1 ♂	"	109965 ✓	98-41-7-7
2 ♂	"	109966 ✓	101-45-7-8
3 ♂	"	109967 ✓	96-42-8-7
4 ♂	"	109968 ✓	98-43-8-8
5 ♂	"	109969 ✓	100-43-8-7
6 ♂	"	109970 ✓	93-39-8-8
7 ♂	"	109971 ✓	98-44-8-7
8 ♂	"	109972 ✓	99-45-8-8
9 ♀	"	109973 ✓	100-40-8-7
4130 ♀	"	152628 ✓	98-40-8-7
			Alcoholic 96-44-7-7

## Hollandia, Netherlands New Guinea

July 5, 1938.

4131 ♀	<i>Dorcopsis</i>	109386 ✓	925-385-125-47
2 ♀	"	109409 ✓	918-375-120-47
3 ♀	Juv. "	109405 ✓	497-225-90-38
4 ♀	Juv. <i>Sus</i>	109465 ✓	730-112-145-67



25m B. Richardson  
1938

6

# Catalogue

11 km S.E. Hollandia, Netherlands New Guinea

July 5, 1938

4135	♂	<i>Dabsonia</i>	153077	Alcoholic	268-29-38-33
6	♀	"		"	No specimen
7	Emb.(7)	"	152709	"	
8	♂	"	109846	✓	280-31-37-32
9	♂	"	109847	✓	252-25-37-3835
4140	♂	"	151505	✓	250-29-37-34
1	♀	"	151506	✓	262-28-38-33
2	♀	"	151507	✓	273-27-38-34
3	♀	"	109848	✓	263-23-37-34
4	♀	"	109849	✓	271-27-37-34
5	♀	"	151508	✓	261-26-35-33
6	♀	"	151509	✓	264-31-38-34
7	♀	"	151510	✓	265-25-37-31
8	♀	"	151511	✓	275-26-38-32
9	♀	"	151512	✓	272-25-38-34
4150	♀	"	109850	✓	273-24-37-33
1	♀	"	109851	✓	278-27-37-32
2	♀	"	151513	✓	269-28-38-33
3	♀	"	109852	✓	270-25-37-31
4	♀	"	109853	✓	263-24-36-32
5	♀ Juv.	"	109854	✓	144-11-30-25
6	♀	"	109855	✓	260-24-35-33
7	♀	"	109856	✓	250-27-36-33
8	♂	"	109857	✓	265-32-35-33
9	♂	"	109858	✓	264-27-37-34
4160	♀	"	109859	✓	260-32-37-38
1	♀	"	109861	✓	263-27-36-34
2	♀	"	109860	✓	262-24-37-32
3	♂	"	152747	✓	Alcoholic
4	♀ Juv.	"	152658	✓	Alcoholic
5		<i>Miniopterus</i>	152629	✓	"
6		"	152630	✓	"
7		"	152631	✓	"
8		"	152632	✓	"
9		"	152633	✓	"
4170		"	152634	✓	"
1		"	152635	✓	"



20 M. S. Richardson  
1938

7

# Catalogue

11 km. S.E. Hollandia, Netherlands New Guinea

July 5, 1938.

4172	<i>Minomys</i>	152636 v	Alcoholic
3	"	152637 v	"
4	"	152638 v	"
5	"	152639 v	"

Hollandia, Netherlands New Guinea

July 6, 1938

4176	♂ <i>Corcopsis</i>	109390 v	745-305-117-47
7	♂ "	109394 v	975-390-140-50
8	♀ "	109392 v	840 - 317 - 120-49
9	♀ "	109391 v	865-345-123-47

4 km. N.E. Dojo, Netherlands New Guinea, 300 m.

July 6, 1938

4180	♂ <i>Phalanger</i>	109438 v	941-482-77-30
------	--------------------	----------	---------------

Hollandia, Netherlands New Guinea.

July 7, 1938.

4181	♂ <i>Corcopsis</i>	109663 v	621-262-110-40
2	♀ <i>Rattus</i>	110120 v	295 - 715 - 34 - -
3	♂ <i>Rattus</i>	110122 v	239-125-25-16

July 8, 1938

4184	♀ <i>Phelomys</i>	110123 v	262-111-28-15
------	-------------------	----------	---------------

1 1/2 km. S. Ajapo, Sentani Lake, Netherlands New Guinea.

July 8, 1938

4185	♀ <i>Myotis</i>	109891 v	87-35-10-11
6	♂ "	109890 v	91-35-11-11
7	♀ "	109892 v	92-37-11-11
8	♀ "	109893 v	93-37-10-11
9	♂ "	109894 v	97-39-11-11
4190	♂ "	109895 v	89-32-10-10
1	♂ "	109896 v	90-35-10-11
2	♂ "	109897 v	95-36-10-11
3	♂ "	109898 v	98-37-11-11
4	♂ "	109899 v	95-36-11-11



B. Richardson  
1938

# Catalogus

1 1/2 km. S. Ajapa, Sentani Lake, Netherlands New Guinea.

July 8, 1938.

4195 ♂	<i>Myotis</i>	109900	✓		96-38-11-11
6 ♂	"	109901	✓		89-38-11-11
7 ♂	"	109902	✓		90-34-11-11
8 ♂	"	109903	✓		92-35-10-11
9 ♂	"	109904	✓		89-34-10-11
4200 ♀	"	109905	✓		96-36-11-11
1 ♀	"	109906	✓		83-35-10-10
2 ♀	"	109907	✓		85-34-10-11
3 ♀	"	109908	✓		90-33-10-11
4 ♀	"	109909	✓		95-37-11-11
5 ♀	"	109910	✓		93-36-11-11
6 ♀	"	109911	✓		95-37-11-12
7 ♀	"	109912	✓		96-37-11-12
8 ♀	"	109913	✓		95-35-11-11
9 ♀	"	109914	✓		95-34-11-12
4210 ♂	"	151514	✓	Skull Only	93-34-10-11
1 ♂	"	151515	✓	" "	92-37-11-11
2 ♂	"	151516	✓	" "	94-32-11-11
3 ♂	"	151517	✓	" "	87-33-10-10
4 ♂	"	151518	✓	" "	96-38-11-11
5 ♀	"	151519	✓	" "	95-34-11-11
6 ♀	"	151520	✓	" "	96-36-11-11
7 ♀	"	151521	✓	" "	96-34-11-10
8 ♀	"	151522	✓	" "	93-35-11-12
9 ♀	"	151523	✓	" "	98-38-11-12
4220 ♀	"	151524	✓	" "	93-35-11-11
4220 ♀	"	151525	✓	" "	99-38-11-11
2 ♀	"	151526	✓	" "	99-39-11-11
3 ♀	"	151527	✓	" "	98-37-11-12
4 ♀	"	151528	✓	" "	97-35-11-11
5 ♀	"	151529	✓	" "	98-37-11-12
6 ♀	"	151530	✓	" "	95-35-11-11
7 ♀	"	151531	✓	" "	98-36-11-11
8 ♀	"	151532	✓	" "	95-34-11-12
9 ♀	"	151533	✓	" "	98-37-11-12
4230 ♀	"	151534	✓	" "	96-35-11-11
1 ♀	"	151535	✓	" "	99-35-11-11



20m B. Richardson  
1938

# Catalogue

4 km. N. C. Dojo, Netherlands New Guinea 200m.

July 8, 1938.

4232 *Echymipera*

109750 ✓

264-74-55-—

1½ km. S. Ajapo, Sentani Lake, Netherlands New Guinea.

July 8, 1938

4233 *Myotis*

152501 ✓

Alcoholic

4 " 152502 ✓

5 " 152503 ✓

6 " 152504 ✓

7 " 152505 ✓

8 " 152506 ✓

9 " 152507 ✓

4240 " 152508 ✓

1 " 152509 ✓

2 " 152510 ✓

3 " 152511 ✓

4 " 152512 ✓

5 " 152513 ✓

6 " 152514 ✓

7 " 152515 ✓

8 " 152516 ✓

9 " 152517 ✓

4250 " 152518 ✓

1 " 152519 ✓

2 " 152520 ✓

3 " 152521 ✓

4 " 152522 ✓

5 " 152523 ✓

6 " 152524 ✓

7 " 152525 ✓

8 " 152526 ✓

9 " 152527 ✓

4260 " 152528 ✓


1 " 152529 ✓

2 " 152530 ✓

3 " 152531 ✓

4 " 152532 ✓

5 " 152533 ✓



# Catalogue

1 1/2 km S Ajapa, Sentani Lake, Netherlands New Guinea

July 8, 1938

4265	<i>Myotis</i>	152534	✓	Alcoholic
76	"	152535	✓	"
8	"	152536	✓	"
9	"	152537	✓	"
4270	"	152538	✓	"
1	"	152539	✓	"
2	"	152540	✓	"
3	"	152541	✓	"
4	"	152542	✓	"
5	"	152543	✓	"
6	"	152544	✓	"
7	"	152545	✓	"
8	"	152546	✓	"
4289	"	152547	✓	"
4280	"	152548	✓	"
1	"	152549	✓	"
2	"	152550	✓	"
3	"	<del>152550</del> 152500	✓	"
4284	♀ <i>Miniopterus</i>	109959	✓	132 - 60 - 11 - 10.5
5	♀ "	109960	✓	135 - 57 - 11 - 10
6	♀ <i>Miniopterus</i>	109975	✓	103 - 48 - 8 - 7.5
7	♀ "	151536	✓	Skull Only 103 - 48 - 8 - 6
8	♀ "	151537	✓	" " 101 - 46 - 8 - 7
9	♀ "	109976	✓	103 - 45 - 8 - 7
4290	♂ <i>Myotis</i>	109915	✓	90 - 37 - 10 - 11
1	♂ "	109916	✓	89 - 35 - 11 - 11
2	♂ "	109917	✓	96 - 37 - 11 - 11
3	♂ "	109918	✓	98 - 38 - 10 - 11
4	♂ "	109919	✓	95 - 37 - 10 - 11
5	♂ "	109920	✓	101 - 40 - 11 - 11
6	♂ "	109921	✓	92 - 34 - 10 - 10
7	♂ "	109922	✓	94 - 36 - 10 - 10
8	♂ "	109923	✓	92 - 33 - 10 - 11
9	♂ "	109924	✓	98 - 37 - 11 - 11
4300	♂ "	109875	✓	94 - 37 - 11 - 11
1	♂ "	109925	✓	96 - 36 - 10 - 11
2	♂ "	109926	✓	95 - 37 - 11 - 11



Wm. B. Richardson  
1938

# Catalogue

## Hollandia, Netherlands New Guinea

July 9, 1938

4303 ♀	<i>Dorcopsis</i>	109393 ✓	800-335-115-47
4 ♂	"	109406 ✓	700-300-115-45
5 ♀	"	109399 ✓	830-380-117-47
6 ♀	<i>Phalanger</i>	109452 ✓	1250-605-95-25
7 ♂ Juv.	(Young of #4306)	152752 ✓	Alcoholic
8 ♀	<i>Echymipera</i>	109735 ✓	
9 Juv.	" (Young of 4308)		Alcoholic → [285] - — - 51-25
4310 ♂	<i>Rattus</i>	110124 ✓	402-198-40-20
1 ♀	<i>Pteropus</i>	109871 ✓	(Wing spread 1520) 347- — - 62-25
2 Juv.	" (Young sub. of 4311)	152762 ✓	Alcoholic
3 ♀	"	109872 ✓	324- — - 55-27
4 ♂	<i>Dobsonia</i>	109862 ✓	264-26-38-33
5 ♂	"	109863 ✓	252-22-38-36

## 1 1/2 km. S Agapo, Sentani Lake, Netherlands New Guinea

July 8, 1938

4316 ♂	<i>Miniopterus</i>	109961 ✓	131-50-12-10
--------	--------------------	----------	--------------

## 1 1/2 km. S Agapo, Sentani Lake, Netherlands New Guinea

July 8, 1938

4317 ♂	<i>Myotis</i>	109927 ✓	93-34-11-12
8 ♂	"	109928 ✓	91-34-11-11
9 ♂	"	109929 ✓	93-35-10-11
4320 ♂	"	109931 ✓	93-34-11-12
1 ♂	"	109932 ✓	92-34-10-11
2 ♂	"	109930 ✓	97-37-10-11
3 ♂	"	109876 ✓	91-33-10-12
4 ♂	"	109933 ✓	92-35-11-11
5 ♀	"	109934 ✓	95-36-10-11
6 ♀	"	109935 ✓	96-38-10.5-11
7 ♀	"	109936 ✓	99-39-11-11
8 ♀	"	109937 ✓	97-39-11-11
9 ♂	"	109938 ✓	93-35-11-11
4320 ♂	"	151539 ✓	Skull Only 94-36-11-11
1 ♂	"	109939 ✓	92-36-10-12
2 ♂	"	109940 ✓	95-37-11-11
3 ♂	"	109941 ✓	95-37-10-11
4 ♂	"	109977 ✓	92-35-10-11



Wm. J. Richardson  
1938

# Catalogue

1 1/2 km S Ajapo, Sentani Lake, Netherlands New Guinea.

July 8, 1938.

4335 ♂	<i>Myotis</i>	109942 ♀	92-33-11-11
6 ♂	"	109943 ♀	93-35-10-11
7 ♀	"	109944 ♀	92-34-10-11
8 ♀	"	109945 ♀	94-33-11-11

Hollandia, Netherlands New Guinea

July 11, 1938.

4339 ♂	<i>Rattus</i>	110125 ♀	279-141-26-15
4340 ♂	<i>Myotis</i>	109877 ♀	94-37-11-11
1 ♀	"	109878 ♀	97-39-11-11
2 ♀	"	109879 ♀	99-41-11-12
3 ♀	"	109880 ♀	96-38-11-11
4 ♂	"	109881 ♀	95-38-11-12
5 ♀	"	109882 ♀	97-39-11-12

4 km N C Ojo, Netherlands New Guinea, 200 m.

July 12, 1938.

4346 ♂	<i>Echymipera</i>	151540 ♀	Skull Only	295-65-47-20
--------	-------------------	----------	------------	--------------

Hollandia, Netherlands New Guinea.

July 12, 1938.

4347 ♂	<i>Rattus</i>	110126 ♀	[344]-[161]-41-17
8 ♂	"	110127 ♀	177-90-21-13
9 ♂	<i>Echymipera</i>	109736 ♀	536-112-71-19

4 km N C Ojo, Netherlands New Guinea 200 m.

July 12, 1938.

4350 ♀	<i>Echymipera</i>	109751 ♀	395-77-54-26
--------	-------------------	----------	--------------

4 km. 20 Tabati, Netherlands New Guinea.

July 12, 1938.

4351 ♂	<i>Pteropus</i>	109866 ♀	285- --- -61-29
2 ♂	"	109867 ♀	280- --- -59-26
3 ♂	"	109868 ♀	270- --- -60-29
4 ♀	"	109869 ♀	272- --- -59-25
5 ♂	<i>Oobonia</i>	109864 ♀	260-27-34-31
6 ♂	"	109865 ♀	268-35-36-34



Wm B. Richardson  
1938

# Catalogue

Hollandia, Netherlands New Guinea.

July 12, 1938.

4357 *Sus* 151484  $\gamma$  Skull Only — — —

July 13, 1938.

4358 $\delta$	<i>Pipistrellus</i>	109883 $\wedge$	72-28-6.5-8
9 $\delta$ ♀	<i>Rhinonycteris</i>	110015 $\gamma$	68-23-7-11
4360 ♀	<i>Dorcopsis</i>	109395 $\wedge$	650-279-105-37
1 ♀	"	109435 $\wedge$	985-387-130-48
2 ♀	<i>Phalanger</i>	109388 $\wedge$	770-380-60-20

4 km. N E Dojo, Netherlands New Guinea 200 m.

July 13, 1938.

4364  $\delta$  *Phalanger* 109457  $\wedge$  770-365-64-25  
35

Hollandia, Netherlands New Guinea

July 14, 1938.

4364 ♀	<i>Phalanger</i>	109446 $\wedge$	777-395-60-22
5 ♀	<i>Emballonura</i>	109884 $\wedge$	57-12-5.5-9
6 $\delta$	<i>Myotis</i>	109885 $\wedge$	100-40-12-12
7 $\delta$ juv	<i>Sus</i>	151501 $\wedge$	480-72-100-38

July 15, 1938

4368 $\delta$	<i>Hipposideros</i>	151541 $\wedge$	Skull Only	68-24-6-11
9 $\delta$	"	151542 $\wedge$	" "	63-22-6-11
4370 $\delta$	"	151543 $\wedge$	" "	63-21-6-11
1 ♀	"	151544 $\wedge$	" "	65-21-6-11
2 ♀	"	151545 $\wedge$	" "	67-23-6-12
3 ♀	"	151546 $\wedge$	" "	68-26-6-11
4 $\delta$	"	109988 $\gamma$		66-21-6-12
5 $\delta$	"	110016 $\gamma$		68-21-6-12
6 ♀	"	110017 $\gamma$		67-22-6-12
7 $\delta$	"	110018 $\gamma$		84-30-8-14
8 $\delta$	"	110019 $\gamma$		78-26-7-11
9 $\delta$	"	110020 $\gamma$		82-28-8-11.5
4380 $\delta$	"	109946 $\gamma$		80-28-8-12.5
1 $\delta$	"	110021 $\gamma$		82-28-8-12.
2 $\delta$	"	110022 $\gamma$		75-25-7-12
3 ♀	"	110023 $\gamma$		83-30-8-12



# Catalogue

## Hollandia, Netherlands New Guinea.

July 15, 1938.

4384 ♂	<i>Hypsignathos</i>	109947 ♀	93-33-10-17
5 ♂	"	109948 ♀	95-34-9-16
6 ♀	"	109949 ♀	117-38-11-16
7 ♀	<i>Rhinolophus</i>	109956 ♀	85-20-12-22
8 ♂	"	109957 ♀	89-22-13-22
9 ♂	"	109958 ♀	75-20-12-19
4390 ♀	<i>Docossais</i>	109403 ♀	888-352-125-47
1 ♂	<i>Phalanger</i>	109470 ♀	660-320-55-18
2 ♂	"	109455 ♀	700-350-58-20

## 4 km NE Dojo, Netherlands New Guinea 200 m.

July 15, 1938.

4393 ♂	<i>Echymipera</i>	109747 ♀	443-102-58-24
4 ♂	"	109748 ♀	365-——-65-24
5 ♂	"	109749 ♀	444-92-62-22

## Hollandia, Netherlands New Guinea.

July 15, 1938.

4396 ♀	<i>Agoromys</i>	110128 ♀	294-174-23-13
7 ♀	<i>Docossais</i>	109412 ♀	870-355-125-50
8 ♂	"	109396 ♀	720-310-120-45

July 16, 1938.

4399 ♀	<i>Echymipera</i>	109737 ♀	280-——-51-21
4400 ♀ Juv.	"	102763 ♀	Alcoholic 125-35-27-10
1 ♂	<i>Myotis</i>	109886 ♀	93-36-11-11
2 ♀	"	109887 ♀	93-36-11-11
3 ♂	<i>Hypsignathos</i>	110024 ♀	78-24-6.5-12
4 ♀	"	110025 ♀	SKIN ONLY 89-27-7-11
5 ♀	"	110026 ♀	78-28-7-12
6 ♂	<i>Docossais</i>	109400 ♀	1087-475-152-52
7 ♂	"	109401 ♀	1110-455-145-45
8 ♂	"	109402 ♀	1105-470-150-50

## 4 km NE Dojo, Netherlands New Guinea 200 m.

July 16, 1938.

4409 ♂	<i>Petaurus</i>	109665 ♀	335-183-29-20
--------	-----------------	----------	---------------



W.B. Richardson  
1938

# Catalogus

4 km. NE Sojo, Netherlands New Guinea.

July 16, 1938.

4410 ♀ Juv. *Petaurus*  
1 ♀ Juv. "

109666 ^  
109667 ^

167-87-17-12  
160-81-17-12

Hollandia, Netherlands New Guinea.

July 14, 1938.

4412 ♀ *Conopsis*  
3 ♂ *Hypsignathos*  
4 ♂ "  
5 ♀ "  
6 ♂ *Rattus*  
7 ♂ Juv. "

109411 ^  
151547 ^  
151548 ^  
151549 ^  
110129 ^  
110130 ^

805-332-115-47  
Skull Only  
"  
"  
149-75-21-10  
157-77-21-11

July 17, 1938.

8 ♀ *Conopsis*  
9 ♂ *Hypsignathos*  
4420 ♀ "  
1 ♀ "  
2 ♀ "

109385 ^  
152604 ^  
152605 ^  
152606 ^  
152607 ^

Alcoholic  
935-400-120-48  
80-28-8-11  
85-28-8-12  
80-27-7-11  
81-27-7-11

July 17, 1938

4423 *Hypsignathos*

4 "  
5 "  
6 "  
7 "  
8 "  
9 "  
4430 "  
1 "  
2 "  
3 "  
4 "  
5 "  
6 "  
7 "  
8 "  
9 "

152552 ^  
152553 ^  
152554 ^  
152555 ^  
152556 ^  
152557 ^  
152558 ^  
152559 ^  
152560 ^  
152561 ^  
152562 ^  
152563 ^  
152564 ^  
152565 ^  
152566 ^  
152567 ^  
152568 ^

Alcoholic



# Catalogue

Hollandia, Netherlands New Guinea  
July 17, 1938.

			Alcoholic
4440	<i>Hypocidura</i>	152569. n	"
1	"	152570. n	"
2	"	152571. n	"
3	"	152572. n	"
4	"	152573. n	"
5	"	152574. n	"
6	"	152575. n	"
7	"	152576. n	"
8	"	152577. n	"
9	"	152578. n	"
4450	"	152579. n	"
1	"	152580. n	"
2	"	152581. n	"
3	"	152582. n	"
4	"	152583. n	"
5	"	152584. n	"
6	"	152585. n	"
7	"	152586. n	"
8	"	152587. n	"
9	"	152588. n	"
4460	"	152589. n	"
1	"	152590. n	"
2	"	152591. n	"
3	"	152592. n	"
4	"	152593. n	"
5	"	152594. n	"
6	"	152595. n	"
7	"	152596. n	"
8	"	152597. n	"
9	"	152598. n	"
4470	"	152599. n	"
1	"	152600. n	"
2	"	152601. n	"
3	"	152602. n	"
4	"	152603. n	"



# Catalogue

Hollandia, Netherlands New Guinea

July 18, 1938.

4475 ♀	<i>Hipposideros</i>	110027 ✓		81-26-7-11
6 ♀	"	110028 ✓		80-28-7-11
7 ♀	"	109989 ✓		75-23-6-12
8 ♀	<i>Emballonura</i>	109974 ✓		62-12-6-13
9 ♀	<i>Hipposideros</i>	109990 ✓		67-23-6-11
4480 ♀	"	151550 ✓		72-25-6-11
1 ♀	"	110029 ✓		72-25-6-12
2 ♀	"	109991 ✓		73-25-6-11
3 ♀	"	151551 ✓		
4 ♀	"	110030 ✓	Skull Only	67-21-6-12
5 ♀	"	110031 ✓		67-21-6-11
6 ♀	"	110032 ✓		69-23-6-12
7 ♀	"	109992 ✓		70-24-6-12
8 ♀	"	109993 ✓		69-23-6-12
9 ♀	"	110033 ✓		69-23-6-11
4490 ♀	"	110034 ✓	Skull Only	80-24- <sup>31</sup> <del>7</del> -12
1 ♀	"	110035 ✓		70-23-6-12
2 ♀	"	151552 ✓		70-25-6-11
3 ♀	"	110036 ✓	Skull Only	68-21-6-11
4 ♀	"	109994 ✓		71-23-6-11
5 ♂	"	110037 ✓		70-24-6-11
6 ♂	"	110038 ✓		80-29-7-11
7 ♂	"	110039 ✓		82-32-7.5-12
8 ♂	"	110040 ✓		82-30-7-11
9 ♂	"	110041 ✓		75-23-7-11
4500 ♂	"	110042 ✓		82-27-7.5-11
1 ♂	"	109995 ✓		83-30-7-12
2 ♂	"	109996 ✓		<del>77-24</del> -7-12
3 ♂	<i>Hipposideros</i>	109950 ✓		71-23-6-10
4 ♂	"	110043 ✓		94-31-10-16
5 ♂	"	151553 ✓		65-21-6-11
6 ♂	"	151554 ✓	Skull Only	66-22-6-12
7 ♂	"	109997 ✓	" "	68-23-6.5-11
8 ♂	"	109998 ✓		63-20-6-11
9 ♂	"	109999 ✓		65-22-6-11
4510 ♂	"	110044 ✓		66-23-6-11
1 ♂	"	110045 ✓		62-19-6-11
				67-24-6-12



Wm. B. Richardson  
1938

# Catalogue

## Hollandia; Netherlands New Guinea

July 18, 1938

4512	♂	<i>Hesperomys</i>	110000	✓	67-23-6-11
3	♀	"	109951	✓	90-33-9-17
4	♀	"	109952	✓	95-35-9-18
5	♀	"	151555	✓	69-22-6-11
6	♀	"	110046	✓	72-25-6-12
7	♀	"	110001	✓	68-22-6-11

Skill Only

300

## Habbema Lake, Netherlands New Guinea

3225 m.

July 26, 1938

4518	♂	<i>Stenomys</i>	150664	✓	244-113-30-18
9	♂	"	150665	✓	270-132-30-18
4520	♂	"	150666	✓	245-112-29-18
1	♀	"	150667	✓	263-125-30-18
2	♀	"	150668	✓	250-112-29-17
3	♂	<i>Pogonomys</i>	150669	✓	242-138-25-17

July 27, 1938

4524	♂	<i>Stenomys</i>	150670	✓	246-112-27-19
5	♂	"	150671	✓	222-90-29-19
6	♂	"	150672	✓	248-109-29-19
7	♂	"	150673	✓	247-112-29-18
8	♀	"	150674	✓	243-111-27-17
9	♀	"	150675	✓	247-103-27-17

July 28, 1938

4530	♀	<i>Stenomys</i>	150676	✓	247-114-27-18
------	---	-----------------	--------	---	---------------

July 29, 1938

4531	♂	<i>Stenomys</i>	150677	✓	245-109-28-17
------	---	-----------------	--------	---	---------------

July 30, 1938

4532	♂	<i>Stenomys</i>	150678	✓	257-115-30-18
3	♂	"	150679	✓	228-101-28-17

July 31, 1938

4534	♀	<i>Stenomys</i>	150680	✓	257-118-28-19
5	♂	"	150681	✓	208-96-25-17

Stomach



# Catalogue

Lake Kallera, Netherlands New Guinea.

3225 m.

July 31, 1938.

4536 ♂ *Phascogale*

109768 n

263-105-23-13

Aug. 1, 1938

4537 ♀ *Stenomys*

150682 n

248-109-28-19

8 ♂ "

150683 n

206-94-26-16

Aug 2, 1938.

4539 ♂ *Stenomys*

150684 n

246-115-29-17

4540 ♂ "

150685 n

238-103-28-16

1 ♂ "

150686 n

249-109-27-19

2 ♂ "

150687 n

255-117-29-17

3 ♂ "

150688 n

250-110-28-17

4 ♂ "

150689 n

228-105-26-17

5 ♀ "

150691 n

231 - 89 - 28-16

6 ♀ "

150690 n

244-104-27-17

7 ♀ "

150692 n

250 - 105 - 30-18

8 ♂ "

150693 n

249-113-29-15

9 ♂ "

150694 n

248-112-28-~~18~~ 15

4550 ♀ "

150695 n

254-116-28-16

1 ♂ "

150696 n

259-105-29-15

2 ♀ Juv. "

150697 n

158-71-20-13

3 ♀ Juv. "

150698 n

142 - 55 - 20-13

4 ♂ *Pogonomys*

150699 n

234-135-25-16

5 ♀ "

150700 n

257-152-25-17

6 ♂ *Rattus*

150701 n

305-144-39-25

7 ♂ "

150702 n

292-128-36-25

8 ♀ "

150703 n

287-136-35-25

9 ♀ "

150704 n

285-135-35-24

Aug 3, 1938.

4560 ♀ *Rattus*

150705 n Round Worm

271-135-35-24

1 ♂ "

150706 n Round Worms

283-137-36-25

2 ♀ "

150707 n Stomach

254-118-34-23

3 ♀ "

150708 n

268-128-36-23

4 ♂ *Pogonomys*

150709 n Stomach

261-152-26-18

5 ♂ *Stenomys*

150710 n

255-111-29-17

6 ♂ "

150711 n

242-105-28-17



# Catalogue

Lake Habbema, Netherlands New Guinea.

3225 m.

Aug. 3, 1938.

4567 ♂	<i>Stenomys</i>	150712 ♀	254-115-28-16
8 ♂	"	150713 ♀	246-111-27-16
9 ♂	"	150714 ♀	244-112-29-17
4570 ♂	"	150715 ♀	251-113-28-16
1 ♂	"	150716 ♀	241-115-29-16
2 ♀	"	150717 ♀	221-99-27-16
3 ♀	"	150718 ♀	248-118-27-17
4 ♀	"	150719 ♀	Urogenital System. 225-90-28--
5 ♂	"	150720 ♀	245-110-27-17

Aug. 4, 1938

4576 ♂	<i>Stenomys</i>	150721 ♀	253-113-28-18
7 ♂	"	150722 ♀	232-111-29-15
8 ♀	"	150723 ♀	256-115-29-18
9 ♀	"	150724 ♀	225-102-28-16
4580 ♀	"	150725 ♀	243-111-27-17
1 ♀	"	150726 ♀	246- <sup>110</sup> <del>78</del> -28-18
2 ♀	"	150727 ♀	240-103-28-15
3 ♀	"	150728 ♀	230-103-27-18
4 ♂	<i>Rattus</i>	150729 ♀	290-136-37-26
5 ♀	<i>Hydromys</i>	110048 ♀	Stomach 209-100-30-7

Aug. 5, 1938.

4586 ♂	<i>Stenomys</i>	150730 ♀	262-115-30-17
7 ♂	"	150731 ♀	250-111-30-17
8 ♂	"	150732 ♀	<span style="border: 1px solid black;">229</span> - <span style="border: 1px solid black;">92</span> -28-18
9 ♀	<i>Stenomys</i>	150733 ♀	251-105-28-18
4590 ♀	<i>Rattus</i>	150734 ♀	307-146-38-28
1 ♂	<i>Phascogale</i>	109769 ♀	263-104-24-14
2 ♀	<i>Hydromys</i>	110049 ♀	337-184-36-9
3 ♀	<i>Eudromicia</i>	109837 ♀	243-145-17-17
4 ♂	<i>Stenomys</i>	150735 ♀	232-99-28-18
5 ♀	"	150736 ♀	228-104-27-15

Aug. 6, 1938.

4596 ♂	<i>Stenomys</i>	150737 ♀	252-115-28-15
7 ♂	"	150738 ♀	253-111-28-16



# Catalogus

Lake Habbema, Netherlands New Guinea

3225 m.

Aug. 6, 1938.

4598 ♂ *Stenomys*

150739 ^

[235]-[97]-29-18

9 ♂ "

150740 ^

257-109-29-15

4600 ♂ "

150741 ^

261-115-29-16

1 ♂ "

150742 ^

258-117-28-17

2 ♂ "

150743 ^

[246]-[100]-29-18

3 ♂ "

150744 ^

235-105-28-16

4 ♂ "

150745 ^

219-103-27-17

5 ♀ "

150746 ^

242-109-29-16

6 ♀ "

150747 ^

230-98-26-17

7 ♀ "

150748 ^

244-101-28-17

8 ♀ "

150749 ^

239-105-29-16

9 ♀ "

150750 ^

240-106-28-18

4610 ♀ *Pseudochirus*

152782 ^

Partially eaten by ♀ 4627

1 ♂ "

109595 ^

332-160-25-20

Aug. 7, 1938.

4612 ♂ *Stenomys*

150751 ^

252-115-29-15

3 ♂ "

150752 ^

226-95-29-18

4 ♂ "

150753 ^

247-105-28-16

5 ♂ "

150754 ^

232-91-27-19

6 ♂ "

150755 ^

226-95-27-16

7 ♂ "

150756 ^

256-115-29-18

8 ♂ "

150757 ^

254-112-28-18

9 ♂ "

150758 ^

268-126-30-16

4620 ♀ "

150759 ^

234-111-28-16

1 ♀ "

150760 ^

230-100-26-18

2 ♀ "

150761 ^

253-116-29-18

3 ♀ "

150762 ^

235-100-28-17

4 ♀ "

150763 ^

217-99-26-19

5 ♂ *Rattus*

150764 ^

282-136-36-24

6 ♀ *Phascogale*

109504 ^

348-168-35-15

7 ♀ *Pseudochirus*

109596 ^

395-175-26-25

Aug. 8, 1938.

4628 ♂ *Stenomys*

150765 ^

232-92-27-15

9 ♂ "

150766 ^

260-120-30-16

4630 ♂ "

150767 ^

246-107-29-18



# Catalogue

Lake Habbema, Netherlands New Guinea, 3225m.

Aug. 8, 1938

4631 ♂	<i>Stenomys</i>	150768	^	264-124-29-16
2 ♀	"	150769	^	236-98-28-14
3 ♂	"	150770	^	283-129-30-18
4 ♂	<i>Pogonomys</i>	150771	^	245-147-27-16
5 ♂	<i>Pseudohydromys</i>	150772	^	Stomach, Urogenital Sys. 191-90-20-8
6 ♂	<i>Phascogale</i>	109770	^	263-110-25-14
7 ♀	"	109771	^	241-100-22-15

Aug. 9, 1938

4638 ♂	<i>Stenomys</i>	150773	^	240-110-30-17
9 ♀	"	150774	^	[213]-[85]-27-16
4640 ♂	"	150775	^	232-100-28-16
1 ♂	"	150776	^	244-113-30-17
2 ♂	"	150777	^	263-117-29-17
3 ♂	"	150778	^	249-106-29-17
4 ♂	"	150779	^	234-98-27-16
5 ♀	<i>Rattus</i>	150780	^	Stomach 280-133-35-24
6 ♂	<i>Stenomys</i>	150781	^	249-111-30-16
7 ♂	<i>Phascogale</i>	109505	^	325-159-37-28

Aug. 10, 1938

4648 ♂	<i>Stenomys</i>	150782	^	248-106-29-16
9 ♂	"	150783	^	255-115-29-18
4650 ♂	"	150784	^	257-112-29-17
1 ♂	"	150785	^	[230]-[88]-29-15
2 ♂	"	150786	^	262-120-28-18
3 ♂	"	150787	^	224-104-27-15
4 ♀	"	150788	^	261-115-30-18
5 ♀	"	150789	^	225-98-26-17
6 ♂	<i>Rattus</i>	150790	^	272-129-35-23
7 ♀	"	150791	^	288-142-38-24
8 ♂	<i>Pseudochinus</i>	109597	^	Stomach 395-180-26-26
9	"	151556	^	Skull only. Pick up.

Aug. 11, 1938

4660 ♀	<i>Stenomys</i>	150792	^	242-107-27-18
1 ♀	<i>Rattus</i>	150793	^	Embryos 309-158-37-24



# Catalogue

Lake Habbema, Netherlands New Guinea, 3225 m.

Aug. 11, 1938

4662 ♂	<i>Stenomys</i>	150794 ✓	226-98-27-18
3 ♀	"	150795 ✓	<u>224</u> - <u>98</u> -28-17
4 ♂	<i>Phascogale</i>	109772 ✓	Stomach Contents 255-108-25-16
5 ♂	"	109506 ✓	Stomach Contents 371-185-41-17

Aug. 12, 1938

4666 ♂	<i>Stenomys</i>	150796 ✓	260-114-29-19
7 ♂	"	150797 ✓	265-118-30-18
8 ♂	"	150798 ✓	245-109-28-17
9 ♂	"	150799 ✓	256-120-28-18
4670 ♂	"	150800 ✓	243-110-28-18
1 ♂	"	150801 ✓	250-109-28-18
2 ♂	"	150802 ✓	249-120-29-18
3 ♂	"	150803 ✓	<u>244</u> - <u>101</u> -29-18
4 ♂	"	150804 ✓	228-104-28-17
5 ♀	"	150805 ✓	244-110-28-16
6 ♀	"	150806 ✓	237-109-28-18
7 ♀	"	150807 ✓	225-97-27-19
8 ♀	"	150808 ✓	252-115-29-18
9 ♀	"	150809 ✓	231-104-27-18
4680 ♂	<i>Rattus</i>	150810 ✓	295-143-37-22
1 ♀	<i>Pogonomys</i>	150811 ✓	248-146-25-16
2 ♂	<i>Hydromys</i>	110050 ✓	Stomach 348-187-38-9
3 ♂	<i>Eudromicia</i>	109838 ✓	235-130-17-18
4 ♂	<i>Pseudochinus</i>	109598 ✓	348-175-24-24
5 ♂	<i>Pogonomys</i>	150812 ✓	260-154-25-18

Aug. 13, 1938

4686 ♂	<i>Phascogale</i>	109773 ✓	251-104-24-10
7 ♀	<i>Pogonomys</i>	150813 ✓	240-145-25-17
8 ♂	"	150814 ✓	235-141-26-15
9 ♂	<i>Rattus</i>	150815 ✓	230-112-34-21
4690 ♂	<i>Stenomys</i>	152712 ✓	Alcohol 253-117-30-17
1 ♀	"	152713 ✓	" 226-98-26-16
2 ♀	"	150816 ✓	254-117-28-18
3 ♀	"	150817 ✓	196-90-24-16



Wm B. Richardson  
1938

24

# Catalogue

Lake Habbema, Netherlands New Guinea 3225 m.

Aug. 14, 1938.

4694 ♂	<i>Stenomys</i>	152714 ✓	Alcoholic	258-114-29-19
5 ♂	"	150818 ✓		231-105-28-17
6 ♀	"	150819 ✓		246-108-28-19
7 ♂	<i>Pogonomys</i>	150820 ✓		258-152-27-18
8 ♂	"	150821 ✓		284-162-26-22
9 ♂	<i>Phascogale</i>	109774 ✓		280-120-24-14
4700 ♂	<i>Pseudochinus</i>	109599 ✓		392-197-25-24
1 ♂	<i>Hydromys</i>	110051 ✓	Stomach	322-166-36-8
2 ♂	"	110052 ✓	Stomach	<u>305</u> - <u>161</u> -37-9

Aug. 15, 1938

4703 ♂	<i>Rattus</i>	150822 ✓		271-132-35-24
4 ♂	"	150823 ✓		300-145-36-24
5 ♀	"	150824 ✓		278-141-36-23
6 ♂	<i>Stenomys</i>	150825 ✓		256-115-30-18
7 ♂	"	150826 ✓		247-117-28-17
8 ♂	"	150827 ✓		245-111-28-18
9 ♂	"	150828 ✓		192-89-25-17
4710 ♀	"	150829 ✓		242-110-28-17

Aug. 16, 1938

4711 ♀	<i>Eudromicia</i>	109844 ✓	Stomach	235-140-18-17
2 ♀	"	109839 ✓	Stomach-Contents	248-145-18-17
3 ♀	<i>Hydromys</i>	110053 ✓	Stomach-Contents	350-190-38-9
4 ♂	<i>Stenomys</i>	150830 ✓	Stomach	222-101-27-18
5 ♀	"	151557 ✓	Skeleton only	251-116-28-17

Aug. 17, 1938.

4716 ♂	<i>Dasyurus</i>	109421 ✓	Stomach-Contents	428-207-44-20
--------	-----------------	----------	------------------	---------------

Aug. 18, 1938.

4717 ♀	<i>Pseudochinus</i>	109600 ✓		340-170-25-23
8 ♂	<i>Phascogale</i>	109775 ✓		252-105-24-14
9 ♀	"	109776 ✓		<u>170</u> - <u>32</u> -23-13
4720 ♂	<i>Rattus</i>	150831 ✓		278-140-36-22
1 ♂	<i>Hydromys</i>	110054 ✓		328-173-37-8
2 ♂	"	110055 ✓		317-170-36-9



W. B. Richardson  
1938

# Catalogue

Lake Habbema, Netherlands New Guinea 3225m

Aug. 18, 1938.

#723	♂	<i>Hydromys</i>	110056	✓		327-174 - 36-9
4	♂	"	110057	✓		285-146 - 34-8
5	♀	"	110058	✓		316-164 - 35-8
6	♀	"	110059	✓		308-169 - 35-8
7	♂	<i>Stenomys</i>	150832	✓		255-112 - 27-17
8	♂	"	150833	✓		260-120 - 29-17
9	♂	"	150834	✓		241-107 - 26-17
#730	♀	<i>Peroryctes</i>	109723	✓		457-176-58-25
1	♂	<i>Stenomys</i>	150835	✓		243-109 - 28-18
2	♂	"	150836	✓		250-112 - 27-15
3	♂	"	150837	✓		245-108-28-17
4	♂	"	150838	✓		225-97-26-16
5	♀	"	150839	✓		238-106-26-16
6	♀	"	150840	✓		247-110-28-17
7	♂	"	151558	✓	Skull Only	235-111-28-16
8	♀	"	150841	✓		233-101-25-16

Aug. 19, 1938.

#739	♂	<i>Pogonomys</i>	151559	✓	Skull Only	<u>230</u> - <u>121</u> -26-17
#740	♂	<i>Phascogale</i>	109777	✓	Stomach Contents	256-110-25-14
1	♂	<i>Hydromys</i>	152827	✓	Alcoholic	310-159-34-8
2	♀	<i>Stenomys</i>	151560	✓	Skull Only	245-103-27-16
3	♂	"	150842	✓		242-111-27-15
4	♂	"	150843	✓		242-111-29-15
5	♂	"	150844	✓		209-96-26-16
6	♂	"	150845	✓		215-97-26-19
7	♀	"	150846	✓		241-104-27-16
8	♀	"	150847	✓		260-110-27-17
9	♀	"	150848	✓		232-104-28-17
#750	♀	"	150849	✓		214-102-26-15

Aug. 20, 1938.

4751	♂	<i>Phascogale</i>	109507	✓		331-164-38-17
2	♂	<i>Hydromys</i>	110060	✓		337-182-37-9
3	♂	"	110061	✓		331-185-37-8
4	♀	<i>Stenomys</i>	150850	✓		246-110-28-17
5	♂	"	150851	✓		254-113-29-18



# Catalogue

Lake Habbema, Netherlands New Guinea 3225m.

Aug. 20, 1938.

4756 ♀	<i>Pogonomys</i>	150852 ✓	241-145-24-17
7 ♂	<i>Stenomys</i>	150853 ✓	242-107-28-17
8 ♂	"	150854 ✓	262-118-29-18
9 ♂	"	150855 ✓	250-110-28-16
4760 ♂	"	150856 ✓	245-110-29-18
1 ♂	"	150857 ✓	215-92-26-15
2 ♀	"	150858 ✓	265-118-28-15
3 ♂	<i>Pseudochinus</i>	109601 ✓	380-172-26-25
4 ♂	"	109602 ✓	386-178-26-25

Aug. 21, 1938.

4765 ♂	<i>Hydromys</i>	110062 ✓	Stomach	295-149-33-10
6 ♀	"	110063 ✓		273-143-33-8
7 ♂	<i>Rattus</i>	150859 ✓		275-137-36-24
8 ♀	"	150860 ✓		294-146-38-25
9 ♂	<i>Pogonomys</i>	150861 ✓		254-157-25-19
4770 ♂	"	152740 ✓	Alcoholic	240-140-26-18
1 ♂	<i>Stenomys</i>	150862		266-120-29-17
2 ♂	"	150863 ✓		251-111-29-18
3 ♂	"	150864 ✓		237-104-29-18
4 ♀	"	150865 ✓		<u>259-107</u> -28-15
5 ♀	"	150866 ✓		215-93-27-15
6 ♀	"	150867 ✓		243-104-27-16
7 ♀	"	150868 ✓		<u>235-92</u> -28-16
8 ♀	"	150869 ✓		<u>220-89</u> -26-15
9 ♀	"	150870 ✓		177-82-24-15
4780 ♂	"	150871 ✓		262-117-28-18
1 ♂	<i>Pseudochinus</i>	109603 ✓		333-165-23-23
2 ♀	"	109604 ✓		325-158-23-22

Aug. 22, 1938.

4783 ♂	<i>Phascogale</i>	109778 ✓	242-99-24-12
4 ♂	"	109779 ✓	248-104-24-12
5 ♀	"	109780 ✓	206-78-21-12
6 ♂	<i>Hydromys</i>	110064 ✓	295-161-35-8
7 ♀	"	110065 ✓	277-145-34-8
8 ♀	<i>Pogonomys</i>	150872 ✓	261-156-25-17



## Catalogue

Lake Khabema Netherlands New Guinea 3225 m.4789 Aug. 22, 1938.♂ *Stenomys*

150873 ✓

250-105-28-17

4790 ♂

"

150874 ✓

242-111-28-18

1 ? *Pseudochirius*

151561 ✓

Skull Only. Pick Up.

Aug. 23, 19384792 ♂ *Stenomys*

150875 ✓

238-107-28-19

3 ♀ "

150876 ✓

221-95-26-19

4 ♀ "

150877 ✓

202-94-25-17

5 ♀ *Phascogale*

109781 ✓

Urogenital System

250-99-22-14

6 ♀ "

109782 ✓

238-109-23-14

7 ♀ *Pogonomys*

150878 ✓

250-146-26-17

8 ♀ Juv. *Hydromys*

110066 ✓

190-90-27-6

9 ♂ *Stenomys*

150879 ✓

260-113-27-18

4800 ♂

"

150880 ✓

252-109-28-17

1 ♂ "

150881 ✓

219-102-27-15

2 ♀ "

150882 ✓

235-106-27-16

4803 ♂

"

150883 ✓

230-98-26-19

Aug. 24, 19384804 ♀ *Pseudochirius*

109605 ✓

Urogenital Sys. 399-176-22-25

5 ♀ Juv. "

152783 ✓

Alcoholic 178-93-17-9

6 ♂ *Stenomys*

150884 ✓

246-112-29-17

7 ♂ "

150885 ✓

227-102-27-18

8 ♂ "

150886 ✓

203-87-26-15

9 ♂ *Phascogale*

109783 ✓

262-111-25-14

4810 ♂

"

109784 ✓

227-97-24-15

1 ♀ "

109785 ✓

Stomach Contents. 3 emb.

236-99-22-13

2 ♀ *Pseudochirius*

109606 ✓

Urogenital Sys.

392-182-24-26

3 ♂ *Hydromys*

110067 ✓

340-187-37-9

4 ♂ "

110068 ✓

294-145-36-8

5 ♂ *Stenomys*

150887 ✓

260-112-28-16

6 ♂ "

150888 ✓

247-108-27-17

7 ♂ "

150889 ✓

246-108-28-17

Aug. 25, 1938.4818 ♀ *Stenomys*

150890 ✓

237-105-28-18

9 ♂ *Pogonomys*

150891 ✓

255-152-25-17



# Catalogue

Lake Habbema, Netherlands New Guinea, 3225 m.

Aug. 25, 1938.

4820	♂	<i>Stenomys</i>	150892	✓	255-111-29-16
1	♂	"	150893	✓	245-111-28-19
2	♀	"	150897	✓	242-104-30-16
3	♂	<i>Rattus</i>	150896	✓	285-142-36-24
4	♂	<i>Hydromys</i>	110069	✓	300-156-35-8
5	♀	<i>Uromys</i>	150895	✓	257-157-26-15
6	♀	<i>Stenomys</i>	150894	✓	260-126-30-17

Aug. 26, 1938.

4827	♀	<i>Pseudochinus</i>	109607	✓	Urogenital System and Stomach contents, 424-191-24-22
8	♂	Juv. "	150899	✓	Alcoholic 93-37-7-4
9	♂	<i>Phascogale</i>	109786	✓	224-100-23-13
4830	♂	<i>Rattus</i>	150898	✓	293-147-36-26
1	♂	<i>Stenomys</i>	150899	✓	237-109-28-18
2	♀	"	150900	✓	249-113-28-18
3	♀	"	150901	✓	208-81-26-16

Aug. 27, 1938.

4834	♂	<i>Hydromys</i>	110070	✓	Urogenital Sys... Stomach 345-184-37-10
5	♂	"	110071	✓	Stomach 322-175-37-8
6	♀	"	110072	✓	305-162-35-8
7	♂	<i>Stenomys</i>	150902	✓	223-94-27-15
8	♂	"	150903	✓	236-108-28-17
9	♀	"	150904	✓	246-110-27-18
4840	♀	"	150905	✓	241-96-28-18
1	♀	"	150906	✓	249-112-27-17

Aug. 28, 1938.

4842	♀	<i>Pseudochinus</i>	109608	✓	Urogenital Sys. 380-175-23-25
3	♂	<i>Phascogale</i>	109787	✓	261-115-23-14
4	♂	<i>Hydromys</i>	110073	✓	317-171-36-8
5	♂	<i>Stenomys</i>	150907	✓	252-115-28-18
6	♂	"	150908	✓	244-115-29-17
7	♀	"	150909	✓	235-111-26-20

Aug. 29, 1938.

4848	♂	<i>Hydromys</i>	110074	✓	312-160-35-9
------	---	-----------------	--------	---	--------------



# Calalogue

Lake Kabbema, Netherlands New Guinea 3225m.

Aug. 30, 1938

4849 ♀	<i>Mallomys</i>	151345 ♀	790-402-72-(81)-26 <sup>(30)</sup>
4850 ♀	<i>Stenomys</i>	150910 ♀	246-115-28-17

Aug. 31, 1938

4851 ♂	<i>Stenomys</i>	150911 ♀	246-114-29-20
2 ♀	"	150912 ♀	229-95-26-19
3 ♀	"	150913 ♀	241-110-28-16

Sept. 1, 1938

4854 ♂	<i>Stenomys</i>	152715 ♀	Alcoholic 242-99-28-18
5 ♀	"	152716 ♀	Alcoholic 232-112-27-17

Sept. 3, 1938

4856 ♂	<i>Pseudochinus</i>	199609 ♀	392-183-24-27
--------	---------------------	----------	---------------

7km. NE Wilhelmina Top, Netherlands New Guinea 3600m

Sept. 8, 1938

4857 ♂	<i>Pseudohydromys</i>	110344 ♀	205-90-21-11
8 ♀	<i>Hydromys</i>	110076 ♀	Stomach Content, Urogen et al. Sys. 313-160-35-7
9 ♂	<i>Stenomys</i>	110345 ♀	237-104-29-18
4860 ♂	"	110346 ♀	<u>220</u> - <u>83</u> -29-20
1 ♀	"	110347 ♀	243-113-27-18
2 ♀	"	110348 ♀	259-113-29-17
3 ♀	"	110349 ♀	258-114-28-15
4 ♀	"	110350 ♀	251-114-28-15
5 ♂	<i>Rattus</i>	110351 ♀	245-117-35-22

Sept. 9, 1938

4866 ♂	<i>Stenomys</i>	110352 ♀	3560m. 252-109-29-16
7 ♀	"	110353 ♀	238-107-26-17
8 ♀	"	110354 ♀	259-122-30-18
9 ♂	"	110355 ♀	239-107-28-16
4870 ♂	"	110356 ♀	248-114-30-19
1 ♂	"	110357 ♀	212-101-27-17
2 ♀	"	110358 ♀	240-115-27-17
3 ♀	"	110359 ♀	231-108-28-18
4 ♀	"	110360 ♀	<u>230</u> - <u>100</u> -26-16



# Catalogue

Idem MC Wilhelmina Top, Netherlands New Guinea 3560m.

Sept. 10, 1938

4875 ♂	<i>Stenomys</i>	110361	✓		240-103-27-15
6 ♂	"	110362	✓		253-116-28-14
7 ♂	"	110363	✓		228-106-27-19
8 ♂	"	110364	✓		237-102-27-18

Sept. 11, 1938

4879 ♂	<i>Rattus</i>	110365	✓	Stomach	<u>278</u> - <u>133</u> -37-25
4880 ♂	<i>Pseudohydromys</i>	110366	✓	Stomach	194-87-21-10
1 ♂	<i>Stenomys</i>	110367	✓		255-114-28-18
2 ♀	"	110368	✓		241-108-28-15
3 ♂	"	110369	✓		249-114-29-20
4 ♀	"	110370	✓		224-101-26-17
5 ♂	<i>Mallomys</i>	151347	✓	Penis bone	(84)-(45) 770-385-75-32

Sept. 12, 1938

4886 ♂	<i>Stenomys</i>	110371	✓		240-110-28-21
7 ♂	"	110372	✓		224-104-28-17
8 ♀	"	110373	✓		248-111-28-18
9 ♂	<i>Peroryztes</i>	109715	✓		500-190-63-24
4890 ♂	<i>Pogonomys</i>	110374	✓		237-132-36-17
1 ♂	<i>Stenomys</i>	110375	✓		257-119-30-22
2 ♂	"	110376	✓		244-114-28-19
3 ♂	"	110377	✓		225-99-27-18
4 ♂	"	110378	✓		218-101-27-17
5 ♀	"	110379	✓		246-113-28-19
6 ♀	"	110380	✓		228-106-27-17
7 ♀	<i>Rattus</i>	110381	✓		259-127-36-24

Sept. 13, 1938

4898 ♂	<i>Pseudochinus</i>	109755	✓	↗	402-194-23-22
9 ♂	<i>Pogonomys</i>	110382	✓	↗	235-137-25-15
4900 ♂	<i>Stenomys</i>	110383	✓	↗	221-105-28-18
1 ♀	"	110384	✓	↗	231-109-25-16

Sept. 14, 1938

4902 ♂	<i>Stenomys</i>	110385	✓		261-121-30-19
3 ♂	"	110386	✓		270-126-29-20



# Catalogue

1 km. NE Wilhelmina top, Netherlands New Guinea 3560 m  
Sept. 14, 1938.

4904 ♂	<i>Stenomys</i>	110387	^	[229] - [86] - 27-15
5 ♀	"	110388	^	256-125-28-17
6 ♀	"	110389	^	240-115-27-19
7 ♂	"	110390	^	244-114-27-19
8 ♀	<i>Pseudohydromys</i>	110391	^	197-95-21-9

Sept. 15, 1938.

4909 ♂	<i>Peroryctes</i>	109716	^	Stomach contents	410-164-52-22
4910 ♀	<i>Phascogale</i>	109757	^	Stomach, Urogenital Sys.	240-100-22-12
1 ♂	<i>Pogonomys</i>	110392	^		242-156-27-18
2 ♂	<i>Stenomys</i>	110393	^		245-110-28-17
3 ♂	"	110394	^		257-117-29-19
4 ♂	"	110395	^		244-113-28-17
5 ♂	"	110396	^		244-109-28-20
6 ♂	"	110397	^		253-116-28-16
7 ♀	"	110398	^		255-118-29-20
8 ♀	"	110399	^		251-118-29-18
9 ♀	"	110400	^		250-111-28-20
4920 ♀	"	110401	^		245-115-28-18
1 ♀	"	110402	^		237-109-28-18
2 ♀	"	110403	^		215-101-26-16
3 ♂	"	110404	^		246-118-29-17
4 ♂	"	110405	^		258-122-28-19
5 ♀	<i>Rattus</i>	110406	^		277-130-35-22

Sept. 16, 1938.

4926 ♂	<i>Phascogale</i>	109758	^		222-95-23-11
7 ♀	<i>Pogonomys</i>	110407	^		244-147-26-18
8 ♂	<i>Stenomys</i>	110408	^		249-127-29-18
9 ♂	"	110409	^		254-117-29-20
4930 ♀	"	110410	^		257-122-28-19
1 ♀	"	110411	^		202-91-27-16
2 ♀	"	110412	^		235-109-27-17
3 ♂	<i>Eudromicia</i>	109840	^	Stomach	237-138-18-19
4 ♀	<i>Peroryctes</i>	109717	^		475-180-54-22



# Catalogue

1 km. N<sup>W</sup> Wilhelmina top, Netherlands New Guinea 3560 m.  
Sept. 17, 1938.

4935 ♂	<i>Eudromicia</i>	119841	✓		248-146-18-19
6 ♂	<i>Rattus</i>	110413	✓		272-132-37-22
7 ♂	<i>Stenomys</i>	110414	✓		264-118-30-18
8 ♂	"	110415	✓		248-111-28-17
9 ♂	"	110416	✓		255-122-29-19
4940 ♂	"	110417	✓		242-107-28-18
1 ♂	"	110418	✓		238-103-28-17
2 ♂	"	110419	✓		248-116-29-19
3 ♂	"	110420	✓		247-113-29-20
4 ♂	"	110421	✓		241-111-27-20
5 ♂	"	110422	✓		225-107-28-17
6 ♂	"	110423	✓		215-97-27-17
7 ♂	"	110424	✓		184-65-27-18
8 ♀	"	110425	✓		231-106-28-18
9 ♀	"	110426	✓		242-109-27-18
4950 ♀	"	110427	✓		252-156-28-18
5001 ♀	"	110428	✓		228-106-28-18
2 ♀	"	110429	✓		260-124-29-18
3 ♂	<i>Rattus</i>	110430	✓		250-123-35-23
4 ♀	<i>Dasyurus</i>	109420	✓	Stomach contents, Urogenital sys.	468-216-43-18
5 ♂	<i>Pseudochinus</i>	109756	✓		410-196-26-27

Sept. 18, 1938.

5006 ♀	<i>Pogonomys</i>	110431	✓		253-148-25-18
7 ♂	<i>Stenomys</i>	110432	✓		250-116-29-16
8 ♂	"	110433	✓		238-105-26-16
9 ♂	"	110434	✓		249-118-27-18
5010 ♂	"	110435	✓		249-115-28-19
1 ♂	"	110436	✓		225-109-29-17
2 ♀	"	110437	✓		230-98-25-19

2 km. E Mt. Wilhelmina, Netherlands New Guinea 3800 m.

Sept. 20, 1938.

4970 ♂	<i>Stenomys</i>	110449	✓		241-112-30-20
1 ♀	"	110450	✓		240-110-27-20



## Catalogue

2 km. C Mt. Wilhelmina, Netherlands New Guinea

3800 to 4050 m

Sept. 21, 1938.

4972 ♂	<i>Peromyscus</i>	109721 ♂	<del>151708</del>	491-190-65-25
3 ♀	<i>Peromyscus</i>	110151 ♂		243-142-24-18
4 ♂	<i>Rattus</i>	110152 ♂		256-122-34-22
5 ♀	"	110153 ♂		297-147-37-24
6 ♀	"	110154 ♂		289-143-36-22
7 ♂	<i>Stenomys</i>	110155 ♂		250-113-29-18
8 ♂	"	110156 ♂		242-112-29-18
9 ♂	"	110157 ♂		247-109-29-16
4980 ♀	"	110158 ♂		232-101-27-18
1 ♀	"	110159 ♂		227-105-27-15

Sept. 22, 1938.

4982 ♂	<i>Peromyscus</i>	109719 ♂		471-178-63-23
3 ♂	<i>Stenomys</i>	110160 ♂		245-108-29-16
4 ♂	<i>Rattus</i>	110162 ♂		284-139-36-22
5 ♀	"	110163 ♂		275-133-35-22
6 ♀	"	110164 ♂		239-113-34-23

Sept. 23, 1938.

4987 ♂	<i>Rattus</i>	110165 ♂		287-138-36-25
8 ♂	"	110166 ♂		282-136-37-24
9 ♀	"	110167 ♂		283-131-35-23
4990 ♂	<i>Stenomys</i>	110168 ♂		251-112-28-20
1 ♀	"	110169 ♂	2 emb. x 25	<span style="border: 1px solid black;">228</span> - <span style="border: 1px solid black;">88</span> - 27-15

Sept. 24, 1938.

4992 ♂	<i>Rattus</i>	110170 ♂		280-135-36-25
3 ♀	"	110171 ♂		255-132-36-23
4 ♂	<i>Stenomys</i>	110172 ♂		240-111-28-18
5 ♂	"	110173 ♂		246-115-29-17
6 ♀ juv.	"	110174 ♂		186-81-25-15

Sept. 25, 1938.

4997 ♀	<i>Rattus</i>	110175 ♂		279-135-35-25
8 ♂	<i>Stenomys</i>	110176 ♂		235-103-29-16
9 ♂	"	110177 ♂		232-100-28-15
5000 ♀	"	110178 ♂		261-124-30-17



# Catalogue

2 km. E Mt. Wilhelmina, Netherlands New Guinea 3800 ft

Sept. 26, 1938.

5013	♂ <i>Rattus</i>	110179	✓	293-140-36-24
4	♀ "	110180	✓	259-126-34-22
5	♂ <i>Stenomys</i>	110181	✓	252-118-29-20
6	♀ "	110182	✓ 2emb. x 27	240-111-28-18
7	♂ <i>Pogonomys</i>	110183	✓	237-134-25-17

Sept. 27, 1938.

5018	♀ <i>Pogonomys</i>	110184	✓	238-140-26-16
9	♂ <i>Rattus</i>	110185	✓	243-114-34-23
5020	♀ "	110186	✓	251-112-34-23
1	♀ "	110187	✓	239-116-35-22
2	♂ <i>Phascogale</i>	109591	✓	400-198-41-18
3	♂ <i>Peroryctes</i>	109722	✓	498-178-62-25

Stomach

Sept. 28, 1938.

5024	♀ <i>Pseudochinus</i>	109754	✓	372-165-25-26
5	♂ <i>Pogonomys</i>	110188	✓	248-143-26-17
6	♂ <i>Stenomys</i>	110189	✓	250-105-27-14
7	♂ "	110190	✓	250-120-29-18
8	♂ "	110191	✓	207-91-27-17
9	♀ "	110192	✓	221-103-27-17

Sept. 29, 1938.

5030	♂ <i>Endromicia</i>	109834	✓	207-117-17-17
1	♂ <i>Stenomys</i>	110193	✓	248-108-28-18



## Catalogus (see footnote on)

7 km NE Wilhelmina top 3560 m

\* Biol. Ex.

1	♀	5032	110324	September 19-1938	Rathus	240-132-35-23
2	♂	3	110325	^	Pogonomy	245-145-25-17
3	♂	4	110326	^	Pseudohyomys	146-91-19-10
4	♂	5	110327	^	Stomoxys	256-120-27-18
5	♂	6	110328	^	"	235-106-26-18
6	♂	7	110329	^	"	246-115-30-20
7	♂	8	110330	^	"	245-110-27-17
8	♀	9	110331	^	"	228-118-26-16
9	♂	5040	110332	September 20.	"	221-100-25-15
10	♂	1	110333	^	"	220-100-28-16
11	♀	2	110334	^	"	207-91-25-16
12	♀	3	109540	^	"	335-159-27-15
13	♂	4	110335	September 21.	Stomoxys	242-110-27-17
14	♂	5	110336	^	"	234-117-28-17
15	♂	6	110337	^	Stomoxys	240-114-26-16
16	♀	7	110338	^	"	225-104-27-19
17	♀	8	110340	^ <del>151564</del>	"	227-114-26-19
18	♂	9	110339	September 22.	"	242-117-27-15
19	♂	5050	110438	^	"	216-106-27-16
20	♂	1	110341	^	"	240-110-27-18
21	♀	2	110342	^	"	227-107-27-17
22	♀	3	110343	^	"	240-110-25-18
23	♀	4	110439	^	"	230-110-26-18
24	♀	5	110077	September 23.	Pseudohyomys	290-154-35-8
25	♀	6	110440	^	"	222- <del>134</del> <sup>1052</sup> -35-28
26	♀	7	110441	^	"	201-91-25-14
27	♂	8	110442	^	"	280-136- <del>38</del> -21 ? w.s.n.
28	♂	9	110443	^	"	260-113-29-15
29	♂	5060	110444	^	"	238-111- <del>27</del> -18 ? w.s.n.
30	♂	1	110445	^	"	238-112-29-15
31	♂	2	110446	^	"	235-110-28-14
32	♂	3	110447	^	"	222-100-27-18
33	♀	4	109718	September 24.	"	408-170-51-24
34	♀	5	109835	^	"	223-125-16-15
35	♀	6	110448	^	"	240-110-27-16
36	♀	7	110449	^	"	253-111-26-16
37	♀	8	110450	^	"	243-115-27-16
38	♀	9	150451	^	"	235-105-26-19
39	♂	5070	109836	^	"	227-132- <del>25</del> -16
40	♂	1	110378	^	Pseudohyomys	324-167-36-6

# Biol. Ex.

41	♂	5072	150452	September 24.
42	♂	3	150453	✓
43	♂	4	150454	September 25.
44	♂	5	150455	✓
45	♂	6	150456	✓
46	♂	7	150457	✓
47	♂	8	150458	✓
48	♂	9	150459	✓
49	♂	5080	150460	✓
50	♂	1	150461	September 26.
51	♂	2	150462	✓
52	♂	3	150463	✓
53	♂	4	150464	✓
54	♂	5	110079	September 27.
55	♂	6	150465	✓
56	♂	7	150479	<del>151505</del>
57	♂	8	109842	✓
58	♂	9	150466	✓
59	♂	5090	150467	✓
60	♂	1	150468	✓
61	♂	2	150469	✓
62	♂	3	150470	September 28.
63	♂	4	150481	✓
64	♂	5	150482	✓
65	♂	6	150483	✓
66	♂	7	150484	✓
67	♂	8	150480	✓
68	♂	9	150478	✓
69	♂	5100	150477	✓
70	♂	1	150476	✓
71	♂	2	110134	✓
72	♂	3	179843	September 29.
73	♂	4	150475	✓
74	♂	5	150474	✓
75	♂	6	150473	✓
76	♂	7	150472	✓
77	♂	8	150471	✓

*Neohydrax*

135-100-29-19
213-102-26-15
291-142-22-24
242-144-24-15
250-112-26-13
236-110-22-16
245-101-28-18
245-115-29-15
235-110-26-14
254-149-25-16
275-132-35-23
227-90-27-15
246-115-28-16
274-130-35-8
226-110-27-16
220-110-26-12
232-141-16-12
260-153-25-15
221-131-23-16
220-91-26-14
243-108-27-15
293-146-37-21
218-130-24-14
216-129-24-14
233-108-28-16
245-115-27-16
258-124-30-15
<del>222</del> 110-26-15
220-100-25-13
225-106-26-16
233-109-27-12
225-130-16-16
252-119-36-22
242-114-29-16
232-112-29-16
240-104-27-17
225-101-28-16

Note - The above 77 specimens were collected and prepared by Marcus and Jalorg. Note x Measurements made by Marcus, a collector portion will have to be remounted at Museum.

## 2 Kilometers east of Mt. Wilhelmina


4951	September 13, 1938	Stenomys	110136	♂	3800m.	258-117-28-16	
4952	13,	"	110137	♂		249-115-28-17	
4953	13,	"	110138	♀		244-116-28-18	skull broken in trap
4954	14,	Rattus	110139	♀		292-138-35-25	
4955		Stenomys	110140	♂		266-124-28.5-21.	
4956		"	110141	♂		261-118-29-15.	
4957	15	Pseudochirus	109752	♀		400-188-24-27.	
4958		"	109753	♀		295-148-22-23.	Immature
4959	16	Stenomys	110142	♀		250-117-29-19	
4960		"	110143	♀		240-101-27-17	
4961	17	Rattus	110144	♀		277-127-35-22	
4962		Stenomys	110145	♂		250-121-28-20	
4963		"	110146	♂		217-104-27-17	
4964	18	Phascogale	109590	♂		394-175-38-20	stomach empty
4965		Rattus	110147	♂		261-122-33-24	
4966		Stenomys	110148	♀		236-107-28-18	
4967		"	110161	♂		223-102-29-18	imm.
4968	19	Mallomys	151346	♂		785-366-75-35	testes enlarged
4969						♂ 109720	456-161-59-23

Note: Mammals collected and prepared by R. Archbold.



Catalogue

6273 *Dugong*



6274 Long nosed Beaked *Bucconius*  
T.L. 472 tail 92 H.F. 60 Ear 27 ♀

Note Specimen collected by R. M. M. M.



# Catalogue

9 Km. N. Lake Kallima, Netherlands New Guinea 2800m

Oct. 11, 1938

5109 ♂	<i>Phascogale</i>	109508	✓		395-200-37-19
5110 ♂	"	109509	✓	stomach	357-182-37-18

Oct. 12, 1938

5111 ♂	<i>Melomys</i>	150485	✓	stomach	295-137-40-20
2 ♂	"	150486	✓	} stomach	245-124-30-17
3 ♂	"	150487	✓		257-135-30-17
4 ♂	<i>Stenomys</i>	150488	✓		245-109-27-17
5 ♂	"	150489	✓		249-108-27-18
6 ♂	"	150490	✓		131-108-28-17
7 ♂	"	150491	✓		245-106-28-17
8 ♂	"	150492	✓		234-104-28-18
9 ♂	"	150493	✓		237-116-27-15
5120 ♀	"	150494	✓	stomach	238-107-27-18
1 ♀	"	150495	✓		247-111-28-18
2 ♀	"	150496	✓		245-108-27-18
3 ♀	"	150497	✓		246-109-28-19
4 ♀	"	150921	✓		242-114-28-16
5 ♀	"	150498	✓		243-111-27-15

Oct. 13, 1938

5126 ♂	<i>Stenomys</i>	150499	✓		<span style="border: 1px solid black;">243</span> - <span style="border: 1px solid black;">104</span> - 29-19
7 ♂	"	150500	✓		246-110-27-18
8 ♂	"	150501	✓		238-108-28-19
9 ♀	"	150502	✓		211-95-26-17
5130 ♂	<i>Melomys</i>	150503	✓		252-134-29-18
1 ♀	"	150504	✓		253-133-30-18
2 ♂	<i>Stenomys</i>	150505	✓		256-114-29-18
3 ♀	"	150506	✓		266-122-28-20
4 ♀	"	150507	✓		251-110-28-19
5 ♀	"	150508	✓		246-111-28-16
6 ♀	"	150509	✓		242-114-26-17

Oct. 14, 1938

5137 ♀	<i>Melomys</i>	150510	✓		339-165-41-22
8 ♂	"	150515	✓		262-121-30-18
9 ♂	"	150514	✓		205-95-25-15



# Catalogue

9 km N<sup>e</sup> Lake Kabbuna, Netherlands New Guinea, 2800m  
Oct. 14, 1938.

5140 ♂ <i>Phascogale</i>	109510	♂		375-179-39-19
1 ♀ "	109511	♀		370-187-38-18

Oct. 15, 1938.

5142 ♀ <i>Lorentzimys</i>	150513	♀	Urogenetal Sys.	225-134-25-20
3 ♂ <i>Melomys</i>	150512	♂		261-135-31-17
4 ♂ "	150511	♂	Stomach	248-131-30-17
5 ♀ "	150516	♀		254-134-30-18
6 ♂ <i>Stenomys</i>	150922	♂		233-114-29-18

Oct. 16, 1938.

5147 ♀ <i>Peromyscus</i>	109711	♀	Stomach	365-142-49-22
8 ♀ <i>Melomys</i>	150517	♀	Urogenetal Sys., Stomach	310-149-39-21
9 ♂ <i>Stenomys</i>	150518	♂		249-111-27-17
5150 ♂ "	150519	♂		254-120-27-20
1 ♀ "	150520	♀		238-115-26-16
2 ♂ <i>Melomys</i>	150521	♂		256-132-30-17
3 ♀ "	150522	♀		250-129-30-17
4 ♂ <i>Phascogale</i>	109512	♂		384-195-37-17
5 ♀ "	109513	♀	Stomach	345-176-34-16
6 ♂ "	109759	♂	Stomach	255-105-23-13

Oct. 17, 1938.

5157 ♀ <i>Stenomys</i>	150523	♀		237-108-27-19
8 ♀ <i>Phascogale</i>	109808	♀	Stomach	[168]-[65]-20-11
9 ♀ "	109760	♀	Embryos	240-107-22-11
5160 ♀ <i>Uromys</i>	151348	♀	Dung Stomach	700-375-73-21
1 ♂ <i>Melomys</i>	150524	♂		240-123-29-16
2 ♂ <i>Stenomys</i>	150525	♂		235-108-28-17
3 ♂ "	150526	♂		228-104-28-16
4 ♂ "	150527	♂		215-100-26-17
5 ♀ "	150528	♀		241-103-27-20
6 ♀ "	150529	♀		235-109-27-17
7 ♀ <i>Phascogale</i>	109514	♀		348-173-34-16
8 ♂ <i>Melomys</i>	150530	♂		305-144-40-22



# Catalogue

9 km NE Lake Habbema, Netherlands New Guinea, 280 am  
Oct. 18, 1938.

5169 ♂ <i>Phascogale</i>	109515 ^	352-178-38-20
5170 ♀ "	109809 ^	Stomach, Urogenital Sys. 249-126-23-15
1 ♀ <i>Eudromicia</i>	109790 ^	245-130-18-18
2 ♂ <i>Myotis</i>	109978 ^	85-32-9-10
3 ♂ <i>Pogonomys</i>	150531 ^	Stomach 263-144-24-19
4 ♂ <i>Melomys</i>	150532 ^	245-125-29-17
5 ♂ "	150533 ^	246-127-30-17
6 ♂ "	150534 ^	250-130-31-17
7 ♂ <i>Stenomys</i>	150535 ^	229-102-26-18
8 ♂ <i>Melomys</i>	150536 ^	249-130-30-18
9 ♂ <i>Phascogale</i>	109761 ^	232-104-23-13

Oct. 19, 1938.

5180 ♂ <i>Phascogale</i>	109810 ^	250-138-22-13
1 ♀ Ju. <i>Pogonomys</i>	150537 ^	234-145-26-16
2 ♂ <i>Melomys</i>	150538 ^	250-131-30-18
3 ♀ <i>Stenomys</i>	150539 ^	240-105-26-18
4 ♂ "	150540 ^	245-106-28-20
5 ♂ <i>Pogonomys</i>	150541 ^	273-162-26-21
6 ♂ <i>Phascogale</i>	109811 ^	238-130-20-14
7 ♀ "	109762 ^	240-102-23-14

Stomach  
Embryo  
Stomach

Oct. 20, 1938

5188 ♂ <i>Melomys</i>	150542 ^	245-122-29-17
9 ♂ <i>Stenomys</i>	150543 ^	249-116-28-18

Oct. 21, 1938.

5190 ♂ <i>Phascogale</i>	109812 ^	252-140-21-13
1 ♂ <i>Melomys</i>	150544 ^	249-139-30-17
2 ♀ "	150545 ^	Embryos 255-134-29-17
3 ♀ "	150546 ^	247-134-30-17
4 ♂ <i>Stenomys</i>	150547 ^	250-114-28-18
5 ♂ "	150548 ^	232-107-27-18
6 ♂ "	150549 ^	242-117-28-19
7 ♂ "	150550 ^	198-92-26-15
8 ♀ "	150551 ^	Embryo 250-120-28-19
9 ♀ "	150552 ^	Stomach 241-114-27-16



## Catalogue

9 km. N.E. Lake Habbema, Netherlands New Guinea 2800 m.

Oct. 21, 1938.

5200 ♀	<i>Stenomys</i>	150553	✓		239-114-25-16
1 ♀	"	150554	✓		131-105-28-18
2 ♀	"	150555	✓	Embryos.	248-122-28-17
3 ♀	"	150557	✓		239-109-27-19
4 ♀	"	150558	✓		217-99-27-18
5 ♀	<i>Melomys</i>	150556	✓	<del>151500</del>	300-141-40-20
6 ♀ Juv.	<i>Phascogale</i>	109516	✓		260-136-30-16

Oct. 22, 1938.

5207 ♂	<i>Lorentzimys</i>	150559	✓		191-111-25-17
8 ♂	<i>Phascogale</i>	109813	✓		255-140-21-14
9 ♂	<i>Melomys</i>	150560	✓		250-128-30-18
5210 ♂	<i>Stenomys</i>	150561	✓		242-112-27-19
1 ♂	"	150562	✓		241-113-27-17
2 ♀	<i>Phascogale</i>	109517	✓		326-169-35-17
3 ♂	<i>Phascogale</i>	109518	✓		395-193-38-18

Oct. 23, 1938.

5214 ♂	<i>Stomys Anisomys</i>	151376	✓	Stomach	570-308-60-20
5 ♂	<i>Melomys</i>	150563	✓		250-128-30-18
6 ♀	"	150564	✓	Emb. Stomach	320-148-39-20

Oct. 24, 1938.

5217 ♀	<i>Pseudochinus</i>	109610	✓	Emb, Urogenital Sys., Stomach	385-185-24-23
8 ♀	<i>Hydromys</i>	151380	✓	Stomach	510-270-52-12 <sup>200</sup>
9 ♀	<i>Pogonomys</i>	150565	✓		265-157-25-16
5220 ♂	<i>Phascogale</i>	109814	✓		245-130-24-14
1 ♂	<i>Melomys</i>	150566	✓		245-124-31-16
2 ♀	"	150567	✓		225-115-29-18
3 ♀	<i>Stenomys</i>	150568	✓		249-120-28-17
4 ♀	"	150569	✓		251-114-28-19
5 ♀	"	150570	✓		241-111-28-18
6 ♀	<i>Phascogale</i>	109815	✓	Stomach	198-108-18-11
7 ♂	"	109519	✓		433-210-40-20
8 ♂	"	109520	✓		377-191-38-18



# Catalogue

9 km. NE Lake Habbema, Netherlands New Guinea 2800m-2700m  
Oct. 25, 1938.

5229 ♀	<i>Phalanger</i>	109431 ✓	Stomach, l. intestine.	635-268-32-22
5230 ♂	<i>Melomys</i>	150571 ✓		340-161-40-22
1 ♀	<i>Stenomys</i>	150572 ✓		246-111-27-19
2 ♀	"	150573 ✓		232-102-27-18
3 ♀	"	150574 ✓		237-108-27-18
4 ♀	"	150575 ✓		225-98-25-18
5 ♂	<i>Phascogale</i>	109521 ✓		237-122-29-17

Oct. 26, 1938.

5236 ♂	<i>Dorcopsis</i>	109664 ✓		685-290-99-36
7 ♂	<i>Pseudochirus</i>	109611 ✓ <del>151507</del>	Stomach	372-185-22-24
8 ♂	<i>Phascogale</i>	109816 ✓	Stomach	282-149-26-15
9 ♂	<i>Melomys</i>	150576 ✓	Stomach	239-120-28-16
5240 ♂	"	150577 ✓		250-129-30-17
1 ♂	"	150578 ✓		237-120-28-15
2 ♂	"	150579 ✓		242-124-30-18
3 ♀	"	150580 ✓		230-120-29-17
4 ♀	"	150581 ✓		246-130-28-16
5 ♂	<i>Stenomys</i>	150582 ✓		249-116-27-18
6 ♂	"	150583 ✓		246-112-28-17
7 ♀	"	150584 ✓		250-115-28-18
8 ♀	"	150585 ✓		228-107-27-17
9 ♀	"	150586 ✓		220-104-27-17
5250 ♀	"	150587 ✓		222-102-26-16
1 ♂	<i>Phascogale</i>	109763 ✓		265-118-23-15
2 ♂	"	109522 ✓		402-204-39-18

Oct. 27, 1938.

5253 ♂	<i>Melomys</i>	150588 ✓		315-151-40-21
4 ♂	<i>Hydromys</i>	110075 ✓		441-230-52-11
5 ♂	<i>Pogonomys</i>	150589 ✓		248-146-25-16
6 ♀	<i>Stenomys</i>	150590 ✓		249-119-27-16
7 ♀	"	150591 ✓		202-89-25-17
8 ♂	<i>Hydromys</i>	151381 ✓		493-268-55-12
9 ♀	<i>Phascogale</i>	109593 ✓		345-173-37-17
5260 ♂	"	109523 ✓		392-190-38-18



## Catalogue

John H. Lake Habbema, Netherlands New Guinea 2800-2700m.  
Oct. 28, 1938.

5261 ♂	<i>Lorentzimys</i>	150592	✓		211-128-26-19
2 ♀	"	150593	✓		211-123-26-18
3 ♀	<i>Melomys</i>	150594	✓		280-132-37-20
4 ♀	"	152723	✓	Alcoholic	251-129-30-17
5 ♂	<i>Stenomys</i>	152717	✓	Alcoholic	246-115-28-18
6 ♀	"	152718	✓	Alcoholic	219-99-27-18
7 ♂	"	150595	✓		237-120-28-17
8 ♀	"	150596	✓		231-114-27-15
9 ♂	<i>Anisomys</i>	151377	✓		570-312-62-18
5270 ♂	<i>Phascogale</i>	109524	✓		393-195-38-18
1 ♂	<i>Pogonomys</i>	150923	✓		262-151-26-18

Oct. 29, 1938.

5272 ♀	<i>Dasyurus</i>	109417	✓	Stomach	373-174-40-17
3 ♂	<i>Phascogale</i>	109818	✓		240-125-22-14
4 ♀	"	109817	✓		247-126-23-14
5 ♂	<i>Melomys</i>	150597	✓		297-138-40-20
6 ♀	"	150598	✓		242-124-29-16
7 ♀	<i>Stenomys</i>	150599	✓		249-114-27-18
8 ♂	"	150600	✓		248-106-27-19
9 ♀	<i>Dasyurus</i>	109419	✓	Stomach	380-182-41-19
5280 ♂	<i>Hyomys</i>	151349	✓	Stomach, dung	551-256-57-25
1 ♂	<i>Peroryctes</i>	109712	✓		500-175-61-21
2 ♂	<i>Phascogale</i>	109764	✓		260-107-25-12
3 ♂	"	109525	✓		408-200-39-16

Oct. 30, 1938.

5284 ♂	<i>Melomys</i>	150601	✓		242-120-30-16
52 ♂	<i>Phascogale</i>	109788	✓		225-234-17-14
63 ♀	<i>Phascogale</i>	109526	✓		365-184-34-18
74 ♂	<i>Melomys</i>	150602	✓		240-118-29-16
85 ♂	<i>Melomys</i>	150603	✓		240-129-27-15
96 ♂	<i>Stenomys</i>	150604	✓		225-104-27-16
290 ♀	<i>Stenomys</i>	150605	✓		223-107-25-15
1 ♂	<i>Anisomys</i>	151378	✓	Stomach, intestine	561-318-60-19
2 ♂	<i>Phascogale</i>	109527	✓		330-170-32-18
3 ♂	<i>Phascogale</i>	109528	✓		361-190-35-15

Measured by shooting bay



# Catalogue

9 km N.E. Lake Habbema, Netherlands New Guinea 2800-2700 m  
Oct. 30 1938.

5294 ♂	Phascogale	109529	✓		247-127-30-17
5295 ♂	Phascogale	109530	✓		380-183-37-17
6 ♂	Stenomys	150666	✓		245-110-27-18
7 ♂	Phalanger	109430	✓	Stomach, intestine	412-270-51-15
8 ♂	Phascogale	109592	✓		356-190-38-18

Oct. 31 1938

5299 ♂	Pogonomys	150607	✓		272-152-26-20
5300 ♀	Melomys	150608	✓	Emb.	239-125-30-15
1 ♀	Stenomys	150609	✓		246-119-26-16
2 ♀	Phascogale	152739	✓	Alcoholic	242-138-21-13
3 ♂	Melomys	150610	✓		247-130-30-16
4 ♀	"	150611	✓		256-136-29-16
5 ♂	Phascogale [Brought in by natives]	152738	✓	Alcoholic	407-198-38-18
6 ♂	Dactyloxax	109428	✓	Stomach, Intestine	468-225-49-28
7 ♀	Phascogale	109531	✓		380-198-37-17

Nov. 1 1938.

5308 ♂	Pseudochinus	109612	✓		365-176-23-26
9 ♂	Melomys	150612	✓		246-124-30-16
5310 ♂	"	150613	✓		247-127-29-18
1 ♂	Stenomys	150614	✓		225-104-26-16
2 ♀	Pseudochinus	109613	✓		388-178-25-25
3 ♂	"	109614	✓		268-137-20-20
4 ♂	Rattus	150615	✓		275-115-30-16
5 ♂	"	150616	✓		300-135-31-15
6 ♂	"	150617	✓		253-120-29-17
7 ♂	Phascogale	109532	✓		356-175-37-15
8 ♂	Peroryctes	109713	✓		508-195-62-25 <sup>1200</sup>
9 ♂	Hyomys	151350	✓		601-278-57-25
5320 ♂	Phascogale	109533	✓		312-160-35-16
1 ♀	Pogonomys	150618	✓		228-130-24-17
2 ♂	Melomys	151351	✓		792-385-72-25

Nov. 2, 1938.

5323 ♂	Phascogale	109534	✓		405-192-39-18
4 ♀	Eudromicia	109789	✓		214-125-17-14



# Catalogue

9 km. NE Lake Kabbema, Netherlands New Guinea 2800 m. - 2700 m.

Nov 2, 1938.

5325 ♂	<i>Pogonomys</i>	150619	✓	285-171-26-17
6 ♂	<i>Melomys</i>	150620	✓	244-129-30-18
7 ♀	<i>Stenomys</i>	150621	✓	230-107-26-16
8 ♂	<i>Phascogale</i>	109535	✓	322-162-35-15
9 ♀	"	109536	✓	248-125-29-15

Nov 3, 1938.

5330 ♂	<i>Rattus</i>	150622	✓	324-148-31-16
1 ♂	"	150623	✓	297-135-31-16
2 ♂	"	150624	✓	331-154-34-18
3 ♂	"	150625	✓	300-137-33-17
4 ♂	"	150626	✓	320-151-33-17
5 ♂	"	150627	✓	<u>285</u> - <u>120</u> - 32-16
6 ♂	"	150628	✓	281-134-30-18
7 ♂	"	150629	✓	281-135-31-16
8 ♂	"	150630	✓	281-130-31-16
9 ♂	"	150631	✓	221-103-28-16
5340 ♂	"	150632	✓	218-100-28-14
1 ♀	"	150633	✓	315-142-32-17
2 ♀	"	150634	✓	313-145-32-18
3 ♀	"	150635	✓	315-148-33-16
4 ♀	"	150636	✓	265-120-30-16
5 ♀	"	150637	✓	270-133-31-16
6 ♀	"	150638	✓	271-133-30-16
7 ♀	"	150639	✓	268-128-30-17
8 ♀	"	150640	✓	220-105-27-15
9 ♀	<i>Melomys</i>	150641	✓	251-132-30-16
5350 ♀	"	150642	✓	236-122-28-16

Nov 4, 1938.

5351 ♀	<i>Melomys</i>	150643	✓	331-157-40-21
2 ♀	"	150644	✓	249-126-28-17
3 ♀	<i>Stenomys</i>	150645	✓	252-117-27-18
4 ♀	"	150646	✓	235-108-27-15
5 ♂	<i>Melomys</i>	150647	✓	246-128-30-16



# Catalogus

9 km. NE Lake Habbema, Netherlands New Guinea 2800-2700m.  
Nov. 5, 1938.

5356 ♂ <i>Melomys</i>	150648 ^	313 - 151 - 40 - 18
7 ♀ "	150649 ^	331 - 159 - 39 - 21
8 ♀ "	150650 ^	296 - 138 - 40 - 19
9 ♀ "	150651 ^	246 - 125 - 28 - 15
5360 ♂ <i>Stenomys</i>	150652 ^	254 - 125 - 28 - 16
1 ♀ "	150653 ^	252 - 120 - 27 - 16
2 ♂ "	150654 ^	245 - 109 - 28 - 17
3 ♀ "	150655 ^	248 - 115 - 28 - 17
4 ♀ <i>Anisomys</i>	151379 ^	580 - 318 - 62 - 19
5 ♀ <i>Pseudochinus</i>	109615 ^	310 - 155 - 22 - 20
6 ♂ <i>Phascogale</i>	109819 ^	235 - 120 - 20 - 13
7 ♀ <i>Mallomys</i>	151352 ^	788 - 405 - 73 - 26
8 ♂ <i>Dactylopsax</i>	109429 ^	460 - 206 - 46 - 29

Belo River, 18 km N Lake Habbema, Netherlands New Guinea 2200m.  
Nov. 6, 1938.

5369 ♀ <i>Dactylopsax</i>	109425 ^	390 - 190 - 42 - 29
5370 ♂ <i>Phascogale</i>	109541 ^	365 - 189 - 38 - 17
1 ♂ <i>Melomys</i>	150924 ^	252 - 127 - 29 - 17
2 ♂ "	150925 ^	236 - 115 - 28 - 17
3 ♀ "	150926 ^	223 - 106 - 27 - 15
4 ♀ "	150927 ^	233 - 116 - 28 - 18
5 ♀ "	150928 ^	222 - 110 - 27 - 17
6 ♂ <i>Rattus</i>	150929 ^	314 - 141 - 32 - 17
7 ♂ "	150930 ^	310 - 144 - 31 - 16
8 ♂ "	150931 ^	305 - 142 - 29 - 16
9 ♂ "	150932 ^	295 - 142 - 33 - 16
5380 ♂ "	150933 ^	244 - 117 - 28 - 16
1 ♂ "	151568 ^	186 - 66 - 26 - 15
2 ♀ "	150934 ^	282 - 132 - 31 - 16
3 ♀ <i>Stenomys</i>	150935 ^	240 - 106 - 26 - 16

22mb. x 25mm.

Skull only

Nov. 7, 1938.

5384 ♂ <i>Eudromicia</i>	109791 ^	236 - 137 - 18 - 18
5 ♂ "	109792 ^	236 - 132 - 18 - 17
6 ♂ <i>Melomys</i>	150936 ^	249 - 125 - 29 - 18
7 ♀ <i>Phascogale</i>	109542 ^	341 - 165 - 34 - 17

Emb.



## Catalogue

Bele River, 18 km. <sup>Lah</sup> Hahema, Netherlands New Guinea 2200 m.  
Nov. 7, 1938.

5388♂ <i>Rattus</i>	150937 ♀	310-139-32-17
9♂ "	150938 ♀	300-145-32-18
5390♂ <i>Phascogale</i>	109543 ♀	395-193-37-18

Nov. 8, 1938.

5391♀ <i>Mallomys</i>	151833 ♀	762-377-70-28
2♂ <i>Anisomys</i>	151354 ♀	585-317-60-19
5♂ <i>Milomys</i>	150939 ♀	317-148-40-21
4♂ <i>Rattus</i>	150940 ♀	301-135-33-18
5♂ <i>Phascogale</i>	109544 ♀	395-201-40-20
6♂ <i>Pogonomys</i>	150941 ♀	287-172-28-15
7♂ "	150942 ♀	282-166-23-14
8♀ "	150943 ♀	<u>272</u> - <u>150</u> -24-14
9♀ "	150944 ♀	294-169-24-13
5400♀ "	150945 ♀	298-177-25-13
1♀ "	150946 ♀	293-176-24-14
2♀ "	150947 ♀	284-168-24-13
3♀ "	150948 ♀	305-180-25-15
4♀ "	150949 ♀	264-155-24-14
5♀ "	150950 ♀	288-168-24-14
6♀ <i>Milomys</i>	150951 ♀	223-114-25-13
7♂ <i>Rattus</i>	150952 ♀	322-142-34-18
8♂ "	150953 ♀	292-131-31-18
9♂ "	150954 ♀	234-111-28-16
5410♂ "	150955 ♀	202-94-26-13
1♀ "	150956 ♀	306-140-32-18
2♀ "	150957 ♀	<u>270</u> - <u>112</u> -31-17
3♀ "	150958 ♀	238-112-30-15
4♀ "	150959 ♀	200-95-26-13

Nov. 9, 1938.

5415♂♀ <i>Milomys</i>	150960 ♀	312-144-39-22
6♀ <i>Stenomys</i>	150961 ♀	247-116-27-16
7♂ <i>Rattus</i>	150962 ♀	310-140-31-18
8♂ "	150963 ♀	331-145-34-17
9♂ "	150964 ♀	311-140-34-17
5420♂ "	150965 ♀	301-136-32-18



# Catalogue

Bele R., 18 km. N. Lake Kabbima, Netherlands New Guinea 2200 m.  
Nov. 9, 1938.

5421 ♂	<i>Rattus</i>	150966	^	265-125-31-14
2 ♂	"	150967	^	286-137-31-17
3 ♂	"	150968	^	272-130-31-18
4 ♀	"	150969	^	315-145-32-19
5 ♀	"	150970	^	314-145-33-17
6 ♀	"	150971	^	300-131-32-17
7 ♀	"	150972	^	303-140-31-20
8 ♀	"	150973	^	296-135-30-16
9 ♀	"	150974	^	258-120-31-17
5430 ♀	"	150975	^	255-118-29-15
1 ♀	"	150976	^	177-80-26-13
2 ♀	<i>Phascogale</i>	109545	^	323-169-35-18
3 ♂	<i>Melomys</i>	150977	^	256-129-27-13
4 ♂	<i>Rattus</i>	150978	^	284-132-32-14
5 ♂	"	150979	^	205-90-27-16
6 ♀	"	150980	^	322-145-34-17
7 ♀	"	150981	^	307-140-31-19
8 ♀	"	150982	^	300-139-31-14
9 ♀	"	150983	^	272-124-29-18
5440 ♀	"	150984	^	237-110-30-17
1 ♀	"	150985	^	236-110-29-16
2 ♀	"	150986	^	250-119-30-14
3 ♀	"	150987	^	199-89-27-14
4 ♀	<i>Phascogale</i>	109546	^	300-159-33-17
5 ♂	"	150988	^	228-131-20-12
6 ♀	<i>Rattus</i>	150989	^	302-144-21-18
7 ♀	<i>Stenomys</i>	150990	^	256-115-28-15
8 ♂	<i>Melomys</i>	150991	^	254-131-30-18
9 ♂	"	150992	^	227-116-28-16

Nov. 10, 1938.

5450 ♂	<i>Pseudochirus</i>	109616	^	365-174-24-21
1 ♂	<i>Stenomys</i>	150993	^	246-120-26-15
2 ♂	<i>Melomys</i>	150994	^	243-118-28-19
3 ♀	<i>Melomys</i>	150995	^	244-116-29-17
4 ♂	<i>Phascogale</i>	109547	^	351-166-36-18
5 ♀	"	109821	^	208-110-19-12

Emb.



# Catalogue

Del. R., 18 km. N Lake Nabena, Netherlands New Guinea, 2200 m.  
Nov. 10, 1938

5456 ♂	<i>Melomys</i>	150996	✓		257-131-27-13
7 ♂	"	150920	✓	<del>151500</del>	233-117-28-18
8 ♀	"	150997	✓		228-116-27-17
9 ♀	"	150998	✓		248-122-28-18
5460 ♀	<i>Stenomys</i>	150999	✓		252-117-28-16
1 ♂	<i>Rattus</i>	151000	✓		286-131-31-18
2 ♂	"	151001	✓		264-126-33-16
3 ♀	"	151002	✓		288-133-32-17
4 ♀	"	151003	✓		297-138-30-17
5 ♀	"	151004	✓		290-140-30-15
6 ♂	"	151570	✓	Skull only	284-136-30-15
7 ♂	"	151571	✓	" "	260-121-31-15
8 ♀	"	151572	✓	" "	271-126-31-16

Nov. 11, 1938

5469 ♂	<i>Pogonomys</i>	151005	✓		293-171-25-12
5470 ♂	"	151006	✓		281-165-24-12
1 ♀	"	151007	✓		290-168-23-14
2 ♀	"	151008	✓		283-172-25-14
3 ♂	<i>Rattus</i>	151009	✓		324-152-33-16
4 ♂	"	151010	✓		<u>292</u> - <u>133</u> -32-17
5 ♂	"	151011	✓		293-141-33-16
6 ♂	"	151012	✓		241-115-30-15
7 ♂	"	151013	✓		163-70-24-10
8 ♀	"	151014	✓		294-133-31-16
9 ♀	"	151015	✓		300-131-32-18
5480 ♀	"	151016	✓		293-133-31-15
1 ♀	"	151017	✓		175-80-24-13
2 ♀	"	151018	✓		165-72-24-12
3 ♀	"	151019	✓		166-73-24-14
4 ♂	<i>Stenomys</i>	151020	✓		267-128-29-15
5 ♂	<i>Melomys</i>	151021	✓		248-126-29-16
6 ♀	<i>Rattus</i>	151022	✓		272-123-31-15
7 ♂	<i>Stenomys</i>	151023	✓		252-120-27-18
8 ♂	"	151774	✓	Skull Missing?	250-120-28-17
9 ♂	"	151775	✓	"	242-119-27-17
5490 ♂	<i>Melomys</i>	151776	✓	"	244-126-28-17



# Catalogue

Beli R., 18 km N Lake Kabbema, Netherlands New Guinea 2200m.  
Nov. 11, 1938.

5491 ♀	<i>Melomys</i>	151777	skin missing		235-120-28-16
2 ♀	<i>Melomys</i>	151778	^	emb x 33	326-151-40-21
3 ♂	"	151024	^		330-154-40-22
4 ♂	"	151025	^		313-147-41-20 AL.R.
5 ♂	"	151026	^		241-122-27-15 AL.R.

Nov. 12, 1938.

5496 ♀	<i>Steromys</i>	151027	^		196-95-25-14
7 ♀	<i>Melomys</i>	151028	^		247-127-25-12
8 ♀	<i>Rattus</i>	151029	^		284-132-32-17
9 ♂	<i>Melomys</i>	151030	^		271-141-27-12
5500 ♂	<i>Rattus</i>	151031	^		311-149-32-18
1 ♂	"	151032	^		254-119-31-16
2 ♀	"	151033	^		241-114-29-15
3 ♀	"	151034	^		240-112-29-15
4 ♀	<i>Melomys</i>	151035	^		237-131-25-11
5 ♂	<i>Dactylonax</i>	109426	^		425-218-48-30
6 ♂	<i>Anisomys</i>	151355	^		572-322-62-23
7 ♂	<i>Peromyscus</i>	109670	^		535-205-62-24
8 ♀	"	109671	^		402 420-153-52-23
9 ♂	<i>Phascogale</i>	109548	^		370-182-37-18
5510 ♂	"	109549	^		362-183-38-16
1 ♂	"	151573	skull only.	emb.	349-173-35-16
2 ♀	<i>Melomys</i>	151036	^		244-121-25-11
3 ♂	"	151037	^		236-118-29-19

Nov. 13, 1938.

5514 ♂	<i>Dorcopsis</i>	109658	^	Dung	600-267-88-30
5 ♂	<i>Pseudochinus</i>	109642	^	Stomach, Dung	657-300-48-25
6 ♂	<i>Rattus</i>	151038	^		291-134-32-17
7 ♂	"	151039	^		297-137-32-17
8 ♂	"	151040	^		294-129-31-17
9 ♂	"	151041	^		291-133-32-17
5520 ♂	"	151042	^		277-128-31-16
1 ♂	"	151043	^		267-125-31-16
2 ♂	"	151044	^		231-110-27-15
3 ♂	"	151045	^		223-106-27-15



# Catalogue

Bile R. 18km N Lake Kabbema, Netherlands New Guinea 2200m  
Nov. 13, 1938.

5524 ♂ <i>Rattus</i>	151046 ^	212 - 99 - 27-15
5 ♂ "	151047 ^	198 - 84 - 27-15
6 ♂ "	151048 ^	200 - 91 - 26-15
7 ♀ "	151049 ^	335 - 160 - 33-17
8 ♀ "	151050 ^	310 - 134 - 33-17
9 ♀ "	151051 ^	302 - 143 - 33-17
5530 ♀ "	151052 ^	299 - 140 - 33-16
1 ♀ "	151053 ^	288 - 127 - 32-16
2 ♀ "	151054 ^	247 - 112 - 30-14
3 ♀ "	151055 ^	261 - 119 - 31-14
4 ♀ "	151056 ^	209 - 95 - 27-14
5 ♀ "	151057 ^	205 - 96 - 27-13
6 ♀ <i>Mallomys</i>	151334 ^	824 - 440 - 73-30
7 ♂ <i>Peromyscus</i>	109672 ^	461 - 176 - 57-23
8 ♂ <i>Phascogale</i>	109550 ^	405 - 203 - 40-21
9 ♀ "	109551 ^	255 - 102 - 33-15
5540 ♀ <i>Melomys</i>	151058 ^	252 - 127 - 19-15
1 ♂ <i>Pogonomys</i>	151059 ^	305 - 178 - 24-13
2 ♂ "	151060 ^	306 - 177 - 23-14
3 ♂ "	151061 ^	307 - 180 - 25-15
4 ♀ "	151062 ^	281 - 165 - 23-14
5 ♀ "	151063 ^	293 - 175 - 23-15
6 ♀ "	151064 ^	308 - 187 - 25-15
7 ♀ <i>Thomomys</i>	151374 ^	590 - 302 - 70-22

1 emb. x 35mm.

9km N C Lake Kabbema, Netherlands New Guinea 2200m  
Nov. 6, 1938.

5548 ♂ <i>Stenomys</i>	150656 ^	Body l. 139 - 26 - 15 ALR
9 ♀ <i>Melomys</i>	150657 ^	243 - 121 - 27-16 ALR
5550 ♂ <i>Phascogale</i>	109820 ^	237 - 125 - 20-12 ALR
1 ♀ <i>Peromyscus</i>	109714 ^	382 - 156 - 48-22 ALR
2 ♀ <i>Melomys</i>	150658 ^	239 - 121 - 27-17 ALR
3 ♂ "	150659 ^	255 - 130 - 28.5-20 ALR
4 ♀ "	150660 ^	257 - 128 - 28-18 ALR
5 ♀ <i>Phascogale</i>	109537 ^	363 - 182 - 34-15.5 ALR
6 ♀ "	109538 ^	346 - 173 - 36-15 ALR
7 ♀ <i>Melomys</i>	150661 ^	250 - 123 - 25-14 ALR

4 emb.

2 emb.




# Catalogue

Belu R., 18 km N. Lab. Nabima, Netherlands New Guinea 2200m.  
Nov. 13, 1938.

5558 ♀	<i>Eudromicia</i>	109793	✓		247 - 140 - 18-17
9 ♂	<i>Pogonomys</i>	151065	✓		284 - 154 - 24-15
5560 ♀	"	151066	✓		267 - 158 - 23-14
1 ♂	<i>Rattus</i>	151067	✓		316 - 140 - 33-17
2 Juv.	"	151068	✓		113 - 42 - 17-5
3 Juv.	"	152736	✓	Alcoholic	110 - 40 - 17-6
4 Juv.	"	152756	✓	Alcoholic	105 - 37 - 17-5
5 Juv.	"	152757	✓	Alcoholic	114 - 41 - 16-5

Nov. 14, 1938.

5566 ♀	<i>Phascogale</i> [ <i>Stenomys</i> <sup>W.H.A.</sup> ]	109822	✓		252 - 132 - 23-14
7 ♀	<i>Stenomys</i> [ <i>Phascogale</i> ]	151069	✓		231 - 109 - 27-18
8 ♀	"	151070	✓		255 - 116 - 27-18
9 ♂	<i>Melomys</i>	151071	✓		261 - 128 - 28-19
5570 ♀	"	151072	✓		247 - 125 - 28-18
1 ♀	"	151073	✓		[215] - [84] - 27-17
2 ♀	<i>Dactylonax</i>	139427	✓		435 - 202 - 45-30
3 ♀ Juv.	"	109415	✓		210 - 93 - 26-12
4 ♂	<i>Peroryctes</i>	151779	✓		502 - 186 - 62-21
5 ♀	<i>Hyomys</i>	151335	✓		615 - 280 - 61-23
6 ♂	<i>Lorentzomys</i>	151074	✓		218 - 132 - 25-19
7 ♀	<i>Phascogale</i>	109794	✓		188 - 105 - 18-12
8 ♂	<i>Eudromicia</i>	109795	✓		239 - 141 - 18-16
9 ♀	"	109796	✓		235 - 140 - 18-16
5580 ♀	"	109797	✓		226 - 136 - 16-17
1 ♀	"	109798	✓		207 - 121 - 17-16
2 ♀	<i>Dasyurus</i>	109423	✓		337 - 155 - 37-19
3 ♀	<i>Melomys</i>	151075	✓		266 - 136 - 26-13
4 ♂	"	151076	✓		255 - 128 - 28-12
5 ♂	"	151077	✓		272 - 144 - 27-13
6 ♂	"	151078	✓		265 - 136 - 27-14
7 ♂	"	151079	✓		250 - 127 - 27-13
8 ♂	"	151080	✓		202 - 105 - 24-12
9 ♀	"	151081	✓		245 - 125 - 25-13
5590 ♀	"	151082	✓	2 emb x 19	243 - 121 - 25-14
1 ♀	"	151083	✓		213 - 110 - 25-12
2 ♂	<i>Peroryctes</i>	139673	✓		466 - 183 - 57-24



# Catalogue

Belo R. 18 km. Mt. Halima, Netherlands New Guinea 2200m.  
Nov. 14, 1938.

5593 ♂ <i>Anisomys</i>	151356 ^	545-298-60-22
4 ♀ "	151357 ^	574-330-61-20

Nov. 15, 1938.

55958 <i>Melomys</i>	151084 ^	332-152-40-22
6 ♀ "	151085 ^	325-148-39-21
7 ♂ "	151086 ^	255-124-28-18
8 ♂ "	151087 ^	247-122-28-17
9 ♂ "	151088 ^	247-124-28-20
5600 ♀ "	151089 ^	253-125-27-17
1 ♀ "	151091 ^	253-123-27-16
2 ♀ "	151090 ^	231-125-26-13
3 ♂ <i>Stenomys</i>	151092 ^	254-116-27-18
4 ♀ "	151093 ^	250-120-27-15
5 ♀ "	151094 ^	245-115-26-18
6 ♀ <i>Rattus</i>	151095 ^	151-70-22-11
7 ♂ <i>Pseudochinus</i>	109631 ^	677-270-54-23
8 ♀ <i>Dorcopsis</i>	109659 ^	541-237-86-32
9 ♂ <i>Peromyscus</i>	109674 ^	476-185-60-24
5610 ♀ <i>Pseudochinus</i>	109617 ^	338-152-21-23
1 ♀ "	109618 ^	288-131-21-19
2 ♀ juv. "	152784 ^	Alcoholic
3 ♂ <i>Lorentzimys</i>	151096 ^	240-116-24-18
4 ♂ <i>Melomys</i>	151097 ^	245-123-30-17
5 ♀ "	151574 ^	1 emb. x 37 mm., Skull only
6 ♂ <i>Phascogale</i>	109552 ^	410-202-39-18
7 ♀ <i>End. Pseudochinus</i>	109619 ^	322-158-23-20
8 ♀ <i>Melomys</i>	151098 ^	1 emb. x 23 mm. <span style="border: 1px solid black; padding: 2px;">302</span> - <span style="border: 1px solid black; padding: 2px;">127</span> - 40-23 <span style="float: right;">1600</span>
9 ♀ "	151099 ^	307-143-38-23
5620 ♂ "	151100 ^	<span style="border: 1px solid black; padding: 2px;">243</span> - <span style="border: 1px solid black; padding: 2px;">107</span> - 28-13
1 ♂ "	151101 ^	251-130-26-13
2 ♀ "	151102 ^	2 emb. x 19 mm. 263-135-26-12
3 ♀ "	151103 ^	2 emb. x 17 mm. 233-111-26-12
4 ♂ "	151104 ^	252-125-29-17
5 ♂ "	151105 ^	242-121-28-19
6 ♂ "	151106 ^	257-127-29-18
7 ♂ <i>Peromyscus</i>	109675 ^	502-205-59-23



## Catalogue

Dele R. 18 km N Lake Habbema, Netherlands New Guinea 2200 m.Nov. 15, 1938.

5628 ♀	<i>Peromyscus</i>	109676	✓	492-177-58-22
9 ♀	"	151358	✓	440-169-54-22
5630 ♂	<i>Mallomys</i>	151336	✓	766-388-75-28
1 ♂	<del><i>Peromyscus</i></del>	109677	✓	482-263-58-17
2 ♀	"	151359	✓	589-326-60-19

Nov. 16, 1938.

5633 ♀	<i>Peromyscus</i>	109678	✓	407-155-51-22
4 ♂	<i>Phascogale</i>	109553	✓	387-182-40-18
5 ♂	"	109554	✓	350-177-37-17
6 ♂	<i>Pogonomys</i>	151107	✓	306-180-25-15
7 ♂	"	151108	✓	295-170-23-14
8 ♂	"	151109	✓	287-162-24-14
9 ♀	"	151110	✓	260-150-23-13
5640 ♂	<i>Melomys</i>	151111	✓	280-144-27-12
1 ♀	"	151112	✓	247-128-26-13
2 ♀	"	151113	✓	231-122-26-12
3 ♂	"	151114	✓	246-125-28-17
4 ♀	<i>Pogonomys</i>	151115	✓	<span style="border: 1px solid black;">273</span> - <span style="border: 1px solid black;">155</span> -23-13
5 ♀	"	151116	✓	290-176-23-13
6 ♀	"	151117	✓	288-174-24-13
7 ♂	<i>Anisomys</i>	151360	✓	540-295-59-19
8 ♀	"	151361	✓	545-302-59-17
9 ♂	<i>Peromyscus</i>	109679	✓	515-192-62-23
5650 ♀	"	109680	✓	476-184-57-27
1 ♀	<i>Phalanger</i>	109479	✓	705-306-54-14
2 ♂	<i>Hyomys</i>	151337	✓	600-285-56-25
3 ♂	<i>Melomys</i>	151575	✓	skull only. 315-142-40-21
4 ♀	"	151576	✓	skull only. 312-145-38-21
5 ♂	<i>Stenomys</i>	151118	✓	249-110-26-16
6 ♂	<i>Phascogale</i>	109555	✓	332-178-35-16
7 ♀	"	109556	✓	350-180-35-17
8 ♀	<i>Eudromicia</i>	109799	✓	235-138-18-17

Nov. 17, 1938

5659 ♀	<i>Mallomys</i>	151338	✓	804-410-75-24
5660 ♂	"	151339	✓	755-394-72-27



# Catalogue

Belo R. 18 km N Lake Naberna Netherlands New Guinea 2200

Nov. 17, 1938.

5661 ♀	<i>Phalanger</i>	109480 ✓		666-315-53-21
2 ♀	<i>Uromys</i>	151375 ✓		550-291-65-22
3 ♂	<i>Anisomys</i>	151362 ✓		581-325-63-18
4 ♂	<i>Pogonomys</i>	110135 ✓		283-166-24-15
5 ♂	"	151119 ✓		288-169-25-16
6 ♂	"	151120 ✓		298-173-24-14
7 ♂	"	151121 ✓		288-167-25-14
8 ♂	"	151122 ✓		269-155-23-14
9 ♂	"	151123 ✓		284-160-24-14
5670 ♀	"	151124 ✓		272-163-23-14
1 ♀	"	151125 ✓		294-169-24-13
2 ♀	"	151126 ✓		285-172-23-14
3 ♀	"	151127 ✓		282-170-24-14
4 ♂	<i>Melomys</i>	151577 ✓		204-103-23-11
5 ♀	"	151128 ✓	Skull only	255-131-26-12
6 ♀	"	151129 ✓	2 emb x 25	250-129-26-14
7 ♀	"	151130 ✓	2 emb x 18	253-130-26-13
8 ♀	"	151131 ✓		205-108-25-13
9 ♂	<i>Melomys</i>	151578 ✓	Skull only	250-125-28-17
5680 ♂	"	151579 ✓	Skull only	247-116-30-17
1 ♂	"	151132 ✓		249-128-30-17
2 ♂	"	151133 ✓		240-117-29-18
3 ♂	"	151134 ✓		239-117-29-17
4 ♀	"	151580 ✓	Skull only	223-116-18-18
5 ♀	"	151581 ✓	Skull only	239-116-27-17
6 ♀	"	151135 ✓		234-119-27-16
7 ♀	"	151582 ✓	Skull only	242-120-28-18
8 ♂	<i>Stenomys</i>	151583 ✓	" "	260-122-27-15
9 ♂	"	151584 ✓	" "	250-112-28-17
5690 ♂	"	151585 ✓	" "	242-113-27-15
1 ♀	"	151586 ✓	" "	251-117-28-17
2 ♀	"	151587 ✓	" "	247-114-28-17
3 ♂	<i>Melomys</i>	151136 ✓		305-144-29-20
4 ♂	"	151137 ✓		254-126-30-18
5 ♂	<i>Phascogale</i>	109823 ✓		281-146-26-15
6 ♂	<i>Melomys</i>	151138 ✓		219-83-26-15
7 ♀	<i>Hydromys</i>	151372 ✓		542-285-54-10
8 ♂	<i>Anisomys</i>	151363 ✓		530-288-57-18



# Catalogue

Beli R. 18 km N. Lake Habbema, Netherlands New Guinea 2200m  
Nov. 17, 1938.

5699 ♀	<i>Peromyscus</i>	109681	✓	417-156-51-22
5700 ♂	<i>Euchromia</i>	109800	✓	241 + 141-18-17
1 ♂	"	109801	✓	245-149-19-17
2 ♂	"	109802	✓	219-128-18-16
3 ♀	"	109803	✓	246-142-18-17
4 ♀	"	109804	✓	215-130-18-16

Nov. 18, 1938.

5705 ♀	<i>Mallomys</i>	151340	✓	801-403-73-26
6 ♂	<i>Phascogale</i>	109557	✓	405-203-41-18
7 ♀	"	109558	✓	4 emb. x 13
8 ♂	<i>Peromyscus</i>	109682	✓	495-192-59-23
9 ♀	"	109683	✓	471-173-56-25
5710 ♂	<i>Rattus</i>	151588	✓	Skull only
1 ♂	"	151589	✓	" "
2 ♂	"	151590	✓	" "
3 ♂	"	151591	✓	" "
4 ♂	"	151592	✓	" "
5 ♂	"	151593	✓	" "
6 ♂	"	151594	✓	" "
7 ♂	"	151595	✓	" "
8 ♂	"	151596	✓	" "
9 ♂	"	151597	✓	" "
5720 ♂	"	151598	✓	" "
1 ♂	"	151599	✓	" "
2 ♂	"	151600	✓	" "
3 ♂	"	151601	✓	" "
4 ♂	"	151602	✓	" "
5 ♂	"	151603	✓	" "
6 ♂	"	151604	✓	" "
7 ♂	"	151605	✓	" "
8 ♂	"	151606	✓	" "
9 ♂	"	151607	✓	" "
5730 ♂	"	151608	✓	" "
1 ♂	"	151609	✓	" "
2 ♂	"	151610	✓	" "
3 ♂	"	151611	✓	" "

1700



# Catalogue

Beli R. 18 km N Lake Habbema, Netherlands New Guinea 2200 m  
Nov. 18, 1938

5734 ♂ <i>Rattus</i>	151612	✓	Skull only	301 - 145 - 33 - 18
5 ♂ "	151613	✓	" "	276 - 128 - 29 - 16
6 ♂ "	151614	✓	" "	280 - 135 - 30 - 15
7 ♂ "	151615	✓	" "	248 - 114 - 29 - 14
8 ♂ "	151616	✓	" "	275 - 128 - 30 - 17
9 ♂ <i>Melomys</i>	151617	✓	" "	239 - 120 - 27 - 17
5740 ♂ "	151618	✓	" "	257 - 124 - 29 - 17
1 ♂ "	151619	✓	" "	240 - 119 - 29 - 18
2 ♂ "	151620	✓	" "	245 - 123 - 28 - 16
3 ♂ "	151621	✓	" "	252 - 128 - 30 - 18
4 ♂ "	151622	✓	" "	242 - 125 - 29 - 18
5 ♂ "	151623	✓	" "	249 - 124 - 29 - 17
6 ♂ "	151624	✓	" "	240 - 119 - 28 - 16
7 ♂ "	151625	✓	" "	256 - 127 - 29 - 17
8 ♂ "	151626	✓	" "	233 - 116 - 28 - 16
9 ♂ "	151627	✓	" "	249 - 124 - 28 - 17
5750 ♂ "	151628	✓	" "	249 - 120 - 28 - 18
1 ♂ "	151629	✓	" "	255 - 131 - 29 - 19
2 ♂ "	151630	✓	" "	245 - 121 - 28 - 18
3 ♂ "	151631	✓	" "	224 - 109 - 27 - 18
4 ♀ "	151632	✓	" "	244 - 120 - 28 - 18
5 ♀ "	151633	✓	" "	240 - 118 - 28 - 18
6 ♀ "	151634	✓	" "	248 - 123 - 29 - 18
7 ♀ "	151635	✓	" "	236 - 115 - 27 - 16
8 ♀ "	151636	✓	" "	252 - 125 - 28 - 18
9 ♀ "	151637	✓	" "	237 - 120 - 28 - 17
5760 ♀ "	151638	✓	" "	246 - 123 - 28 - 18
1 ♀ "	151639	✓	" "	228 - 121 - 28 - 17
2 ♀ "	151640	✓	" "	239 - 115 - 28 - 18
3 ♀ "	151641	✓	" "	238 - 117 - 28 - 17
4 ♀ <i>Phascogale</i>	109824	✓	Juv. x 9	271 - 142 - 23 - 16
5 ♀ <i>Melomys</i>	151139	✓		<del>271</del> - 122 - 28 - 19
6 ♀ "	151140	✓		315 - 144 - 38 - 23
7 ♂ <i>Peromyscus</i>	151642	✓	Skull only	490 - 190 - 58 - —
8 ♀ <i>Pseudochinus</i>	151643	✓	" "	390 - 182 - 24 - —
9 ♀ <i>Phascogale</i>	151644	✓	" "	335 - 172 - 35 - 17
5770 ♀ "	151645	✓	Juv. x 10	355 - 178 - 35 - 18



## Catalogue

Beh. R. 18 km. M. L. K. Kabbema, Netherlands New Guinea 2200 m.

Dec. 18, 1938.

5871 ♀	<i>Phascogale</i>	109559	✓		318-162-34-16
2 ♀	"	109560	✓	4 y. n. x 18	355-182-36-18
3 ♀	<i>Pseudotachinus</i>	109620	✓		360-162-25-23
4 ♀	<i>Peroryctes</i>	109684	✓		452-177-56-22
5 ♀	"	109685	✓		461-178-55-24
6 ♂	<i>Dasyurus</i>	109422	✓		460-219-46-20
7 ♂	<i>Phalanger</i>	109481	✓		701-315-55-16
8 ♀	<i>Rattus</i>	151646	✓	Skull only	315-141-39-16
9 ♀	"	151647	✓	" "	298-136-30-17
5780 ♀	"	151648	✓	" "	314-148-31-17
1 ♀	"	151649	✓	" "	324-144-31-18
2 ♀	"	151650	✓	" "	311-151-31-17
3 ♀	"	151651	✓	" "	313-145-33-18
4 ♀	"	151652	✓	" "	302-141-32-16
5 ♀	"	151653	✓	" "	300-142-31-18
6 ♀	"	151654	✓	" "	323-144-32-17
7 ♀	"	151655	✓	" "	319-147-33-17
8 ♀	"	151656	✓	" "	315-145-34-17
9 ♀	"	151657	✓	" "	315-142-32-16
5790 ♀	"	151658	✓	" "	289-138-32-16
1 ♀	"	151659	✓	" "	294-137-30-17
2 ♀	"	151660	✓	" "	281-132-30-17
3 ♀	"	151661	✓	" "	262-121-31-17
4 ♀	"	151662	✓	" "	308-146-32-17
5 ♀	"	151663	✓	" "	286-127-31-17
6 ♀	"	151664	✓	" "	291-128-31-17
7 ♀	"	151665	✓	" "	296-135-31-16
8 ♀	"	151666	✓	" "	290-129-32-17
9 ♀	"	151667	✓	" "	317-153-32-17
5800 ♀	"	151668	✓	" "	294-123-30-16
1 ♀	"	151669	✓	" "	300-134-30-16
2 ♀	"	151670	✓	" "	325-148-32-18
3 ♀	"	151671	✓	" "	299-141-31-16
4 ♀	"	151672	✓	" "	314-142-31-18
5 ♀	"	151673	✓	" "	288-135-32-18
6 ♀	"	151674	✓	" "	310-140-32-16
7 ♀	"	151675	✓	" "	300-137-32-17



# Catalogue

Belu N. 18 km N. Lab. Habbema, Netherlands New Guinea, 2200 m.

Nov. 19 1938

58088	<i>Melomys</i>	151141	✓		315-142-40-21
98	"	151142	✓		320-143-39-21
58108	♀	151143	✓	1 emb x 40	323-147-39-20
1♀	"	151144	✓		319-146-39-21
2♂	<i>Stenomys</i>	151145	✓		247-113-27-16
3♀	"	151146	✓		249-109-28-17
4♂	<i>Melomys</i>	151676	✓	Skull only	254-125-29-18
5♂	"	151677	✓	" "	253-127-28-17
6♀	"	151678	✓	" "	258-125-28-18
7♀	"	151679	✓	" "	244-113-28-18
8♀	"	151680	✓	" "	236-113-28-18
9♂	<i>Melomys</i>	151681	✓	" "	275-135-27-13
58208	"	151682	✓	" "	260-132-27-14
1♂	"	151683	✓	" "	255-131-27-13
2♂	"	151684	✓	" "	257-135-27-14
3♂	"	151685	✓	" "	272-142-27-13
4♀	"	151686	✓	" "	271-140-27-13
5♀	"	151687	✓	" "	223-116-26-13
6♀	"	151688	✓	" "	205-93-25-12
7♀	"	151689	✓	" "	231-118-25-12
8♀	"	151690	✓	" "	253-132-26-12
9♀	"	151691	✓	" "	223-112-25-12
58308	♀	151692	✓	" "	251-134-26-13
1♀	"	151693	✓	" "	237-118-25-13
2♀	"	151694	✓	" "	224-116-25-12
3♀	<i>Phalanger</i>	109482	✓		723-335-56-16
4♂	<i>Melomys</i>	151695	✓	Skull only	337-159-42-22
5♂	"	151696	✓	" "	306-128-40-20
6♀	"	151697	✓	" "	287-129-39-21
7♀	<i>Phalanger</i>	109483	✓		725-325-58-16
8♂	<i>Hydromys</i>	151373	✓		513-279-52-13
9♂	<i>Anisomys</i>	151364	✓		584-324-61-19
58408	♂	151365	✓		580-307-59-19
1♂	"	151366	✓		541-292-57-18
2♀	"	151367	✓		523-293-59-18
3♀	"	151368	✓		551-303-62-17
4♀	<i>Phascogale</i>	151698	✓	Skull Only	298-147-32-18
5♂	<i>Pogonomys</i>	151699	✓	" "	300-175-26-13



# Catalogue

Bile R. 15 km N. Lab. Kallima, Netherlands New Guinea 2200

Nov 19 1938.

5846 ♂	<i>Pogonomys</i>	151700	^	Skill only	292-172-24-14
7 ♂	"	151701	^	"	293-177-25-13
8 ♂	"	151702	^	"	309-184-25-13
9 ♀	"	151703	^	"	269-157-24-14
5850 ♀	"	151704	^	"	295-167-25-13
1 ♀	"	151705	^	"	302-179-24-13
2 ♀	"	151706	^	"	296-168-24-13
3 ♀	"	151707	^	"	295-165-24-14
4 ♀	"	151708	^	"	300-180-25-14
5 ♀	"	151709	^	"	289-171-25-14
6 ♂	<i>Stenomys</i>	151710	^	"	252-115-27-16
7 ♂	"	151711	^	"	264-121-29-16
8 ♂	"	151712	^	"	256-121-28-16
9 ♂	"	151713	^	"	239-111-27-15
5860 ♂	"	151714	^	"	240-111-27-16
1 ♀	"	151715	^	"	227-102-26-15
2 ♀	"	151716	^	"	258-115-29-16
3 ♀	"	151717	^	"	213-102-26-15
4 ♂	<i>Anisomys</i>	151369	^	"	567-305-60-20
5 ♂	<i>Melomys</i>	151147	^	"	310-158-29-14
6 ♂	<i>Pseudochinus</i>	109632	^	"	683-278-47-16
7 ♂	"	109633	^	"	561-235-48-23
8 ♀	"	109634	^	"	735-275-52-21

Nov 20, 1938.

5869 ♂	<i>Pseudochinus</i>	109635	^		895-315-56-14
5870 ♀	"	109636	^		740-315-54-16
1 ♂	<i>Anisomys</i>	151370	^		545-300-60-19
2 ♀	"	151371	^		555-297-62-20
3 ♂	<i>Phalanger</i>	109484	^		715- <sup>316</sup> <del>54</del> -54-20
4 ♂	<i>Peroryctes</i>	109686	^		501-203-61-25
5 ♀	"	109687	^		472-189-57-24
6 ♂	<i>Rattus</i>	152737	^	Alcoholic	313-138-33-17
7 ♂	<i>Melomys</i>	152724	^	"	348-167-40-22
8 ♀	"	152725	^	"	314-144-39-21
9 ♀	"	152726	^	"	300-138-38-20
5880 ♂	"	152727	^	"	277-142-27-11



# Catalogue

Belu R. 18 km N Lake Habbema, Netherlands New Guinea 2200m.  
Nov. 20, 1938.

5881 ♂ <i>Melomys</i>	152728 ✓	Alcoholic	273-141-22-13
2 ♂ "	152729 ✓	"	262-132-27-13
3 ♀ "	152730 ✓	"	184-85-25-16
4 ♂ "	152731 ✓	"	232-114-28-18
5 ♀ "	152732 ✓	"	244-120-28-17
6 ♂ <i>Stromys</i>	152719 ✓	"	247-115-27-15
7 ♂ "	152720 ✓	"	260-118-27-16
8 ♂ "	152721 ✓	"	261-124-28-17
9 ♀ "	152722 ✓	"	266-129-28-16
5890 ♂ <i>Uromys</i>	151344 ✓		702-364-73-24
1 juv. <i>Melomys</i>	152748 ✓	Alcoholic	— — — — —
2 ♂ <i>Melomys</i>	151718 ✓	Skull only	330-155-39-20
3 ♂ "	151719 ✓	" "	341-159-40-20
4 ♂ "	151720 ✓	" "	343-162-41-20
5 ♀ "	151721 ✓	" "	323-150-41-21
6 ♀ "	151722 ✓	" "	317-146-41-21
7 ♀ "	151723 ✓	" "	307-138-39-23
8 ♀ "	151724 ✓	" "	335-159-39-22
9 ♂ <i>Phascogale</i>	151725 ✓	" "	<u>391</u> - <u>184</u> -40-18
5900 ♂ "	151726 ✓	" "	346-176-36-17
1 ♀ "	151727 ✓	" "	365-193-36-16
2 ♀ <i>Pseudochinus</i>	151728 ✓	" "	402-188-26-27
3 ♀ "	151729 ✓	" "	396-187-26-23
4 ♀ "	151730 ✓	" "	320-162-24-23
5 ♀ <i>Melomys</i>	151731 ✓	" "	326-148-40-20
6 ♀ "	151732 ✓	" "	313-140-40-21
7 ♂ <i>Stromys</i>	151733 ✓	" "	<u>250</u> - <u>110</u> -27-17
8 ♂ "	151734 ✓	" "	260-122-30-16
9 ♂ "	151735 ✓	" "	242-115-27-15
5910 ♂ "	151736 ✓	" "	255-115-27-17
1 ♂ "	151737 ✓	" "	245-114-25-15
2 ♂ "	151738 ✓	" "	258-119-27-17
3 ♂ "	151739 ✓	" "	246-116-28-18
4 ♀ "	151740 ✓	" "	230-112-27-17
5 ♀ "	151741 ✓	" "	234-109-26-17
6 ♀ "	151742 ✓	" "	223-103-26-17
7 ♀ "	151743 ✓	" "	243-113-26-15



# Catalogue

Bel. R. 18 km N. Lake Kabbema, Netherlands New Guinea 2200 m.  
Nov. 20, 1938.

5918 ♀	<i>Melomys</i>	151148	✓	324-139-40-21	1900
9 ♀	<i>Phascogale</i>	109825	✓	322-125-21-12	
5920 ♀	<i>Pseudochinus</i>	152785	✓	Alcoholic	
1 ♂	<i>Stenomys</i>	151149	✓	256-124-28-19	
2 ♂	"	151150	✓	251-112-29-18	
3 ♂	"	151151	✓	270-127-29-18	

Nov. 21, 1938.

5924 ♂	<i>Hydromys</i>	151459	✓	442-288-58-10	
5 ♀	<i>Uromys</i>	151450	✓	682-358-68-23	
6 ♀	"	151451	✓	702-380-75-21	
7 ♀	<i>Anisomys</i>	151382	✓	547-307-60-19	
8 ♂	<i>Peromyscus</i>	109805	✓	486-192-62-23	
9 ♀	<i>Phascogale</i>	109689	✓	174-95-27-10	
5930 ♂	<i>Melomys</i>	151152	✓	328-150-40-21	
1 ♂	"	151153	✓	349-166-41-24	
2 ♂	"	151154	✓	299-119-39-22	
3 ♂	"	151155	✓	336-156-40-21	
4 ♂	"	151156	✓	330-154-41-22	
5 ♂	"	151157	✓	346-161-41-21	
6 ♀	"	151158	✓	332-153-41-23	1emb x 55
7 ♀	"	151159	✓	331-155-41-23	1emb x 33
8 ♀	"	151160	✓	322-153-41-21	
9 ♀	"	151161	✓	327-151-38-21	
5940 ♀	"	151162	✓	289-132-38-20	
1 ♀	"	151163	✓	298-138-38-20	
2 ♀	"	151164	✓	332-151-40-21	
3 ♀	"	151165	✓	313-140-39-20	
4 ♀	"	151166	✓	328-152-39-22	
5 ♀	"	151167	✓	331-153-41-23	
6 ♂	<i>Peromyscus</i>	109688	✓	485-178-62-22	

Nov. 22, 1938

5947 ♂	<i>Stenomys</i>	151168	✓	248-118-27-16	
8 ♀	"	151169	✓	240-108-27-16	
9 ♀	<i>Melomys</i>	151170	✓	243-122-28-18	
5950 ♀	"	151171	✓	232-114-27-16	



# Catalogue

Belit, 18 km N. Lake Nabema, Netherlands New Guinea 2200m.  
Nov. 22, 1938.

5951 ♂	<i>Peromyscus</i>	109654	^		549-189-62-27
2 ♀	<i>Pseudochinus</i>	109621	^		371-178-22-21
3 ♂	"	109643	^		655-315-48-22
4 ♂	<i>Phascogale</i>	109826	^		260-137-24-15
5 ♂	<i>Anisomys</i>	151383	^		554-301-61-18
6 ♂	<i>Melomys</i>	151172	^		260-134-27-14
7 ♀	"	151173	^		255-134-25-13
8 ♂	<i>Phascogale</i>	109561	^		400-206-40-21
9 ♂	<i>Melomys</i>	151174	^		337-154-42-22
5960 ♂	"	151175	^	skin only	315-153-39-22
1 ♂	"	151176	^		311-145-40-18
2 ♂	"	151177	^		285-129-40-21
3 ♂	"	151178	^		301-133-41-22
4 ♂	"	151179	^		296-133-39-19
5 ♀	"	151180	^	1 emb x 50	316-142-39-21
6 ♀	"	151181	^	1 emb x 18	308-141-39-22
7 ♀	"	151182	^		324-153-39-21
8 ♀	<i>Phalanger</i>	109485	^		643-275-63-15
9 ♀	<i>Anisomys</i>	151384	^		[418] [161]-60-20
5970 ♂	<i>Phascogale</i>	109562	^		382-199-37-18
1 ♂	<i>Anisomys</i>	151385	^		568-315-63-17
2 ♂	<i>Pseudochinus</i>	109622	^		357-187-23-24
3 ♀	"	109623	^		388-178-22-25
4 ♂	Juv.	152786	^		Alcoholic
5 ♂	<i>Endromicia</i>	109806	^		245-150-19-17
6 ♀	<i>Phascogale</i>	109563	^		326-163-36-18
7 ♂	<i>Melomys</i>	151183	^		323-147-40-21
8 ♂	"	151184	^		342-163-40-22
9 ♂	<i>Pogonomys</i>	151185	^		257-146-27-18
5980 ♀	<i>Phalanger</i>	109486	^		645-263-52-16
1 ♀	"	109487	^		633-270-52-17
2 ♂	<i>Stenomys</i>	151186	^		263-118-28-18
3 ♀	"	151187	^		252-116-27-18
4 ♀	<i>Phascogale</i>	151744	^	Skull Only	227-174-34-15
5 ♀	<i>Pseudochinus</i>	109644	^		668-320-45-24
6 ♀	<i>Phalanger</i>	109488	^		693-295-56-17
7 ♂	<i>Anisomys</i>	151386	^		585-322-60-20



# Catalogue

Bel. R. 18 km N Lake Kabbema, Netherlands New Guinea 2200 m  
Nov. 23, 1938.

5988 ♂	<i>Dasyurus</i>	109418	✓	490-230-46-20
9 ♀	<i>Melomys</i>	151188	✓	241-120-28-18
5990 ♀	<i>Stenomys</i>	151189	✓	243-118-27-15
1 ♀	<i>Pogonomys</i>	151190	✓	257-155-25-17
2 ♂	"	151191	✓	283-168-23-13
3 ♂	"	151192	✓	295-173-24-14
4 ♂	"	151193	✓	317-184-25-15
5 ♂	"	151194	✓	298-168-24-14
6 ♀	"	151195	✓	285-164-24-14
7 ♀	"	151196	✓	292-171-25-15
8 ♀	"	151197	✓	289-173-24-14
9 ♀	<i>Anisomys</i>	151387	✓	532-282-60-18
6000 ♂	<i>Phalanger</i>	109489	✓	800-372-61-21
1 ♂	<i>Melomys</i>	151198	✓	281-146-28--
2 ♂	"	151199	✓	251-128-27-13
3 ♂	"	151200	✓	272-140-28-14
4 ♂	"	151201	✓	272-142-29-14
5 ♂	"	151202	✓	245-120-26-13
6 ♂	"	151203	✓	258-133-27-13
7 ♂	"	151204	✓	252-127-27-13
8 ♂	"	151205	✓	245-130-26-12
9 ♂	"	151206	✓	259-132-27-12
6010 ♀	"	151207	✓	237-122-25-12
1 ♀	"	151208	✓	243-124-25-13
2 ♀	"	151209	✓	246-126-26-13
3 ♀	"	151210	✓	241-124-25-12
4 ♀	"	151211	✓	255-131-26-13
5 ♂	<i>Phalanger</i>	109490	✓	707-309-60-14
6 ♂	<i>Anisomys</i>	151388	✓	550-296-60-21
7 ♀	"	151389	✓	585-316-62-21
8 ♀	"	151390	✓	588-319-61-18 <sup>200</sup>
9 ♂	<i>Melomys</i>	151212	✓	240-125-26-12
6020 ♂	"	151213	✓	255-132-27-13
1 ♂	"	151214	✓	245-128-26-12
2 ♂	"	151215	✓	261-137-27-13
3 ♂	"	151216	✓	267-134-27-12
4 ♂	"	151217	✓	254-129-27-13



## Catalogue

Bel. K. 18 km N. Lab. Kallima, Netherlands New Guinea, 2200 m.  
Nov. 23, 1938.

6025 ♂	<i>Anisomys</i>	151391	✓	538-293
6 ♂	<i>Peromyscus</i>	109690	✓	<del>405-180</del> 62-21
7 ♀	<i>Dactylosorex</i>	109413	✓	424-166-55-26
8 ♂	<i>Melomys</i>	151218	✓	405-180-42-25
9 ♂	"	151219	✓	343-159-41-23
6030 ♂	<i>Phascogale</i>	109564	✓	337-152-41-22
1 ♀	<i>Anisomys</i>	151392	✓	387-191-40-17
2 ♀	<i>Pseudochinus</i>	109624	✓	530-291-58-20
3 ♂	<i>Phascogale</i>	109565	✓	345-164-22-21
				340-173-36-17

Nov 24 1938

6034 ♂	<i>Peromyscus</i>	109691	✓	460-179-56-23
5 ♂	<i>Phascogale</i>	109827	✓	253-132-25-16
6 ♂	<i>Anisomys</i>	151393	✓	578-325-60-20
7 ♂	"	151394	✓	602-324-61-20
8 ♀	"	151395	✓	555-288-57-19
9 ♀	"	151396	✓	598-321-59-20
6040 ♀	"	151397	✓	560-315 60-17
1 ♂	<i>Pogonomys</i>	151220	✓	243-156-24-17
2 ♂	<i>Pseudochinus</i>	109625	✓	361-166-22-21
3 ♀	"	109626	✓	374-176-22-22
4 ♀	"	109627	✓	284-138-18-22
5 ♂	<i>Peromyscus</i>	109692	✓	521-120-61-23
6 ♂	<i>Phascogale</i>	109566	✓	374-193-40-17
7 ♀	"	109828	✓	233-129-21-13
8 ♀	<i>Pseudochinus</i>	109637	✓	685-304-48-14
9 ♂	<i>Pogonomys</i>	151221	✓	305-174-24-15
6050 ♂	"	151222	✓	287-160-24-15
1 ♂	<i>Melomys</i>	151223	✓	267-133-28-14
2 ♂	"	151224	✓	264-135-27-13
3 ♂	"	151225	✓	267-136-27-12
4 ♂	"	151226	✓	260-133-27-13
5 ♂	"	151227	✓	251-127-26-12
6 ♂	"	151228	✓	261-136-27-14
7 ♂	"	151229	✓	257-136-27-13
8 ♂	"	151230	✓	240-121-26-12
9 ♂	"	151231	✓	248-129-26-12

1 yag.

Skin only




# Catalogue

Bel. P. 18 km N. Lake Kallima, Netherlands New Guinea 2200 m  
Nov. 24, 1938.

6060 ♂	Anisomys	151398	^	561-313-59-18
1 ♂	"	151399	^	551-302-59-20
2 ♀	Peromyscus	109693	^	465-166-56-25
3 ♂ Juv.	"	152797	^	Alcoholic
4 ♂	Dorcopsis	109660	^	512-224-90-36
5 ♂	Phalanger	109491	^	733-317-58-23
6 ♀	Phascogale	109567	^	326-169-33-16
7 ♂	"	109765	^	260-110-24-13
8 ♂	Melomys	151232	^	241-123-26-12
9 ♂	"	151233	^	241-124-26-12
6070 ♂	Pseudochinus	109645	^	654-300-43-23
1 ♂ Juv.	"	152787	^	Alcoholic
2 ♂	Peromyscus	109694	^	540-200-64-24
3 ♀	"	151745	^	still only 426-168-53-23
4 ♀	Anisomys	151400	^	590-322-63-20
5 ♀	Melomys	151234	^	240-125-25-11
6 ♀	"	151235	^	250-132-26-13
7 ♀	"	151236	^	2 cmb x 7 246-128-25-13
8 ♀	"	151237	^	2 cmb x 21 261-131-27-13
9 ♀	"	151238	^	231-116-25-12
6080 ♀	Loxotomys	151239	^	1 cmb x 5 194-108-24-19
1 ♂	Phascogale	109568	^	366-182-37-18
2 ♂	Anisomys	151401	^	587-317-62-20
3 ♀	Pseudochinus	109638	^	697-274-64-25
4 ♂ Juv.	"	152788	^	Alcoholic
5 ♂	Peromyscus	109695	^	505-194-62-23

Nov. 25, 1938.

6086 ♂	Dasyurus	109424	^	367-165-39-19
7 ♂	Phascogale	109829	^	287-149-25-17
8 ♂	Stenomys	151240	^	253-116- <sup>28</sup> 18
9 ♀	Phascogale	109569	^	350-182-35-18
6090 ♂	Melomys	151241	^	337-160-41-21
1 ♂	"	151242	^	335-156-41-22
2 ♂	"	151243	^	347-163-41-22
3 ♂	"	151244	^	340-161-41-21
4 ♂	"	151245	^	350-151-40-22



# Catalogue

Bel. R. 18 km N. Lab. Halbeema, Netherlands New Guinea 2200 m.  
Nov. 25, 1938.

6095 ♂	<i>Melomys</i>	151246	✓		345-160-41-21
6 ♂	"	151247	✓		337-161-40-23
7 ♂	"	151248	✓		347-167-41-22
8 ♀	"	151249	✓	1 emb. x 37	329-156-39-22
9 ♀	"	151250	✓	1 emb. x 50	321-144-38-20
6100 ♀	"	151251	✓		307-141-40-22
1 ♀	"	151252	✓		320-146-40-21
2 ♀	"	151253	✓		310-144-40-21
3 ♀	"	151254	✓		302-135-37-20
4 ♀	"	151255	✓		319-149-40-22
5 ♀	"	151256	✓	1 emb. x 45	319-141-40-20
6 ♀	"	151257	✓	1 emb. x 50	325-145-40-22
7 ♀	"	151258	✓	1 emb. x 12	<u>276-193</u> -40-22
8 ♂	<i>Hydromys</i>	151460	✓		513-280-55-10
9 ♀	<i>Peromyscus</i>	109655	✓		471-188-57-22
6110 ♀	<i>Mallomys</i>	151341	✓		755-380-70-28
1 ♀	<i>Uromys</i>	151452	✓		700-380-73-30
2 ♀	<i>Anisomys</i>	151402	✓		562-313-60-19
3 ♀	"	151403	✓		578-320-60-19
4 ♂	<i>Phalanger</i>	109492	✓		713-297-55-15
5 ♂	"	109493	✓		785-375-56-24
6 ♀	<i>Peromyscus</i>	109696	✓		498-185-57-23
7 ♂ Juv.	"	152798	✓		Alcoholic
8 ♀	<i>Mallomys</i>	151342	✓		745-346-69-30
9 ♂	<i>Phascogale</i>	151746	✓	Skull only	<u>300-140</u> -35-17
6120 ♀	"	109570	✓	4 emb. x 15	369-190-34-16
1 ♀	<i>Anisomys</i>	151404	✓		568-315-60-20
2 ♂	<i>Pogonomys</i>	151259	✓		289-145-24-14
3 ♂	"	151260	✓		297-171-25-14
4 ♂	"	151271	✓		298-171-25-14
5 ♂	"	151261	✓		311-181-25-15
6 ♂	"	151262	✓		297-174-25-15
7 ♂	"	151263	✓		294-170-24-14
8 ♂	"	151264	✓		300-172-24-14
9 ♂	"	151265	✓		298-177-24-14
6130 ♀	"	151266	✓		290-172-24-13
1 ♀	"	151267	✓		282-169-23-14



# Catalogue

Bile P, 18 km N Lab Habbema, Netherlands New Guinea 2200m.

Nov. 25, 1938.


6132 ♀ *Anisomys* 151465 ^ 552-298-61-21

Nov. 26, 1938.

6133 ♀	<i>Pogonomys</i>	151268 ^		295-173-24-14
4 ♀	"	151269 ^		281-164-24-14
5 ♀	"	151270 ^		241-154-22-13
6 ♂	<i>Pseudochinus</i>	109646 ^		658-292-46-23
7 ♀	<i>Anisomys</i>	151466 ^		598-330-59-21
8 ♀	"	151467 ^		567-300-59-20
9 ♀	"	151468 ^		551-298-61-19
6140 ♂	"	151469 ^		589-331-61-20
1 ♂	"	151410 ^		593-325-60-21
2 ♀	"	151411 ^		595-330-61-21
3 ♀	"	151412 ^		585-315-62-20
4 ♀	<i>Phascogale</i>	109766 ^		255-108-22-15
5 ♀	<i>Peromyscus</i>	129697 ^		430-168-53-22
6 ♂	<i>Hydromys</i>	151461 ^		503-268-59-11
7 ♀	<i>Peromyscus</i>	109656 ^	skin & skull	434-133-67-30
8 ♂	<i>Phascogale</i>	109571 ^		357-177-35-17
9 ♂	"	109572 ^		368-190-38-18
6150 ♀	"	151747 ^	skull only	365-184-37-17
1 ♂	<i>Pogonomys</i>	151272 ^		292-168-23-14
2 ♂	<i>Melomys</i>	151273 ^		265-131-26-14
3 ♂	"	151274 ^		249-127-26-14
4 ♂	"	151275 ^		<span style="border: 1px solid black;">254</span> - <span style="border: 1px solid black;">126</span> -27-13
5 ♂	"	151276 ^		266-132-27-14
6 ♂	<i>Peromyscus</i>	109698 ^		474-180-56-24
7 ♂	<i>Phascogale</i>	151748 ^	skull only	342-172-36-16
8 ♂	<i>Hydromys</i>	151462 ^		530-277-54-11
9 ♀	"	151463 ^		458-237-49-11
6160 ♂	<i>Pseudochinus</i>	109628 ^		341-168-23-20

Nov. 27, 1938.

6161 ♂	<i>Phalanger</i>	109494 ^		743-336-56-23
2 ♀	<i>Peromyscus</i>	109699 ^		477-171-56-24
3 ♂	"	109770 ^		520-188-60-24
4 ♀	<i>Phascogale</i>	109594 ^		308-160-33-17



# Catalogue

Belé R. 18 km N. L. Kabbima, Netherlands New Guinea 2200  
Nov. 27, 1938

8165 ♀	<i>Phascogale</i>	109573 ♀		337-164-33-17
6 ♂ Juv.	"	152807 ♀		Alcoholic
7 ♂ Juv.	"	152808 ♀		Alcoholic
8 ♂ Juv.	"	152809 ♀		Alcoholic
9 ♀	<i>Eudromicia</i>	109867 ♀		246-144-18-14
6170 ♂	<i>Pogonomys</i>	151277 ♀		260-157-27-17
1 ♂	<i>Stenomys</i> <i>Melomys</i>	151278 ♀		256-120-28-16
2 ♀	<i>Melomys</i>	151279 ♀		326-148-40-19
3 ♀	<i>Pseudochinus</i>	109647 ♀		629-281-41-22
4 ♂ Juv.	"	152789 ♀		Alcoholic
5 ♀	"	109648 ♀		664-311-42-25
6 ♂ Juv.	"	109649 ♀		368-177-31-20
7 ♂	<i>Melomys</i>	151280 ♀		269-140-28-13
8 ♂	"	151281 ♀		238-123-25-13
9 ♀	"	151282 ♀	2 emb. x 10	238-121-25-13
6180 ♀	"	151283 ♀	1 emb. x 28	252-128-27-13
1 ♀	"	151284 ♀	2 emb. x 5	228-118-24-11
2 ♀	"	151285 ♀	2 emb. x 5	210-107-24-14
3 ♀	"	151286 ♀		220-113-26-13
4 ♀	"	151287 ♀		188-91-22-11
5 ♂	<i>Melomys</i>	151288 ♀		335-160-40-22
6 ♂	<i>Stenomys</i>	151289 ♀		242-113-27-15
7 ♀	"	151290 ♀		254-118-27-15
8 ♂	"	151291 ♀		257-118-27-18
9 ♂	"	151292 ♀		248-114-27-16
6190 ♂	"	151293 ♀		260-116-29-15
1 ♀	"	151294 ♀		242-106-27-17
2 ♂	<i>Melomys</i>	151295 ♀		267-137-27-13
3 ♂	<i>Melomys</i>	151296 ♀		331-154-29-20
4 ♀	<i>Anisomys</i>	151413 ♀		532-287-60-19
5 ♂	<i>Phalanger</i>	109495 ♀		774-366-57-20
6 ♂	"	109496 ♀		770-357-58-20
7 ♂	"	109497 ♀		587-263-49-18
8 ♂	<i>Anisomys</i>	151414 ♀		576-316-64-18
9 ♂	<i>Phascogale</i>	109574 ♀		380-188-36-17
6200 ♀	"	109575 ♀		338-163-34-17
1 ♂	<i>Dasyurus</i>	109410 ♀	4 yry. x 14	522-238-47-21



# Catalogue

Bile R, 18 km N Lake Habbema, Netherlands New Guinea 2200 m  
Nov. 27, 1938

6202 ♂ <i>Peromyscus</i>	109657	✓	476-177-56-23
3 ♂ Ju. "	152799	✓	Alcoholic
4 ♀ <i>Anisomys</i>	151464	✓ Skull only! Skin is <i>Peromyscus</i> (153496)	<i>Microperomyscus</i> Skin matched to - 488-260-58-19 109656
5 ♂ "	151415	✓	567-321-60-19
6 ♂ <i>Hydromys</i>	151465	✓	525-265-53-12
7 ♂ <i>Phascogale</i>	109576	✓	363-175-35-17

Nov. 28, 1938.

6208 ♂ <i>Anisomys</i>	151416	✓	576-315-60-21
9 ♂ "	151417	✓	568-300-60-22
6210 ♂ "	151418	✓	573-321-60-19
1 ♂ "	151419	✓	551-318-61-18
2 ♂ "	151420	✓	415-214-55-18
3 ♀ "	151421	✓	607-332-62-20
4 ♀ "	151422	✓ 2 emb. x 50.	586-319-60-18
5 ♀ "	151423	✓	591-326-60-20
6 ♀ "	151424	✓ 2 emb x 15	586-318-61-19
7 ♀ "	151425	✓	592-326-62-20
8 ♀ "	151426	✓	570-325-62-18
9 ♂ <i>Peromyscus</i>	109701	✓	438-172-56-24
6220 ♀ "	109702	✓	468-187-57-22
1 ♀ <i>Thomomys</i>	151453	✓	695-356-73-23
2 ♀ "	151454	✓	708-365-73-22
3 ♀ <i>Docosopsis</i>	109661	✓	623-270-92-33
4 ♂ Ju. "	152759	✓	Alcoholic
5 ♂ <i>Phalanger</i>	151782	✓ Skull only ant	722-295-55-14
6 ♀ "	109498	✓	695-287-52-17
7 ♂ <i>Peromyscus</i>	109703	✓	492-180-59-23
8 ♂ <i>Phascogale</i>	109767	✓	257-110-23-13
9 ♂ <i>Phascogale</i>	109577	✓	342-167-35-15
6230 ♀ "	109578	✓	312-159-34-16
1 ♂ <i>Melomys</i>	151297	✓	328-151-41-22
2 ♀ <i>Pseudoechymus</i>	151749	✓ Skull only	383-168-24-23
3 ♂ Ju. "	152790	✓	Alcoholic
4 ♀ "	151750	✓ Skull only	371-171-24-21
5 ♀ Ju. "	152791	✓	Alcoholic



# Catalogue

Bek. B. 18 km Mal. Habima Netherland New Guinea 2200m.  
Nov. 29, 1938.

62368	<i>Stenomys</i>	151298	✓	240-105-27-16
78	<i>Melomys</i>	151299	✓	251-116-29-18
88	"	151300	✓	235-118-29-18
98	"	151301	✓	241-118-29-17
62408	"	151302	✓	245-120-29-18
18	"	151303	✓	234-110-27-18
28	"	151304	✓	234-118-27-18
38	<i>Anisomys</i>	151427	✓	549-303-60-18
48	<i>Hydromys</i>	151466	✓	500-270-52-11
58	<i>Dasyurus</i>	109416	✓	289-125-33-20
68	<i>Plalanger</i>	109499	✓	710-292-58-15
78	<i>Pseudochinus</i>	109639	✓	765-318-60-23
88	"	109640	✓	740-305-57-29
98 Juv.	"	152792	✓	Alcoholic
62508	"	109650	✓	662-310-43-25

See Audubon's Catalogue

7000	<i>Hyomys</i>	151343	✓	580-262-60-27
18	<i>Pseudochinus</i>	109651	✓	642-285-43-23
28 Juv.	"	152793	✓	<del>64</del> Alcoholic
38	<i>Dorcopsis</i>	109662	✓	692-284-92-37
48	<i>Peroryctes</i>	109704	✓	500-190-60-25
58	"	109705	✓	532-208-62-24
68	<i>Anisomys</i>	151428	✓	561-310-62-20
78	"	151434	✓	585-315-63-20
88	"	151429	✓	571-308-62-19
98	"	151430	✓	565-315-59-20

Nov. 30, 1938.

7010	<i>Pseudochinus</i>	109629	✓	371-182-23-23
18	<i>Phascogale</i>	109579	✓	414-205-38-19
28	"	109539	✓	332-173-37-17
38	"	109580	✓	217-108-25-13
48	"	109581	✓	361-178-35-16
58	"	109582	✓	353-172-35-17
68 Juv.	"	152810	✓	Alcoholic
78	<i>Anisomys</i>	151431	✓	561-310-58-18



# Catalogue

Bel. R. 18 km. N. La. Habbema. Netherlands New Guinea 2200 m  
Nov 30, 1938.

7018 ♀	<i>Anisomys</i>	151432	♂	599-334-63-21
9 ♂	<i>Mallomys</i>	151455	♂	784-402-71-29
7020 ♂	<i>Peromyscus</i>	109706	♀	480-172-59-20
1 ♂	"	109707	♂	470-176-57-23
2 ♂	"	109708	♀	522-197-62-21
3 ♀	"	109709	♀	418-157-52-22
4 ♂	<i>Anisomys</i>	151433	♂	556-303-62-18
5 ♀	"	151435	♂	569-307-61-20
6 ♂	<i>Phascogale</i>	109583	♂	379-197-35-16

Dec. 1, 1938

7027 ♂	<i>Phalanger</i>	109500	♂	740-320-58-17
8 ♂	"	109501	♀	760-319-55-17
9 ♂	<i>Thomomys</i>	151456	♂	657-323-75-22
7030 ♂	<i>Anisomys</i>	151436	♂	538-294-57-20
1 ♂	"	151437	♂	574-322-58-19
2 ♀	"	151438	♂	554-320-60-19
3 ♂	<i>Phascogale</i>	109584	♂	355-182-38-19
4 ♀	<i>Phascogale</i>	109830	♀	246-126-23-16
5 ♀	<i>Melomys</i>	151305	♀	240-131-71-16
6 ♀	<i>Pogonomys</i>	151306	♂	265-158-27-17
7 ♂	<i>Thomomys</i>	151439	♂	700-365-75-21
8 ♂	<i>Anisomys</i>	151457	♂	578-320-62-20
9 ♀	"	151440	♂	613-338-60-20
7040 ♂	<i>Phascogale</i>	109585	♂	407-200-40-19
1 ♀	<i>Anisomys</i>	151441	♀	525-298-59-19

2 emb. x 18.

Dec. 2, 1938.


7042 ♂	<i>Hydromys</i>	151467	♀	457-240-51-12
3 ♂	<i>Melomys</i>	151307	♂	331-160-42-20
4 ♀	"	151308	♂	237-114-28-18
5 ♀	"	151309	♂	252-130-29-16
6 ♀	<i>Pogonomys</i>	151310	♂	288-146-23-15
7 ♀	<i>Melomys</i>	151311	♂	250-131-25-13
8 ♀	"	151312	♂	246-130-25-13
9 ♂	<i>Stenomys</i>	151313	♂	272-132-29-17
7050 ♀	"	151314	♂	255-118-28-18



# Catalogue

Beli R. 18 km N Lab. Nabena, Netherlands New Guinea 2200 m.  
Dec. 2, 1938.

7051 ♂	<i>Melomys</i>	151315	✓		320-159-40-21
2 ♀	"	151316	✓		
3 ♀	"	151317	✓	1 emb x 40.	321-149-38-20
4 ♂	<i>Anisomys</i>	151442	✓		313-148-40-20
5 ♂	<i>Melomys</i>	151318	✓		555-305-60-18
6 ♂	"	151319	✓		237-118-28-16
7 ♂	"	151320	✓		239-119-28-17
8 ♀	"	151321	✓		243-121-29-18
9 ♀	"	151322	✓		245-119-28-18
7060 ♀	<i>Pogonomys</i>	151323	✓		224-111-28-17
1 ♂	<i>Stenomys</i>	151324	✓		271-165-26-18
2 ♀	"	151751	✓	Skull only	242-118-29-16
3 ♀	"	151752	✓	" "	258-122-29-16
4 ♀	"	151753	✓	" "	246-114-26-15
5 ♂	<i>Pteromys</i>	151710	✓		243-114-28-16
6 ♂	<i>Anisomys</i>	151443	✓		511-186-60-24
7 ♂	<i>Stenomys</i>	151325	✓		565-311-60-19
8 ♂	"	151326	✓		258-118-29-17
9 ♀	<i>Melomys</i>	151327	✓		230-101-26-15
7070 ♀	"	151328	✓		255-124-29-18
1 ♀	<i>Melomys</i>	151329	✓	2 emb. x 29.	241-121-28-17
2 ♂	"	151754	✓	Skull only	254-128-29-17
3 ♂	"	151555	✓	" "	257-126-29-16
4 ♀	"	151756	✓	" "	250-126-28-16
5 ♀	"	151757	✓	" "	240-117-27-18
6 ♂	<i>Stenomys</i>	151758	✓	" "	253-125-28-17
7 ♂	<i>Melomys</i>	151759	✓	" "	254-120-27-17
8 ♂	"	151760	✓	" "	304-136-39-20
9 ♂	<i>Pascogale</i>	151761	✓	" "	343-162-40-20
7080 ♀	<i>Pseudochinus</i>	109630	✓		<u>420</u> ? <u>202</u> -40-18
1 ♂ Juv.	"	152794	✓		378-182-25-23
2 ♂	<i>Anisomys</i>	151444	✓		Alcoholic
3 ♂	"	151445	✓		578-320-60-18
4 ♂	"	151446	✓		552-297-60-19
5 ♀	"	151447	✓		580-322-60-21
6 ♀	"	151448	✓		561-315-59-18
7 ♀	<i>Phalanger</i>	109502	✓		588-330-60-19
					660-295-53-17



# Catalogue

Beli R., 8 km N Lake Habbema, Netherlands New Guinea 2200m.  
Dec. 2, 1938.

7088 ♀	<i>Mallomys</i>	151458	^	763-382-70-27
98	<i>Dactylos</i>	109408	^	453-213-42-27
7090 ♀	<i>Anisomys</i>	151449	+ <del>151402</del>	— — — — —

Dec. 3, 1938.

7091 ♂	<i>Dasyurus</i>	109407	^	515-232-47-19
28	<i>Phascogale</i>	109831	^	285-145-26-14
38	"	109832	^	290-148-25-16
48	<i>Phascogale</i>	109586	^	429- <del>212</del> -41-19
58	"	109587	^	365-178-37-19
68	"	109588	^	350-170-35-18
78	"	109589	^	335-175-35-16
88	<i>Hydromys</i>	151468	^	520-273-52-11
98	<i>Pogonomys</i>	151330	^	276-155-23-15
7100 ♀	<i>Milomys</i>	151331	u	229-119-28-16
18	"	151332	^	248-129-29-16
28	<i>Thomomys</i>	151481	^	<span style="border: 1px solid black;">645</span> - <span style="border: 1px solid black;">332</span> - <del>72</del> -22
38	<i>Anisomys</i>	151470	^	590-329-61-19
48	"	151471	^	601-334-60-19
58	<i>Peroryctes</i>	109724	^	534-194-62-24
68	"	109725	^	474-169-57-25
78	"	109726	^	477-173-57-23
88	"	109727	^	377-147-47-20
98	<i>Phalanger</i>	109473	^	658- <del>274</del> <sup>275</sup> -52-17
7110 ♀	"	109474	^	710-282-54-18
18	<i>Pseudochinus</i>	109641	^	708-262-56-23
28	<i>Pseudochinus</i>	109652	^	636-295-43-24

Dec. 4, 1938.

113 ♂	<i>Phalange</i>	109475	^	567-256-50-18
48	"	109476	^	824-385-62-26
58	<i>Anisomys</i>	151472	^	583-336-61-20
68	"	151473	^	590-325-61-20
78	"	151474	^	530-295-58-19
88	"	151475	^	515-284-59-19
98	"	151476	^	565-312-60-20
7120 ♂	"	151477	^	545-296-61-20



# Catalogue

• Belu R. 15 km N Lake Habbema, Netherlands New Guinea 2200m.  
Dec. 4, 1938.

71218	Phalanger	139477	u		634-266-52-15
28	Thomomys	151482	u		660-345-72-20
38	Anisomys	151478	u		588-330-62-20
48	"	151479	u		592-325-61-19
58	"	151480	u		568-303-60-20
68	"	151483	u		532-291-61-19

Baliem R., Netherlands New Guinea 1600  
Dec 9 1938

7127	♀ Melomys	110194	u	2 emb. x 5	315-162-29-15
88	Rattus	110195	u	4 emb x 9	315-143-33-18

Dec. 10, 1938.

7129	♂ Melomys	110196	u		238-117-25-11
7130	♂ "	110197	u		235-116-25-12
18	"	110198	u		251-127-26-12
28	"	110199	u		235-120-25-12
38	"	110200	u		247-126-27-12
48	"	110201	u		241-120-25-12
58	"	110202	u		236-114-26-13
68	"	110203	u	2 emb x 15	233-117-24-12
78	"	110204	u		235-117-25-12
88	Stenomys	110205	u		244-107-27-15
98	Rattus	110206	u		298-142-33-17

Dec. 11, 1938

7140	♂ Melomys	110207	u		255-125-26-12
18	"	110208	u		265-130-27-12
28	"	110209	u		266-103-24-12
38	"	110210	u		218-112-25-12
48	"	110211	u		250-127-25-13
58	"	110212	u		250-125-25-13
68	"	110213	u		218-112-24-13
78	"	110214	u		203-106-25-11
88	"	110215	u		198-105-24-12
98	"	110216	u		170-87-22-12
7150	♂ Stenomys	110217	u		257-120-28-15

check skull wt 7151

410



## Catalogue

Palim R. Netherlands New Guinea 1600 m.  
Dec. 11, 1938.

7151 ♂ <i>Rattus</i>	110218 ✓	315-141-35-19
2 ♂ "	110219 ✓	284-131-32-17
3 ♂ <i>Melomys</i>	110220 ✓	261-122-26-13
4 ♂ "	110221 ✓	237-117-25-12
5 ♂ "	110222 ✓	241-125-26-12
6 ♂ "	110223 ✓	252-132-27-13
7 ♀ "	110224 ✓	267-123-26-12
8 ♀ "	110225 ✓	239-121-25-12
9 ♀ "	110226 ✓	179-97-23-11
7160 ♀ "	110227 ✓	198-101-26-10

skin only

Measured  
by  
Collector

Dec. 12, 1938.

7161 ♂ <i>Melomys</i>	110228 ✓	269-140-27-13
2 ♂ "	110229 ✓	262-131-27-12
3 ♂ "	110230 ✓	232-114-25-12
4 ♂ "	110231 ✓	257-130-27-13
5 ♀ "	110232 ✓	193-101-24-12
6 ♀ <i>Stenomys</i>	110233 ✓	244-111-27-15
7 ♂ <i>Pipistrellus</i>	109979 ✓	85-37-8-9
8 ♂ <i>Rattus</i>	110234 ✓	303-139-32-16
9 ♂ <i>Melomys</i>	110235 ✓	253-121-26-13
7170 ♂ "	110236 ✓	236-117-25-12
1 ♀ "	110237 ✓	239-119-27-13
2 ♀ "	110238 ✓	245-123-26-12

Dec. 13, 1938

7173 ♂ <i>Syconycteris</i>	109953 ✓	77 - - -12-14
4 ♀ "	109954 ✓	77 - - -12-14
5 ♀ <i>Rattus</i>	110239 ✓	192-88-27-15
6 ♂ <i>Melomys</i>	110240 ✓	195-91-25-12
7 ♀ <i>Rattus</i>	110241 ✓	303-141-33-18
8 ♀ <i>Stenomys</i>	110242 ✓	[234] - [109] -26-14
9 ♂ <i>Endromicia</i>	109845 ✓	240-139-18-16
7186 ♂ <i>Rattus</i>	110243 ✓	324-150-34-18
1 ♂ "	110244 ✓	306-147-33-16
2 ♂ "	110245 ✓	303-134-32-16
3 ♀ "	110246 ✓	300-139-32-15

SKIN ONLY



## Catalogue

Balin R., Netherlands New GuineaDec. 13, 1938

1600 m.

7184 ♀ <i>Rattus</i>	110247 ✓		288-128-29-17
5 ♀ "	110248 ✓		225-108-28-15
6 ♀ "	110249 ✓		296-125-30-16 <small>Measured by collector</small>
7 ♀ "	110250 ✓		314-142-33-14 "
8 ♂ "	110251 ✓		280-140-34-14 "
9 ♂ <i>Melomys</i>	110252 ✓		245-127-26-14
7190 ♂ "	110253 ✓		232-120-26-13
1 ♂ "	110254 ✓		234-124-26-13
2 ♂ "	110255 ✓		205-121-26-13
3 ♀ "	110256 ✓	2 emb. x 30	293-151-27-12
4 ♀ "	110257 ✓	1 emb. x 7	249-132-26-13
5 ♀ "	110258 ✓		245-128-25-12
6 ♀ "	110259 ✓	2 emb. x 3	236-124-25-13
7 ♂ <i>Rattus</i>	110260 ✓		300-135-32-16
8 ♂ "	110261 ✓		293-138-31-17
9 ♂ "	110262 ✓		301-143-31-16
7200 ♂ "	110263 ✓		305-142-33-17
1 ♂ "	110264 ✓		326-160-35-19
2 ♂ "	110265 ✓		308-143-33-17
3 ♂ "	110266 ✓		<u>303</u> - <u>154</u> -35-17
4 ♂ "	110267 ✓		<u>287</u> - <u>121</u> -33-17
5 ♀ "	110268 ✓	5 emb. x 25	328-157-34-17
6 ♀ "	110269 ✓		320-151-32-17
7 ♀ "	110270 ✓		310-142-33-16
8 ♀ "	110271 ✓		296-138-32-17
9 ♀ "	110272 ✓		290-136-33-17
7210 ♀ "	110273 ✓		205-84-27-14

Dec. 14, 1938

7211 ♂ <i>Melomys</i>	110274 ✓		304-159-29--
2 ♂ "	110275 ✓		212-109-26-13
3 ♀ <i>Melomys</i>	110276 ✓		194-99-24-12
4 ♂ <i>Rattus</i>	110277 ✓		303-141-34-17
5 ♂ "	110278 ✓		217-103-27-13
6 ♀ "	110283 ✓		301-136-33-18
7 ♀ "	110284 ✓		267-123-30-16
8 ♀ "	110285 ✓		217-102-28-15



## Catalogue

Balim R. Netherlands New GuineaDec. 14, 1938.

1600 m.

7219 ♀	<i>Rattus</i>	110286 ✓
7220 ♀	"	110287 ✓
1 ♀	"	110288 ✓
2 ♀	"	110289 ✓

315-152-33-18

244-705-30-15 Measured by collector

325-144-33-17

275-716-30-16Dec. 15, 1938.

7223 ♂	<i>Melomys</i>	110290 ✓
--------	----------------	----------

236-124-25-13 Measured by collector

4 ♀	"	110291 ✓
-----	---	----------

220-115-25-17

5 ♂	"	110292 ✓
-----	---	----------

248-127-27-12

6 ♂	"	110293 ✓
-----	---	----------

252-130-27-—

7 ♀	"	110294 ✓
-----	---	----------

310-161-29-15

8 ♀	"	110301 ✓
-----	---	----------

2 emb. X 25

284-147-29-14

9 ♀	"	110302 ✓
-----	---	----------

240-121-26-13

7230 ♂	<i>Rattus</i>	110300 ✓
--------	---------------	----------

283-183-31-15

1 ♂	"	110299 ✓
-----	---	----------

314-145-32-17

2 ♀	"	110298 ✓
-----	---	----------

300-139-31-17

3 ♂	<i>Melomys</i>	110297 ✓
-----	----------------	----------

208-108-26-12

4 ♂	"	110296 ✓
-----	---	----------

200-100-24-12

5 ♂	<i>Rattus</i>	110295 ✓
-----	---------------	----------

230-113-30-15 Measured by collector

6 ♀	<i>Melomys</i>	110282 ✓
-----	----------------	----------

248-120-28-13

7 ♀	<i>Rattus</i>	110281 ✓
-----	---------------	----------

303-138-31-17

8 ♀	"	110280 ✓
-----	---	----------

321-164-32-18

9 ♀	"	110279 ✓
-----	---	----------

278-125-30-17

7240 ♀	"	110303 ✓
--------	---	----------

231-109-28-15

1 ♂	"	110304 ✓
-----	---	----------

309-140-32-15

2 ♂	"	110305 ✓
-----	---	----------

242-115-30-15

3 ♂	"	110306 ✓
-----	---	----------

241-114-30-14

4 ♀	"	110307 ✓
-----	---	----------

308-141-32-14

Dec. 16, 1938.

7245 ♂	<i>Melomys</i>	110308 ✓
--------	----------------	----------

248-125-26-12

6 ♂	"	110309 ✓
-----	---	----------

241-126-26-13

7 ♂	"	110310 ✓
-----	---	----------

240-121-27-—

8 ♀	"	110311 ✓
-----	---	----------

219-108-25-12

9 ♂	<i>Rattus</i>	110312 ✓
-----	---------------	----------

No skull

320-148-35-18

7250 ♂	<i>Melomys</i>	110313 ✓
--------	----------------	----------

221-112-26-12

1 ♂	<i>Sycomycteris</i>	109955 ✓
-----	---------------------	----------

67-—-11-13



## Catalogue

Belim B. Netherlands New Guinea 1600 m.  
Dec. 16, 1938.7252 ♀ *Melomys* 110314 ♀ 217-111-25-15Dec. 17, 1938.7253 ♂ *Sus* 109462 ♀ 700-95-38-55  
4 ♂ *Tapistrellus* 109980 ♀ 85-38-7-9  
5 ♀ *Melomys* 110315 ♀ 214-113-25-12  
6 ♂ " 110316 ♀ 245-114-26-13Dec. 18, 1938.7257 ♂ *Melomys* 110317 ♀ 234-126-25-11  
8 ♂ " 110318 ♀ 220-110-25-11  
9 ♀ " 110319 ♀ 223-110-25-  
7260 ♂ *Rattus* 110320 ♀ 315-158-33-19  
1 ♀ " 110321 ♀ 256-124-30-15  
2 ♂ " 110322 ♀ 142-25-27-15Dec. 20, 1938.7263 ♂ *Melomys* 110323 ♀ 240-128-25-13  
4 ♀ *Myrioporus* 109962 ♀ 117-49-10-9Hollandia Netherlands New Guinea sea levelDec. 24, 1938.7265 ♀ *Dendrolagus* 109467 ♀ 1505-843-155-65Dec. 27, 1938.7266 ? *Xyromys* 109503 ♀ - - - - -

Specimens from 7267 to 7279 Prepared by M. Ebeli

Cyboos Mo. Netherlands New Guinea7267 ♂ *Phalanger* 109443 623-305-45-25 Nov 16 1938 150 m.  
8 ♀ " 109444 " - - - " 19 " "  
9 ♀ " 109445 795 400-74-25 " 6 " 200  
7270 ♂ *Phalanger* 109439 893-416-97-31 " 25 " 300  
1 ♂ " 109440 824-356-86-38 Dec 3 " 180  
2 ♂ *Dendrolagus* 109463 " - - - - - " 15 " 150  
3 ♂ *Dorcopsis* 109870 855-340-130-40 Oct. 27 " 400  
4 ♀ *Pteropus* 109870 350 [?] wing 143 Nov. 9 " 150  
109464



# Catalogue

## Cyclops Mts. Netherlands New Guinea

7275 ♂	<i>Calomys</i> x	— — — — —	109669	Dec. 5 1938	150 m.
6 ♀	<i>Rattus</i> x	365-176-41-16	110132	Nov 25 1938	150
7 ♂	<i>Echymipera</i> x	345-80-60-25	109744	" 26 "	150
8 ♂	" x	477-120-70-40	109745	Dec. 3 "	150
9 ♂ Juv.	" x	— — — — —	109746	Dec 5 "	150

[Note \* indicates presence of skulls]

## Hollandia Netherlands New Guinea sea level

Dec 29, 1938.

7280 ♀	<i>Rattus</i>	152354	219-112-20-15	Measured collector
7281 ♀	<i>Phalanger</i>	151820	1200-550-90-25	

## Bernhard Camp Idenburg R. Netherlands New Guinea 50 m.

Jan 5, 1938

7282 ♀	<i>Phalanger</i>	151790	1057-470-75-18	
3 Juv.	"	152829	Alcoholic	

## 15 Km SW Bernhard Camp Idenburg R. Netherlands New Guinea 1800 m.

Jan 10, 1939

7284 ♀	<i>Pseudochirna</i>	151825	670-336-43-18	
5 ♂	<i>Melomys</i>	152297	244-123-29-16	
6 ♀	"	152298	245-120-29-15	
7 ♀	<i>Stenomys</i>	152134	237-112-26-15	

Jan. 11, 1939.

7288 ♂	<i>Melomys</i>	152299	245-126-29-16	
9 ♀	"	152300	248-128-29-16	
7290 ♀	"	152301	239-118-28-15	
1 ♀	"	152302	227-113-28-17	
2 ♀	"	152303	234-118-28-16	
3 ♂	<i>Melomys Pseudohydromys</i>	152088	255-134-31-14	
4 ♂	" <i>Pseudohydromys</i>	152089	255-139-30-15	
5 ♂	"	152090	251-131-30-14	
6 ♀	"	152091	244-130-30-15	
7 ♂	<i>Melomys</i>	152221	340-163-42-20	
8 ♂	<i>Stenomys</i>	152121	264-135-28-15	
9 ♂	"	152122	250-118-28-16	
300 ♂	"	152477	249-120-28-16	Skull only
1 ♀	"	152135	240-112-27-16	



## Catalogue

15 km S W Burnand Camp, Mamberang River, Highlands New Guinea 1800 m.  
Jan. 11, 1939.

7302 ♂	<i>Phascogale</i>	152026	✓	286-153-27-14
3 ♀	<i>Pseudochinus</i>	151826	✓	653-283-49-18
4 ♂ juv.	"	152832	✓	Alcoholic
5 ♂	<i>Phalanger</i>	151827	✓	772-330-65-29
6 ♀	<i>Peroryctes</i>	151923	✓	446-181-54-21

Jan. 12, 1939.

7307 ♂	<i>Lorentzimys</i>	152080	✓	185-108-24-18
8 ♂	<i>Stenomys</i>	152123	✓	251-122-28-17
9 ♂	"	152136	✓	[239]-[111]-27-16

Jan. 13, 1939.

7310 ♂	<i>Melomys</i>	152304	✓	235-115-28-17
1 ♂	"	152305	✓	242-121-28-16
2 ♂	<i>Melomys Pseudohydromys</i>	152092	✓	258-135-31-16
3 ♀	<i>Stenomys</i>	152137	✓	249-124-27-16
4 ♀	<i>Melomys Pseudohydromys</i>	152485	✓	Skull only [169]-[47]-29-15
5 ♀	<i>Pseudohydromys</i>	152093	✓	258-140-31-15

Jan. 14, 1939.

7316 ♂	<i>Melomys Pseudohydromys</i>	152094	✓	249-133-29-16
7 ♀	"	152095	✓	<del>249</del> -124-29-15
8 ♀	"	152096	✓	240-130-31-15
9 ♂	<i>Melomys</i>	152222	✓	335-164-41-22
7320 ♂ ♀	<i>Stenomys</i>	152138	✓	239-120-28-14
1 ♀	"	152124	✓	227-108-26-14
2 ♀	"	152139	✓	231-113-26-15
3 ♀	<i>Miniopterus</i>	152447	✓	106-51-9-8
4 ♂	<i>Dorcopsis</i>	151828	✓	696-303-100-32
5 ♂	<i>Peroryctes</i>	151924	✓	453-186-56-23
6 ♂	<i>Phascogale</i>	[skin only] 152221		420-195-41-19

Jan. 15, 1939.

7327 ♀	<i>Phascogale</i>	152025	✓	245-110-23-12
8 ♂	<i>Melomys</i>	152223	✓	325-152-41-20
9 ♂	"	152224	✓	340-157-41-19
7330 ♀	"	152225	✓	317-143-38-19



# Catalogue

15 km SSW Bernhard Camp, Idenburg R. Netherlands New Guinea 1800 m.  
Jan. 15, 1939.

7331 ♂ <i>Melomys</i>	152306 n	235-115-28-15
2 ♂ "	152307 n	238-125-28-16
3 ♀ "	152308 n	240-117-28-16
4 ♂ <i>Stenomys</i>	152140 n	234-117-27-15
5 ♂ "	152141 n	258-124-28-18
6 ♂ "	152142 n	245-120-28-16
7 ♂ "	152143 n	256-122-28-16
8 ♂ "	152125 n	255-126-27-15
9 ♂ "	152126 n	239-120-26-15
7340 ♀ "	152144 n	252-123-27-16
1 ♀ "	152127 n	238-118-27-16

Jan. 16, 1939

7342 ♀ <i>Melomys</i>	152309 n	225-114-26-14	Measured by collector
3 ♂ <i>Stenomys</i>	152145 n	246-112-26-15	"
4 ♂ "	152146 n	263-135-29-15	"
5 ♂ <i>Phascogale</i>	151985 n	455-210-37-15	"
6 ♂ <i>Melomys</i>	152310 n	245-127-27-15	"
7 ♀ "	152311 n	227-113-28-13	"
8 ♀ "	152312 n	234-122-27-15	"
9 ♂ "	152313 n	198-96-27-15	1600
7350 ♂ <i>Stenomys</i>	152478 n	259-126-28-16	Skull only
1 ♀ "	152823 n	234-112-26-15	"
2 ♀ <i>Pseudohydromys</i>	152147 n	248-116-27-17	"

Jan. 17, 1939

7353 ♂ <i>Pseudohydromys</i>	152097 n	244-131-31-15
4 ♀ "	152098 n	250-136-30-15
5 ♂ <i>Melomys</i>	152314 n	246-130-29-16
6 ♂ "	152316 n	249-130-28-16
7 ♀ "	152315 n	228-116-28-15
8 ♀ "	152317 n	230-115-28-16
9 ♀ "	152318 n	237-124-28-15
7360 ♂ <i>Stenomys</i>	152148 n	248-115-28-15
1 ♂ "	152149 n	218-106-27-15
2 ♂ "	152150 n	191-93-25-14
3 ♀ "	152128 n	243-117-28-15



# Catalogue

15 km S.W. Bernhard Camp, Ikenburg R., Netherlands New Guinea 1800 m.  
Jan 17, 1939.

73648	Stenomys	152151	✓	255-125-29-18
58	"	152152	✓	239-116-27-16
68	"	152153	✓	228-111-27-14
78	Phascogale	152022	✓	386-182-35-16

Jan 18, 1939

73688	Melomys	152319	✓	236-120-29-16
98	Stenomys	152129	✓	252-127-27-16
73708	"	152130	✓	245-123-27-15
18	Phascogale	151984	✓	425-196-40-15

Jan 19, 1939.

73728	Myrioporus	<del>152828</del> 152448	✓	108-51-9-9
38	Melomys	152320	✓	237-120-28-16
48	Stenomys	152154	✓	225-109-27-15
58	<del>Pseudohydromys</del>	♀ Stenomys 152155	✓	249-126-28-16
68	<del>Phascogale</del>	♀ Pseudohydromys 152099	✓	240-130-30-15
78	<del>Phascogale</del>	♀ Phascogale 152027	✓	255-132-24-15
88		♀ Juv. 152028	✓	155-82-17-—
98	Peromyscus	151925	✓	460-181-55-23
73808	Juv. "	152800	✓	Alcoholic
18	Dasyurus	151978	✓	508-241-47-22
2	Juv. "	152817	✓	Alcoholic
3	Juv. "	152818	✓	Alcoholic
4	Juv. "	152819	✓	Alcoholic
58	Pseudochinus	151829	✓	670-290-48-16

Jan 20, 1939.

73868	Pseudohydromys	152100	✓	250-140-31-16
78	"	152101	✓	228-125-30-16
88	Melomys	152321	✓	253-133-30-18
98	Melomys	152226 (Cat 46. 152749 embx 45)	✓	336-162-40-19
73908	Stenomys	152131	✓	247-118-26-16

Jan 21, 1939.

73918	Melomys	152227	✓	342-167-43-22
28	Pseudohydromys	152102	✓	253-135-30-15



# Catalogue

15 km SW Berndam Camp Idenburg R. Netherlands New Guinea

1800 m.

Jan 21, 1939.

7393 ♀	<i>Phascogale</i>	152029	η	
4 ♂	<i>Melomys</i>	152228	η	3 young, 19 mm. 267-147-26-15
5 ♀	<i>Peroryctes</i>	151926	η	312-143-39-19
				320-142-42-19

Jan. 22, 1939.

7396 ♂	<i>Melomys</i>	152322	η	242-120-28-17
7 ♀	<i>Stenomys</i>	152156	η	260-128-28-15
8 ♂	<i>Pseudohydromys</i>	152103	η	250-131-31-15

Jan 23, 1939.

7399 ♂	<i>Peroryctes</i>	151927	η	455-184-55-21
7400 ♂	<i>Pseudohydromys</i>	152104	η	246-134-29-15
1 ♂	<i>Stenomys</i>	152157	η	263-123-28-16
2 ♂	<i>Melomys</i>	152323	η	247-124-29-16
3 ♂	<i>Phascogale</i>	152323	η	412-201-41-18
4 ♂	<i>Lorentzimys</i>	152081	η	199-118-23-18

Jan. 25, 1939.

7405 ♂	<i>Pseudohydromys</i>	152105	η	245-127-30-15
6 ♀	<i>Stenomys</i>	152132	η	246-116-27-16
7 ♂	<i>Melomys</i>	152483	η	323-154-41-20

Anacaria Creek Idenburg R. Netherlands New Guinea

800 m.

Jan. 25, 1939.

7408 ♂	<i>Phascogale</i>	152009	η	185-82-23-10
--------	-------------------	--------	---	--------------

15 km SW Berndam Camp Idenburg R. Netherlands New Guinea

1800 m.

Jan. 26, 1939.

7409 ♂	<i>Pseudohydromys</i>	<del>152106</del>	152106	η	255-136-30-15
7410 ♀	"	152107	η		239-132-29-16
1 ♂	<i>Melomys</i>	152324	η		255-131-30-16
2 ♀	"	152325	η		245-120-29-16
3 ♂	<i>Stenomys</i>	152158	η		251-122-27-16
4 ♂	"	152159	η		249-123-26-15
5 ♀	"	152160	η		244-118-27-16
6 ♀	"	152161	η		251-122-28-16
7 ♀	"	152162	η		230-112-26-16



# Catalogue

15 km S.W. Bernhard Camp Idenburg R. Netherlands New Guinea 1800 m.

Jan. 26, 1939.

7418 ♀ <i>Pseudohydromys</i>	152108 ♀	258-138-31-16
9 ♀ "	152109 ♀	257-133-30-15
7420 ♀ <i>Peromyscus</i>	151928 ♀	460-182-65-23
1 juv. "	152801 ♀	Alcoholic

Jan. 27, 1939.

7422 ♀ <i>Melomys</i>	152229 ♀	1 emb x 4 320-140-40-22
3 ♂ <i>Phascogale</i>	152030 ♀	304-165-27-16

Jan. 28, 1939.

7424 ♂ <i>Peromyscus</i>	151929 ♀	460-174-53-22
5 ♂ <i>Melomys</i>	152326 ♀	250-125-29-16

Jan. 29, 1939.

7426 ♀ <i>Peromyscus</i>	<del>151930</del> 151930-152476 ♀	446-175-55-20
7 juv. "	152802 ♀	Alcoholic
8 ♂ <i>Pseudohydromys</i>	152110 ♀	246-126-30-17
9 ♀ <i>Melomys</i>	152230 ♀	319-148-39-19

Jan. 30, 1939.

7400 ♂ <i>Melomys</i>	152327 ♀	237-119-28-15
7431 ♂ <i>Peromyscus</i>	151935 ♀	500-158-75-29

18 km S.W. Bernhard Camp Idenburg R. Netherlands New Guinea 2150

Feb. 1, 1939.

7432 ♂ <i>Melomys</i>	152268 ♀	210-84-29-15
3 ♀ <i>Stenomys</i>	152166 ♀	250-122-29-16

Feb. 2, 1939.

7434 ♀ <i>Melomys</i>	152269 ♀	1 emb x 3 233-116-28-15
5 ♂ <i>Melomys</i>	152233 ♀	323-152-40-20
6 ♂ <i>Peromyscus</i>	151921 ♀	482-191-58-20
7 ♂ "	151922 ♀	405-170-51-19
8 ♂ <i>Pseudochinus</i>	151836 ♀	673-293-50-15



# Catalogue

15 km S W Bernard Corps Idling R. Netherlands New Guinea 1500 m.  
January 29 to February 2 1939.

OVER

15 Km. SW Bernhard Camp Januari 29 1939

7439	X ♀	<i>Peromyscus</i>	151981 ✓	420-170-54-18
7440	X ♀	<i>Melomys</i>	152231 ✓	315-144-38-17
[Jan.] = Januari 30, 1939				
7441	X ♂	<i>Phascogale</i>	152024 ✓	455-240-43-18
2	X ♂	<i>Melomys</i>	152328 ✓	247-127-30-15
3	X ♂	<i>Melomys</i>	152329 ✓	254-126-30-15
[Jan.] = Januari 31, 1939				
7444	X ♂	<i>Phascogale</i>	152031 ✓	245-132-24-16
5	X ♂	<i>Stenomys</i>	152163 ✓	245-122-28-15
6	X ♀	<i>Melomys</i>	152330 ✓	235-120-27-15
7	X ♀	<i>Melomys</i>	152331 ✓	245-120-27-15
8	X ♀	<i>Melomys</i>	152332 ✓	230-118-28-14
9	X ♀	<i>Stenomys</i>	152164 ✓	252-130-27-15
[Feb.] = Februari 1, 1939				
7450	X ♀	<i>Melomys</i>	152232 ✓	330-168-39-19
1	X ♂	<i>Melomys</i>	152333 ✓	247-126-29-15
[Feb.] = Februari 2, 1939				
7452	X ♂	<i>Troentzimys</i>	152082 ✓	185-110-22-16
3	X ♂	<i>Melomys</i>	152334 ✓	245-122-27-15
4	X ♀	<i>Stenomys</i>	152133 ✓	235-115-27-14
5	X ♂	<i>Stenomys</i>	152165 ✓	265-122-27-15

Note - The above specimens # 7439 to 7455 were trapped, measured, and prepared by my collecting boy Marcus.

# Catalogue

18 km S.W. Dumbud Camp, Baringo P., Netherlands New Guinea 2150 m.

Feb. 3, 1939.

7456♂ *Peroryctes*

151933 ♀

505-152 - 75-28

7♀ *Melomys*

152234 ♀

325-146-39-20

Feb. 4, 1939.

7458♀ *Pseudohydromys*

152111 ♀

245-128-29-16

9♂ *Stenomys*

152167 ♀

262-132-28-17

7460♂

152168 ♀

253-124-28-16

1♀

152169 ♀

251-121-27-15

2♀

152170 ♀

250-122-28-16

3♀

152171 ♀

262-133-28-15

4♀

152172 ♀

242-120-27-16

5♀

152173 ♀

208-104-25-13

Feb. 5, 1939.

7466♀ *Melomys*

152235 ♀

340-164-41-18

7♀

152236 ♀

340-164-40-20

8♂ *Pseudohydromys*

152112 ♀

253-133-31-15

9♂ *Stenomys*

152174 ♀

255-122-28-15

7470♂

152175 ♀

257-127-27-15

1♀

152176 ♀

255-129-28-15

2♀

152177 ♀

260-128-28-15

3♀

152178 ♀

257-126-28-15

4♀

152179 ♀

244-123-27-14

5♂ *Peroryctes*

151934 ♀

466-148-71-28

6♂ *Phascogale*

152019 ♀

444-217-41-17

Feb. 6, 1939.

7477♂ *Phascogale*

152020 ♀

362-188-38-18

8♂ *Stenomys*

152180 ♀

260-122-28-15

9♀ *Pseudohydromys*

152270 ♀

263-140-31-16

7480♀

152744 ♀

Alcoholic

250-133-30-16

1♀ *Melomys*

152238 ♀

321-148-41-19

2♀ *Thomomys*

152040 ♀

639-346-71-20

3♀ *Anisomys*

152063 ♀

574-318-60-18

Feb. 7, 1939.

7484♂ *Pseudohydromys*

152113 ♀

255-136-31-15



# Catalogue

18 Km SW Buntad Camp Menting R. Netherlands New Guinea 2150 m.

Feb. 7, 1939.

7485 ♂ *Melomys*

6 ♀ "

152237 ✓

152271 ✓

328-155-41-20

244-122-29-16

Feb. 8, 1939.

7487 ♂ *Pseudohydromys*

8 ♀ "

9 ♂ *Stenomys*

7490 ♀ "

18 *Melomys*

2 ♀ *Pseudohydromys*

3 ♀ *Stenomys*

152114 ✓

152115 ✓

152181 ✓

152182 ✓

152239 ✓

152116 ✓

152183 ✓

241-125-30-16

252-134-30-17

262-125-28-15

242-116-27-15

338-153-40-20

263-142-31-17

242 - 109 - 28-16

Feb. 9, 1939.

7494 ♀ *Plascogale*

152037 ✓

267-139-23-14

Feb. 10, 1939

7495 ♀ *Thomomys*

152041 ✓

684-353-71-22

6 Km SW Buntad Camp Menting R. Netherlands New Guinea 1200 m.

Feb. 13, 1939

7496 ♀ *Emballonura*

152422 ✓

63-18-147

Feb. 14, 1939.

7497 ♀ *Miniopterus*

8 ♀ *Peroryctes*

9 ♀ "

7500 ♂ Juv. "

1 ♂ *Thomomys*

2 ♂ *Plascogale*

3 ♂ *Melomys*

4 ♀ "

5 ♂ *Plascogale*

6 ♂ "

152449 ✓

151936 ✓

151937 ✓

152833 ✓

152066 ✓

151996 ✓

152240 ✓

152241 ✓

151995 ✓

105-46-9-8

373-135-63-24

460-156-71-25

Alcoholic

575-326-56-18

365-180-38-15

244-122-30-16

233-112-27-1

400 - 185 - 36-15

Feb. 15, 1939.

7506 ♂ *Emballonura*

7 ♀ *Dasyurus*

8 ♂ *Thomomys*

~~152408~~

151974 ✓

152067 ✓

152423 ✓

56-12-7-12

— - 245-46-19

574-333-57-18



# Catalogue

6 km. SW Bernhard Camp, Idenburg R., Netherlands New Guinea 1200 m.

Feb. 15, 1939.

7509 ♀ *Phascogale* 152032 ♀ 264-131-20-12

Feb. 16, 1939.

7510 ♂ *Rattus* 152359 ♀  
1 ♀ *Miniopterus* 152450 ♀ 315 - 117 - 38-19  
2 ♀ " 152451 ♀ 101-44-8-7  
3 ♀ *Melomys* 152208 ♀ ~~152451 ♀~~ 99-43-8-8  
345-160-42-20

Feb. 17, 1939.

7514 ♀ *Rattus* 152362 ♀ ~~256 x 16 mm.~~ 346-166-35-19

Feb. 18, 1939.

7515 ♂ *Echymipera* 151863 ♀ 510-101-67-22  
6 ♂ *Hydromys* 152070 ♀ 494-263-52-12  
7 ♀ *Phascogale* 151994 ♀ 357-169-36-15  
8 ♂ *Dasyurus* 151973 ♀ 296-129-34-18

Feb. 19, 1939.

7519 ♂ *Melomys* 152242 ♀ 254-124-27-14

Feb. 20, 1939.

7520 ♂ *Melomys* 152243 ♀ 212-90-27-16  
1 ♀ *Emballonura* 152424 ♀ 58-13-7-12  
2 ♀ *Dasyurus* 151972 ♀ 295-127-34-18  
3 ♀ *Dorcopsis* 151880 ♀ 535-241-88-36  
4 ♀ *Echymipera* 151864 ♀ ~~388-228~~-52-21  
5 ♀ *Juv.* " 152764 ♀ Alcoholic

Feb. 21, 1939.

7526 ♂ *Phalanger* 151831 ♀ 740-338 56-24  
7 ♂ " 151832 ♀ 813-363-62-24  
8 ♀ *Melomys* 152244 ♀ 176 - 72 - 26-14  
9 ♀ *Emballonura* 152425 ♀ 57-11-7-12  
7530 ♀ *Melomys* 152209 ♀ 285-128-41-20  
1 ♂ *Peroryctes* 151938 ♀ 507-159-75-28



# Catalogue

6 Km S.W. Burnland Camp I denburg N. Netherlands New Guinea 1200m.  
Feb. 22, 1939.

7532 ♀ *Phascogale* 151993 n 358-159- - - 15

Feb. 23, 1939.

7533 ♂ *Dasyurus* 151971 n 308-142-35-20  
4 ♂ *Melomys* 152210 n 350-159-44-22  
5 ♂ *Rattus* 152361 n 335-165-35-18  
6 ♀ " 152360 n 340-167-35-18  
7 ♂ *Melomys* 152245 n 239-112-27-14  
8 ♀ " 152246 n 221-107-25-14  
9 ♀ " 152247 n 182-94-25-13

Feb. 24, 1939.

7540 ♀ *Emballonura* 152426 n 61-12-8-12  
1 ♀ " 152427 n 57-13-7-12

Feb. 25, 1939

7542 ♂ *Thomomys* 152044 n 523-238-58-22  
3 ♂ *Phascogale* 152006 n 240-22-40-20  
4 ♀ *Dorcopsis* 151833 n 722-325-96-37  
5 Juv. " 152760 n Alcoholic.  
6 ♂ *Phascogale* 151992 n 375-178-37-14

Feb. 26, 1939.

7547 ♂ *Melomys* 152211 n 255-103-47- -

Feb. 27, 1939.

7548 ♀ *Phascogale* 151991 n 378-184-36-16  
9 ♀ " 151990 n 402-198-38-16  
7550 ♂ *Thomomys* 152068 n 553-315-56-17

Feb. 28, 1939.

7551 ♂ *Melomys* 152212 n 328-161-42-21  
2 ♂ *Phascogale* 151989 n 414-188-39-17  
3 ♂ *Calyptorhina* 151865 n 468-91-63-21  
4 ♂ *Dasyurus* 151970 n 543-246-49-20




# Catalogue

Glen SW Bunkard Camp Irian Jaya, Netherlands New Guinea 1200  
Mar. 1, 1939.

7555 ♂	<i>Peromyscus</i>	151989	✓		420 - 148 - 67 - 25
6 ♀	<i>Melomys</i>	152213	✓	1 emb x 15 mm.	354 - 168 - 41 - 22
7 ♀	"	152248	✓	<del>152248</del> Skin only head in alcohol	— - 88 - 25 - 15

Note - Numbers 7558 to 7600 on pages 92 and 93.

Omit



# Catalogue

10 H. M. S. W. Bernhard Camp.  
Idenburg River

Februar 17, 1939  
1500 M.

7558 X ♀ <i>Melomys</i>	152335 ✓	220 - 111 - 27 - 15
7559 X ♀ "	152254 ✓	235 - 118 - 26 - 17
7560 X ♀ "	152336 ✓	240 - 120 - 27 - 18
7561 X ♀ "	152255 ✓	221 - 116 - 26 - 13
7562 X ♂ <i>Phascogale</i>	152038 ✓	278 - 152 - 25 - 15
7563 X ♂ <i>Melomys</i>	152337 ✓	245 - 127 - 29 - 15

Februar 19, 1939

7564 X ♂ <i>Melomys</i>	152256 ✓	226 - 125 - 28 - 13
7565 X ♀	152463 ✓	.84 - 34 - -8 - 10

Februar 20, 1939

7566 X ♀	152464 ✓	.84 - 40 - -8 - 10
7567 X ♂ <i>Lorentzimus</i>	152083 ✓	178 - 104 - 22 - 17

Februar 21, 1939

7568 X ♂ <i>Myctophilus</i>	152462 ✓	-98 - -37 - 10 - 15
7569 X ♂ <i>Melomys</i>	152120 ✓	335 - 160 - 40 - 17
7570 X ♂ <i>Melomys</i>	152257 ✓	236 - 124 - 28 - 18
7571 X ♂	152258 ✓	190 - 96 - 26 - 15
7572 X ♀	152338 ✓	225 - 115 - 27 - 14
7573 X ♀	152339 ✓	237 - 120 - 27 - 11
7574 X ♀	152340 ✓	236 - 117 - 27 - 16

Februar 22, 1939

7575 X ♀ <i>Melomys</i>	152259 ✓	228 - 117 - 27 - 14
7576 X ♂	152260 ✓	247 - 127 - 28 - 14
7577 X ♂	152261 ✓	<del>178</del> - <del>110</del> - 28 - 14

Februar 23, 1939

7578 X ♀ <i>Lorentzimus</i>	152084 ✓	190 - 115 - 23 - 17
7579 X ♀	152263 ✓	205 - 112 - 26 - 14
7580 X ♀	152264 ✓	240 - 122 - 28 - 14
7581 X ♂	152265 ✓	235 - 122 - 27 - 14

Februar 24, 1939

7582 X ♂ <i>Dactylopsax</i>	151965 ✓	<del>245</del> - 194 - 45 - 26
7583 X ♂ <i>Melomys</i>	152266 ✓	189 - 94 - 26 - 15



## Catalogue

[Kp]  
10 Km. S.W. Bernhard Camp,  
Idenburg River

Februari 25, 1939

1500 M.

7584 ♀	Natus	152363 ♀	290-160-34-16
7585 28 ♀	Melomys	152341 ♀	235-120-26-15
7586 29 ♀	"	152267 ♀	225-118-27-14
7587 30 ♀	Stenomys	152117 ♀	227-114-26-13
7588 31 ♀	"	152118 ♀	225-105-26-12
7589 32 ♂	Melomys	152342 ♀	241-126-28-11
7590 33 ♂	"	152343 ♀	215-111-27-13

Februari 26, 1939

7591 34 ♂	Phascogale	151987 ♀	417-202-39-14
7592 35 ♂	Stenomys	152119 ♀	218-104-26-14
7593 36 ♀	Melomys	152262 ♀	240-121-25-15
7594 37 ♀	Stenomys	152120 ♀	251-125-28-14

Februari 27, 1939

7595 38 ♂	Lorentzimys	152085 ♀	191-115-22-14
7596 39 ♂	Melomys	152482 ♀	Skull only 245-125-28-14

Februari 28, 1939

7597 40 30 ♀		152465 ♀	-81--37--18-10
7598 41 31 ♀	Hydromys	152071 ♀	530-285-50-13
7599 42 32 ♀	Phascogale	151986 ♀ 4 emb.	360-175-35-15

10 Km SW Bernhard Camp Idenburg R. Netherlands New Guinea 1500 m.

Mar. 1, 1939.

7600 ♀	Dorcopsis	151837 ♀	583-252-87-31
1 ♂	Lorentzimys	152086 ♀	202-120-24-17

Note - All above specimens #7558 to and including #7600 were collected by one of my collecting boys and with the exception of #7600 were prepared and measured by him. #7601 brought in alive by a Dyak



# Catalogue

6 km SW Berndam Camp Humberg R. Netherlands New Guinea 1200 m.  
Mar. 2, 1939

7602 ♀ <i>Anisomys</i>	152064 ♀	599-326-61-21
3 ♀ <i>Peroryztes</i>	151932 ♀	478-191-56-20
4 ♀ <i>Dorcopsis</i>	151834 ♀	640-290-94-35
5 ♀ <i>Thomomys</i>	152069 ♀ 1 emb x 20 mm.	583-336-56-16

Mar. 3, 1939.

7606 ♂ <i>Melomys</i>	152249 ♀ 1 emb x 20 mm.	245-119-27-15
7 ♂ "	152250 ♀	223-102-26-16
5 ♀ "	152214 ♀	319-149-38-20
9 ♂ <i>Phascogale</i>	152033 ♀	250-135-24-12
7610 ♂ <i>Melomys</i>	152215 ♀	339-154-42--

Mar. 4, 1939.

7611 ♀ <i>Mineostrictus</i>	152452 ♀ 1 emb x 15	102-44-8-8
2 ♀ "	152453 ♀	98-46-8-8
3 ♂ <i>Melomys</i>	152216 ♀	359-162-43-21
4 ♀ <i>Peroryztes</i>	151940 ♀	500-168-74-28
5 ♀ <i>Dorcopsis</i>	151941 ♀	312-108-55-24
6 ♂ <i>Phascogale</i>	151988 ♀	395-194-37-15
7 ♀ <i>Rattus</i>	152251 ♀	217-105-29-16

Mar. 5, 1939.

7618 ♂ <i>Melomys</i>	152252 ♀	239-117-27-16
9 ♀ "	152253 ♀ <del>2 emb x 15</del>	219-104-25-15
7620 ♂ <i>Melomys</i>	152217 ♀	348-163-41-19
1 ♂ "	152218 ♀	328-155-41-18
2 ♀ "	152219 ♀	304-141-40-19
3 ♂ <i>Thomomys</i>	152045 ♀	496-228-57-23
4 ♂ <i>Anisomys</i>	152065 ♀	596-335-61-20
5 ♂ <i>Peroryztes</i>	151942 ♀	507-170-75-25

4 km SW Berndam Camp Humberg R. Netherlands New Guinea 800 m  
Mar. 7, 1939.

7626 ♀ <i>Melomys</i>	152184 ♀ 1 emb.	337-145-41--
7 ♂ <i>Melomys</i>	152272 ♀	242-121-27-16
8 ♂ "	152273 ♀	210-180-26-15
9 ♀ "	152274 ♀ 2 emb x 10	241-119-27-16



# Catalogue

6 Km. SW Bernhard Camp, Denburg R. Netherlands New Guinea 1200m.  
Mar. 7, 1939.

7630 ♂ *Thomomys* 152046 n 542-253-59-23

4 Km. SW Bernhard Camp Denburg River, Netherlands New Guinea 850m.  
Mar. 8, 1939.

7631 ♂ *Hydromys* 152072 n 510-254-54-14  
2 ♂ *Melomys* 152275 n 243-117-27-  
3 ♀ *Thomomys* 152053 n 608-314-60-20  
4 ♀ *Peroryctes* 151945 n 487-156-72-25  
5 Juv. " 152803 n Alcoholic

Mar. 9, 1939.

7636 ♂ *Melomys* 152276 n 245-119-27-17  
7 ♂ *Thomomys Peroryctes* 151946 n 510-169-75-25  
8 ♂ *Peroryctes* 151947 n 502-166-75-28  
9 ♀ *Thomomys* 152047 n 540-251-56-25  
7640 ♂ *Melomys* 152185 n 367-165-44-22  
1 ♀ *Melomys* 152186 n 350-155-41-21  
2 ♀ *Echymipera* 151867 n ~~152475~~ 290- - -50-20  
3 Juv. " 152765 n Alcoholic  
4 Juv. " 152766 n Alcoholic

6 Km. SW Bernhard Camp Denburg River 1200m. Netherlands New Guinea.  
Mar. 9, 1939.

7645 ♂ *Phalanger* 151835 n 850-360-67-26<sup>290</sup>  
6 ♂ *Phascogale* 152007 n 393-173-39-21  
7 ♂ *Peroryctes* 151943 n 495-162-72-29  
8 ♀ " 151944 n 470-166-69-28

4 Km. SW Bernhard Camp Denburg R. Netherlands New Guinea 850m.  
Mar. 10, 1939.

7649 ♂ *Phalanger* 151838 n 860-387-64-23  
7650 ♂ *Melomys* 152277 n 247-125-27-16  
1 ♂ *Canis* 151839 n 1000-257-150-82  
2 ♂ " 151840 n 605-147-117-57

Mar. 11, 1939

7653 ♂ *Eptesicus* 152466 n 100-35-10-10



# Catalogue

4 Km. SW Bernhard Camp Idenburg R., Netherlands New Guinea 850 m.

Mar. 11, 1939.

7654 ♀ *Peromyscus* 151948 n 484-164-72-27

Mar. 12, 1939.

7655 ♂ *Uromys* 152048 n 435-144-58-28  
 6 ♀ *Melomys* 152187 n 1 emb x 25 360-165-43-21  
 7 ♀ *Melomys* 152278 n 2 emb x 3 215-107-27-15  
 8 ♀ *Phascogale* 152005 n 378-177-38-18  
 9 ♂ *Canis* 151841 n 880-235-141-75  
 7660 ♀ *Canis* 151842 n 930-250-138-84

~~1 ♀ *Uromys*~~

6 Km. SW Bernhard Camp Idenburg R., Netherlands New Guinea 1200 m.

Mar. 12, 1939.

7661 ♀ *Uromys* 152054 n 577-292-57-?

4 Km. SW Bernhard Camp Idenburg R., Netherlands New Guinea 850 m.

Mar. 13, 1939.

7662 ♀ *Melomys* 152279 n 231-110-26-15

Mar. 14, 1939.

7663 ♂ *Melomys* 152188 n 328-145-42-20

6 Km. SW Bernhard Camp Idenburg R., Netherlands New Guinea 1200 m.

7664 ♂ *Echymipera* 151866 n 435-95-63-22


4 Km. SW Bernhard Camp Idenburg R., Netherlands New Guinea 850 m.

Mar. 15, 1939.

7665 ♀ *Echymipera* 151868 n 193- - - - -  
 6 ♂ *Peromyscus* 151949 n 538-175-76-28  
 7 ♂ " 151950 n 411-142-64-25  
 8 ♀ " 151951 n 481-161-69-26  
 9 ♀ *Melomys* 152189 n 345-153-42-21

Mar. 16, 1939.

7670 ♂ *Dorcopsis* 151843 n 650-290-99-40  
 1 ♂ *Peromyscus* 151952 n 512-175-76-25  
 2 ♀ *Echymipera* 151869 n 370-77-53-21  
 3 juv. " 152767 n Alcoholic



# Catalogue

4 km. SW Berndal Camp Idenburg R. Netherlands New Guinea 850 m.  
Mar. 16, 1939.

7674	Juv. <i>Echymipera</i>	152768 ✓	Alcoholic
5 ♂	<i>Phascogale</i>	152004 ✓	335-165-38-16
6 ♀	<i>Melomys</i>	152481 ✓	Skull only
7 ♂	<i>Pseudohydromys</i>	152079 ✓	172-92-20-8

Mar. 17, 1939.

7678 ♀	<i>Melomys</i>	152280 ✓	235-126-26-16
9 ♂	<i>Peroryctes</i>	151953 ✓	538-172-78-30
7680 ♀	"	152487 ✓	Skeleton only

Berndal Camp Idenburg R. Netherlands New Guinea 60 m.  
Mar. 17, 1939.

7681 ?	<i>Phalanger</i>	151791 ✓	No measurements
--------	------------------	----------	-----------------

4 km. SW Berndal Camp Idenburg R. Netherlands New Guinea 850 m.  
Mar. 18, 1939.

7682 ♂	<i>Melomys</i>	152281 ✓	240-117-26-16
3 ♀	<i>Melomys</i>	152190 ✓	<span style="border: 1px solid black;">305-111</span> -42-21
4 ♀	<i>Echymipera</i>	151870 ✓	311-68-45-22
5 Juv.	"	152769 ✓	Alcoholic

Mar. 19, 1939.

7686 ♂	<i>Phalanger</i>	151841 ✓	780-345-66-26
7 ♂	<i>Phascogale</i>	152000 ✓	456-226-41-18
8 ♀	<i>Peroryctes</i>	151954 ✓	481-172-71-25
9 ♀	<i>Melomys</i>	<del>152282</del> 152282 ✓ 2 emb. x 15	231-108-26-16

Mar. 20, 1939.

7690 ♂	<i>Melomys</i>	152191 ✓	365-164-43-21
1 ♂	"	152192 ✓	320-141-44-21
2 ♂	<i>Melomys</i>	152283 ✓	235-109-26-16
3 ♀	"	152284 ✓	195-96-25-15
4 ♂	<i>Phascogale</i>	152003 ✓	374-167-40-18

Mar. 21, 1939.

7695 ♀	<i>Pseudochinus</i>	151967 ✓	478-222-31-15
6 ♂ Juv.	"	152745 ✓	Alcoholic



# Catalogue

4 Km. SW Bumbard Campo Imling P. Netherlands New Guinea 850m.

Mar. 21, 1939.

7697 ♀ <i>Phascogale</i>	152034 ♀	193-106-19-11
8 ♀ <i>Echymipera</i>	151871 ♀	<del>347</del> - <del>48</del> -50-25
9 Juv. "	{152770} ♀	Alcoholic
7700 Juv. "	152770	Alcoholic
1 ♀ <i>Melomys</i>	152193 ♀	1 emb x 34 <span style="border: 1px solid black; padding: 2px;">301-112</span> -42-22
2 ♀ <i>Thomomys</i>	152055 ♀	618-328-60-—
3 ♂ <i>Echymipera</i>	151872 ♀	502-105-70- <sup>21</sup> <del>18</del>

Mar. 22 1939.

7704 ♂ <i>Melomys</i>	152194 ♀	350-154-43-21
5 ♀ <i>Echymipera</i>	151873 ♀	388-76-53-24
6 Juv. "	152771 ♀	Alcoholic
7 Juv. "	152772 ♀	Alcoholic
8 ♀ <i>Peroryzetes</i>	151955 ♀	470-151-68-26
9 Juv. "	152804 ♀	Alcoholic
7710 ♀ <i>Nyctimene</i>	152439 ♀	108-20-14-12
1 ♂ <i>Pipistrellus</i>	152454 ♀	79-34-8-9

Mar. 23 1939.

7712 ♂ <i>Phalanger</i>	151845 ♀	<sup>740</sup> <del>870</del> -310-67-24
3 ♂ <i>Melomys</i>	152195 ♀	370-171-45-23
4 ♂ <i>Melomys</i>	152285 ♀	246-127-28-—
5 ♂ <i>Phascogale</i>	152002 ♀	<span style="border: 1px solid black; padding: 2px;">305-127</span> -39-17
6 ♂ <i>Phalanger</i>	151846 ♀	792-330-66-28
7 ♀ <i>Phascogale</i>	152001 ♀	345-162-37-17

Mar. 24 1939.

7718 ♀ <i>Melomys</i>	152286 ♀	<span style="border: 1px solid black; padding: 2px;">223-100</span> 27-—
9 ♀ "	152287 ♀	229-111-26-15
7720 ? <i>Echymipera</i>	152746 ♀	Head only
1 ♀ <i>Phalanger</i>	151847 ♀	760-325-64-30
2 ♂ <i>Dorcopsis</i>	151848 ♀	656-285-95-35
3 ♂ <i>Melomys</i>	152288 ♀	232-112-27-15
4 ♂ <i>Peroryzetes</i>	151956 ♀	495-165-72-28
5 ♂ <i>Hydromys</i>	152073 ♀	505-245-55-15

Penis bone



# Catalogue

4 Km. SW Bernhard Camp Idenburg R., Netherlands New Guinea 850 m.

Mar. 25, 1939.

7726 ♂ <i>Melomys</i>	152196 ✓	371 - 172 - 45 - 20
7 ♀ <i>Melomys</i> [skin only]	152289 ✓	250 - 123 - 27 - 15
8 ♂ <i>Melomys</i>	152346 ✓	291 - 144 - 28 - —

Mar. 26, 1939.

7729 ♂ <i>Melomys</i>	152290 ✓	<span style="border: 1px solid black;">160</span> - <span style="border: 1px solid black;">37</span> - 27 - —
7730 ♀ "	152291 ✓	339 - 123 - 26 - 15
1 ♂ <i>Emballonura</i>	152407 ✓	48 - 11 - 5 - 10
2 ? <i>Pogonomys</i>	152365 ✓	— - — - — - 12
3 ♂ <i>Melomys</i>	152197 ✓	356 - 156 - 43 - 22
4 ♂ <i>Melomys</i>	152484 ✓	— - — - 27 - —
5 ♂ <i>Emballonura</i>	152408 ✓	48 - 11 - 5 - 8

skull only

Mar. 27, 1939.

7736 ♂ <i>Phalanger</i>	151849 ✓	687 - 296 - 62 - 26
7 ♂ <i>Thomomys</i>	152056 ✓	594 - 300 - 61 - 22
8 ♀ <i>Phascogale</i>	151999 ✓	380 - 196 - 34 - 16
9 ♂ <i>Dorcopsis</i>	151850 ✓	634 - 290 - 93 - 35

6 Km. SW Bernhard Camp Idenburg R., Netherlands New Guinea 1200 m.

7740 ♀ <i>Phascogale</i>	152008 ✓	351 - 157 - 37 - 16
1 Juv. "	152811 ✓	Alcoholic
2 Juv. "	152812 ✓	"
3 Juv. "	152813 ✓	"
4 Juv. "	152814 ✓	"
5 Juv. "	152815 ✓	"
6 Juv. "	152816 ✓	"

3000

4 Km. SW Bernhard Camp Idenburg R., Netherlands New Guinea 850 m.

Mar. 28, 1939.

7747 ♂ <i>Thomomys</i>	152049 ✓	514 - 242 - 59 - 22
8 ♂ <i>Peroryzomys</i>	151957 ✓	500 - 155 - 70 - 29

Mar. 29, 1939.

7749 ♂ <i>Psephenellus</i>	152455 ✓	76 - 34 - 7 - 9
7750 ♂ <i>Emballonura</i>	152409 ✓	<del>44 - 9 - 6 - 9</del>
1 ♂ "	152410 ✓	50 - 12 - 5 - 8



# Catalogue

4 km. SW Bernhard Camp, Hunting R., Netherlands New Guinea 850 m.

Mar. 29, 1939.

7752 ♀	<i>Pseudochinus</i>	151966 ♀	501-237-30-13
3 Juv.	"	152795 ♀	Alcoholic
4 Juv.	"	152796 ♀	Alcoholic
5 ♂	<i>Echymipera</i>	151874 ♀	505-110-70-21
6 ♀	"	151875 ♀	232-48-36-18

Mar. 30, 1939.

7757 ♂	<i>Pipistrellus</i>	152456 ♀	76-32-7-9
8 ♂	<i>Peromyscus</i>	151958 ♀	400-145-67-26
9 ♀	<i>Dorcopsis</i>	151851 ♀	625-288-91-33
7760 ♀	<i>Melomys</i>	152292 ♀	223-108-25-14
1 ♂	<i>Echymipera</i>	151876 ♀	337- - - 63-30

Mar. 31, 1939.

7762 ♂	<i>Melomys</i>	152198 ♀	352-152- <del>32</del> <sup>42</sup> -21
3 ♂	"	152733 ♀	Alcoholic 354-158-43-22
4 ♂	<i>Echymipera</i>	151877 ♀	442-91-62-23
5 ♀	<i>Melomys</i>	152199 ♀	1 emb. x 42 342-152-41-21
6 ♀	<i>Uromys</i>	152042 ♀	689-367-73-21
7 ♂	<i>Melomys</i>	152734 ♀	Alcoholic 227-108-26-16
8 ♂	<i>Emballonura</i>	152411 ♀	51-10-6-9

Apr. 1, 1939

7769 ♂	<i>Pteropus</i>	152402 ♀	390- - - 60-23
7770 ♂	<i>Peromyscus</i>	151959 ♀	518-178-77-28
1 ♀	<i>Phalanger</i>	151852 ♀	765-325-58-25
2 ♂ Juv.	"	152710 ♀	Alcoholic
3 ♀	<i>Dasyurus</i>	151977 ♀	487-224-48-22
4 Juv.	"	152820 ♀	Alcoholic
5 Juv.	"	152821 ♀	Alcoholic
6 Juv.	"	152822 ♀	Alcoholic
7 ♂	<i>Echymipera</i>	151878 ♀	400-82-57-22
8 ♂	<i>Melomys</i>	152200 ♀	<span style="border: 1px solid black;">318</span> - <span style="border: 1px solid black;">122</span> -43-20
9 ♂	<i>Echymipera</i>	151879 ♀	485-101-66-21
7780 ♂	<i>Peromyscus</i>	151960 ♀	523-172-76-27

1871

1872

1873

1874

1875

1876

1877

1878

1879

1880

1881

1882

1883

1884

1885

1886

1887

1888

1889

1890

1891

1892

1893

1894

1895

1896

1897

1898

1899

1900

1901

1902

1903

1904

1905

# Catalogue

4 km. SW Berndt Camp, Irian Jaya, Netherlands New Guinea 850 m.

Apr. 2, 1939.

7781 ♂ <i>Pseudochinus</i>	151968 ♀	531-255-34-15
2 ♂ <i>Hydromys</i>	152074 ♀	467-227-54-13
3 ♂ <i>Melomys</i>	152293 ♀	238-118-27-15
4 ♀ <i>Rattus</i>	152358 ♀	381-185-37-18
5 ♀ <i>Phascogale</i>	151997 ♀	401-215-35-17
6 ♀ <i>Peromyscus</i>	152834 ♀	Alcoholic 445-149-69-26
7 Juv. "	152805 ♀	Alcoholic
8 ♂ <i>Lorentzimys</i>	152087 ♀	198-115-23-—

Apr. 3, 1939.

7789 ♀ <i>Emballonura</i>	152412 ♀	49-11-6-9
7790 ♀ <i>Peromyscus</i>	151961 ♀	300-—-67-25
1 ♂ <i>Thomomys</i>	152057 ♀	551-278-58-24
2 ♂ <i>Dorcopsis</i>	151853 ♀	515-233-87-33
3 ♂ <i>Melomys</i>	152201 ♀	374-167-45-24
4 ♀ <i>Hydromys</i>	152075 ♀	2 emb x 50 466-222-49-—
5 ♀ <i>Peromyscus</i>	151962 ♀	486-156-68-28
6 Juv. "	152806 ♀	Alcoholic
7 ♂ <i>Dactylosaurus</i>	151964 ♀	459-218-48-25
8 ♀ <i>Rattus</i>	152357 ♀	<span style="border: 1px solid black;">284</span> - <span style="border: 1px solid black;">125</span> - 35-15

Apr. 4, 1939.

7799 ♀ <i>Dorcopsis</i>	151854 ♀	666-292-99-37
7800 Juv. "	152761 ♀	Alcoholic
1 ♂ <i>Thomomys</i>	152050 ♀	560-268-60-—

Apr. 5, 1939.

7802 ♂ <i>Melomys</i>	152202 ♀	288-100-42-20
3 ♀ <i>Dasyurus</i>	151975 ♀	502-245-47-20

Apr. 6, 1939.

7804 ♂ <i>Melomys</i>	152294 ♀	238-119-28-15
5 ♀ "	152295 ♀	221-106-26-14
6 ♀ "	152296 ♀	<span style="border: 1px solid black;">150</span> - <span style="border: 1px solid black;">43</span> - 24-14
7 ♀ <i>Melomys</i>	152203 ♀	1 emb. x 20 353-159-43-20
8 ♂ <i>Phascogale</i>	151998 ♀	432-223-40-19
9 ♂ <i>Hydromys</i>	152076 ♀	477-234-53-15

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

1000000

# Catalogue

4 Km. SW Bernhard Camp Idenburg R. Netherlands New Guinea 850 m.

Apr. 7, 1939.

7810 ♂ <i>Melomys</i>	152204 ♀	365-166-45-21
1 ♀ "	152205 ♀	<u>317</u> - <u>126</u> - 42-21
2 ♂ "	152206 ♀	367-162-43-21
3 ♀ "	152207 ♀	343-149-42-22
4 ♂ <i>Thomomys</i>	152058 ♀	400-194-51-20
5 ♂ <i>Dasyurus</i>	151976 ♀	607-280-55-20
6 ♂ <i>Echymipera</i>	151890 ♀	484-102-67-29
7 ♀ "	151881 ♀	300- - - 51-22

Bernhard Camp Idenburg R. Netherlands New Guinea 80 m.

Apr. 9, 1939.

7818 ♀ <i>Melomys</i>	152347 ♀	218-95-28-14
-----------------------	----------	--------------

4 Km. SW Bernhard Camp Idenburg R. Netherlands New Guinea 850 m.

Apr. 9, 1939

7819 ♀ <i>Dorcopsis</i>	151855 ♀	670-305-94-33
7820 <i>Echymipera</i>	152490 ♀	Skull only

Bernhard Camp Idenburg R. Netherlands New Guinea 80 to 60 m.

Apr. 10, 1939

7821 ♀ <i>Melomys</i>	152348 ♀	<u>185</u> - <u>37</u> - 28-15
2 ♀ <i>Echymipera</i>	151899 ♀	240 - <del>53</del> - 35-17

Mar. 18, 1939

7823 ♂ <i>Phalanger</i>	151792 ♀	950-445-75-32
-------------------------	----------	---------------

Mar. 19, 1939

7824 ♀ <i>Phalanger</i>	151793 ♀	850-395-71-19
-------------------------	----------	---------------

Mar. 22, 1939

7825 ♀ <i>Phalanger</i>	151794 ♀	1105-505-85-20
-------------------------	----------	----------------

Mar. 23, 1939

7826 ♂ <i>Pteropus</i>	152403 ♀	No measurements
7 ♂ "	152404 ♀	No measurements
8 ♀ "	152405 ♀	No measurements



# Catalogue

Bernhard Camp Idenburg River, Netherlands New Guinea 50-80 m.  
Mar. 24 1939.

78299	Phalanger	151795 n	1055 - 495 - 83 - 23
78308	"	151796 n	545 - 244 - 52 - 20

Mar. 24 1939

7831	Phalanger	151797 n	775 - 358 - 66 - 18
------	-----------	----------	---------------------

Note - Specimens from and including #7823 to and including #7831 were measured by A. L. Ford and prepared under his supervision.

Apr. 12 1939

7832	Dobsonia	152440 n	150 - 14 - 21 - 19
3	"	152267 n	285 - 22 - 40 - 35
4	Pteropus	152383 n	285 - - - 53 - 26
5	Entallomura	152413 n	47 - 14 - 5 - 9
6	"	152414 n	46 - 9 - 5 - 9
7	"	152415 n	54 - 14 - 5 - 9

Apr. 13 1939

7838	Hipposideros	152428 n	70 - 23 - 7 - 15
9	"	152429 n	70 - 24 - 7 - 15
7840	"	152430 n <del>comb. 10</del>	69 - 24 - 7 - 15
1	"	152431 n	71 - 26 - 7 - 15
2	"	152432 n	69 - 23 - 7 - 15
3	"	152433 n <del>comb. 10</del>	69 - 25 - 7 - 15
4	"	152434 n	<u>65</u> - <u>17</u> - 7 - 15
5	"	152435 n <del>comb. 14</del>	71 - 22 - 7 - 15

Apr. 14 1939

7846	Thomomys	152051 n	551 - 255 - 62 - 27
78	Thomomys	152043 n	591 - 281 - 66 - 25 <sup>2150</sup>

Apr. 15 1939

7848	Thomomys	152059 n	388 - 192 - 49 - 21
79	Peromyscus	151963 n	502 - 158 - 72 - 25
7850	Chymys	151898 n	494 - 98 - 67 - 21
1	Phalanger	151798 n	918 - 395 - 72 - 26

1911

1912

1913

1914

1915

1916

1917

1918

1919

1920

1921

1922

1923

1924

1925

1926

1927

1928

# Calalogue

Burnard Camp Idenburg R. Netherlands New Guinea 50-75m.

Apr. 16, 1939

7852 ♂ <i>Phalanger</i>	151801 ✓	995-455-78-22
3 ♂ "	151799 ✓	800-362-65-21
4 ♂ "	151800 ✓	753-355-62-21
5 ♂ <i>Dasyurus</i>	151979 ✓	276-113-33-18
6 ♂ <i>Thomomys</i>	152060 ✓	600-302-60-26
7 ♀ "	152052 ✓	502-238-58-25

Apr. 17, 1939

7858 ♂ <i>Dasyurus</i>	151989 ✓	278-112-35-17
9 ♂ "	151981 ✓	290-123-34-17
7860 ♀ "	151982 ✓	280-118-32-15
1 ♂ <i>Echymipera</i>	151900 ✓	521-107-71-30
2 ♂ "	151901 ✓	459-106-65-29
3 ♂ "	151897 ✓	482-111-68-21
4 ♀ "	151902 ✓	448-105-62-34
5 ♂ <i>Dobsonia</i>	152141 ✓	130-10-19-17
6 ♂ "	152142 ✓	130-11-18-17
7 ♀ <i>Sus</i>	151815 ✓	1350-240-250-105

Apr. 18, 1939.

7868 ♂ <i>Emballonura</i>	152416 ✓	48-10-5-10
9 ♂ "	152417 ✓	49-10-5-9
7870 ♀ "	152418 ✓	53-11-5-9
1 ♀ "	152419 ✓	51-11-5-9

1 emb x 14

1 emb x 15

Apr. 19 1939

7872 ♂ <i>Echymipera</i>	151903	530-113-77-34
3 ♀ <i>Dobsonia</i>	152443 ✓	141-13-20-19
4 ♀ <i>Canis</i>	152444 ✓	860-205-125-67
5 ♂ <i>Pogonomys</i>	152364 ✓	340-185-29-13

skull only

~~152444~~

151803

Apr. 20, 1939.

7876 ♂ <i>Melomys</i>	152349 ✓	265-136-28-13
7 ♀ <i>Echymipera</i>	151904 ✓	342-77-52-28
8 ♂ "	151896 ✓	485-105-66-23
9 ♂ <i>Phascogale</i>	152010 ✓	405-182-43-17
7880 ♂ <i>Emballonura</i>	152640 ✓	Alcoholic



# Catalogue

Burndy Camp, Limburg P., Netherlands New Guinea 50-75m.

Apr. 20, 1939

78818	<i>Emballonura</i>	152641 ♀	Alcoholic
2 ♀	"	152642 ♀	"
3 Juv.	"	152643 ♀	"
4 ♂	<i>Sus</i>	151816 ♂	1530-250-263-105
5 ♂	<i>Hippocideros</i>	152608 ♀	Alcoholic

Apr. 21, 1939

78868	<i>Echymipera</i>	152474 ♀	Skull only	361-81-54-24
7 ♀	"	151895 ♀		264-60-41-19

Apr. 22, 1939

78889	<i>Phalanger</i>	151802 ♀		910- <sup>420</sup> <del>20</del> -70-22
9 ♂	<i>Echymipera</i>	151905 ♀		491-94-68-24
78902	"	151906 ♀		283-—-51-22
1 ♀	<i>Miniopterus</i>	152467 ♀		128-53-9-10
2 ♀	<i>Pipistrellus</i>	152685 ♀	Alcoholic	
3 ♂	<i>Echymipera</i>	151894 ♀		487-97-67-21
4 ♂	"	151893 ♀		438-90-62-22
5 ♂	<i>Melomys</i>	152350 ♀		179-74-27-14
6 ♂	<i>Emballonura</i>	152644 ♀	Alcoholic	
7 ♂	"	152645 ♀	"	

Apr. 23, 1939

78989	<i>Pipistrellus</i>	152457 ♀		73-29-7-8
9 ♂	<i>Echymipera</i>	151892 ♀		383-78-57-21
79003	"	151907 ♀		498-91-68-24
1 ♂	"	151908 ♀		442-102-63-27
2 ♂	<i>Phascogale</i>	152018 ♀		535-251-47-18
3 ♂	<i>Emballonura</i>	152420 ♀		42-7-5-8
4 ♂	"	152646 ♀	Alcoholic	

Apr. 24, 1939

79058	<i>Phascogale</i>	152017 ♀		550-280-47-16
-------	-------------------	----------	--	---------------

Apr. 25, 1939

79068	<i>Dobsoni</i>	152368 ♀		253-22-35-32
7 ♂	"	152369 ♀		241-24-35-31



# Catalogue

Bandad Camp Idenburg R. Netherlands New Guinea 50-75m.  
Apr. 25, 1939.

7908 ♂	<i>Hypoxidura</i>	152436 ✓	66-23-7-16
9 ♀	<i>Echymipera</i>	152016 ✓	413-83-55-26
7910 Juv.	"	152773 ✓	Alcoholic
1 Juv.	"	152774 ✓	Alcoholic
2 ♂	<i>Phascogale</i>	152015 ✓	549-283-46-16
3 ♀	"	151892 ✓	422-204-36-16
4 ♂ Juv.	"	152035 ✓	287-147-30-15
5 ♀	<i>Dobsonia</i>	152835 ✓	Alcoholic
6 ♂	<i>Hypoxidura</i>	152609 ✓	Alcoholic
7 ♀	"	152610 ✓	Alcoholic
8 ♀	"	152611 ✓	Alcoholic
9 ♀	<i>Dobsonia</i>	152444 ✓	142-9-19-18
		Emb A 45	

Apr. 26, 1939.

7920 ♀	<i>Pyristellus</i>	152458 ✓	74-29-7-9
1 ♂	<i>Echymipera</i>	151883 ✓	465-95-64-21
2 ♀	"	151909 ✓	419-97-59-28

Apr. 27, 1939.

7923 ♀	<i>Pyristellus</i>	<del>152459</del> 152459 ✓	72-28-7-9
4 ♀	<i>Emballonura</i>	152421 ✓	53-11-5-9
5 ♂	<i>Pteropus</i>	152294 ✓	325-—-57-23
6 ♂	"	152295 ✓	355-—-54-24
7 ♂	"	152296 ✓	330-—-53-24
8 ♂	"	152297 ✓	340-—-56-24
9 ♂	"	152298 ✓	340-—-55-23
7930 ♂	"	152299 ✓	330-—-55-22
1 ♂	"	152300 ✓	335-—-52-22
2 ♂	"	152301 ✓	340-—-55-22
3 ♂	"	152302 ✓	330-—-55-22
4 ♂	"	152303 ✓	335-—-57-24
5 ♂	"	152304 ✓	325-—-52-22
6 ♂	"	152305 ✓	335-—-55-23
7 ♂	"	152306 ✓	330-—-57-23
8 ♂	"	152307 ✓	340-—-57-24
9 ♂	"	152308 ✓	340-—-56-24
7940 ♂	"	152309 ✓	320-—-55-21



# Catalogue

Burnland Camp Idenburg R. Netherlands New Guinea 50-75m.

Apr. 27 1939.


7941 ♂	<i>Pteropus</i>	152400 ✓	320 - - - 56-22
2 ♀	"	152401 ✓	1 emb x ? 320 - - - 55-22
3 ♂	<i>Echymipera</i>	151884 ✓	442 - 80-65-22
4 ♂	"	151885 ✓	525-103-68-21
5 ♂	<i>Hydromys</i>	152077 ✓	408-160-47-13
6 ♂	<i>Melomys</i>	152351 ✓	295-130-33-15

Apr. 28, 1939.

7947 ♀	<i>Pisistellus</i>	152460 ✓	79-29-7-9
8 ♀	<i>Phalanger</i>	151804 ✓	672-320-59-18 <sup>3700</sup>
9 ♀	"	151805 ✓	<del>170</del> -530-85-25
7950 Juv.	"	152753 ✓	Alcoholic
1 ♀	<i>Dobsoni</i>	152445 ✓	139-12-20-18
2 ♂	<i>Emballonura</i>	152647 ✓	Alcoholic
3 ♂	"	152648 ✓	"
4 ♂	"	152649 ✓	"
5 ♂	"	152650 ✓	"
6 ♂	"	152651 ✓	"
7 ♀	"	152652 ✓	"
8 ♀	"	152653 ✓	"
9 ♀	"	152654 ✓	"
7960 ♀	"	152655 ✓	"
1 ♀	"	152656 ✓	"
2 ♀	"	152657 ✓	"

Apr. 29 1939.

7963 ♂	<i>Melomys</i>	152352 ✓	270-130-27-13
4 ♂	<i>Phascogale</i>	152036 ✓	225-116-22-12
5 ♂	<i>Echymipera</i>	151886 ✓	370- - - 62-24
6 ♀	"	151887 ✓	315- - - 52-20
7 Juv.	"	152775 ✓	Alcoholic
8 ♂	<i>Phascogale</i>	152041 ✓	385-170-39-16
9 ♂	<i>Phalanger</i>	151806 ✓	913-381-75-30
7970	<i>Emballonura</i>	152665 ✓	Alcoholic
1	"	152666 ✓	Alcoholic



# Catalogue

Berland Camp Shrub R. Alhambra Las Guinas 50-75 m.  
Apr. 30, 1939.

7972 ♀	<i>Phalanger</i>	151807	624-290-54-18
3 ♀	"	151808	611-286-53-19
4 ♀	<i>Thomomys</i>	152061 1 emb x ?	597-293-57-24
5 ♂	<i>Echymipera</i>	151910	435-87-64-23
6 ♂	<i>Hydromys</i>	151809 152078	480-228-54-16
7 ♂	<i>Phalanger</i>	151810	973-455-81-20
8 ♀	"	151810	1083-505-82-23
9 Juv.	"	152830	Alcoholic
7980 ♀	<i>Thomomys</i>	152253	268-131-28-13

May 1, 1939.

7981 ♂	<i>Thomomys</i>	152062	560-272-61-25
2	<i>Pipistrellus</i>	152686	Alcoholic
3 ♂	<i>Echymipera</i>	151912	366-82-53-27
4 ♀	"	151911	307- - - 58-27
5 ♂	<i>Phascogale</i>	152014	451-216-41-18
6 ♂	"	152012	382-169-39-17
7 ♀	<i>Echymipera</i>	151898	359-72-50-20
8 Juv.	"	152776	Alcoholic
9 Juv.	"	152777	"
7990 ♂	<i>Emballonura</i>	152667	Alcoholic
1 ♂	"	152668	"
2 ♀	"	152669	"
3 ♀	"	152670	"
4 ?	"	152671	"

May 2, 1939.

7995 ♂	<i>Pipistrellus</i>	152461 [skin only]	75-27-7-9
6 ♀	<i>Phonocryptus</i>	152468 1 emb x 3	89-30-9-12
7 ♂	<i>Phascogale</i>	152013	381-172-40-17
8 ♀	<i>Echymipera</i>	151889	337-71-46-20
9 Juv.	"	152778	Alcoholic

May 3, 1939.

8000 ♂	<i>Pteropus</i>	152376	292- - - 43-33
1 ♂	"	152377	285- - - 43-32
2 ♂	"	152378	182- - - 43-30



# Catalogue

Burnard Camp, Irian P. Netherlands New Guinea 50-75 m.

May 3, 1939.

80038 ♂	<i>Pteropus</i>	152379 v	195- — - 43-29
4 ♀	"	152380 v	193- — - 43-32
5 ♀	"	152381 v	190- — - 42-32
6 ♀	"	152382 v	190- — - 43-32
7 ♂	<i>Emballonura</i>	152672 v	Alcoholic
8 ♀	<i>Phalanger</i>	151811 v	813-315-72-27
9 ♀	<i>Echymipera</i>	151890 v	390-77-52-21
8010 Ju.	"	152779 v	Alcoholic
1 Ju.	"	152780 v	Alcoholic
2 ♂	<i>Phalanger</i>	151812 v	905-430-75-23

May 4, 1939.

8013 ♀	<i>Echymipera</i>	[skin only] 151891 v	395-77-45-21	Measured by collector
4 ♀	<i>Dobsonia</i>	152370 v	234-30-28-28	"
5	<i>Emballonura</i>	152673 v	Alcoholic	

May 5, 1939.

8014	<i>Myiops</i>	152735 v	Alcoholic	
7 ♂	<i>Phalanger</i>	151813 v	1204-610-75-27	Measured by collector
8 ♂	<i>Phascogale</i>	152836 v	Alcoholic	
9 ♂	<i>Echymipera</i>	152837 v	"	

May 6, 1939.

8020 ♂	<i>Echymipera</i>	152838 v	Alcoholic	
1 ♂	<i>Rhinomyotis</i>	152687 v	"	
2 ♂	<i>Echymipera</i>	152473 v	Skull only	453-98-62-20

May 7, 1939.

8023 ♂	<i>Emballonura</i>	152674 v	Alcoholic	
4 ♂	"	152675 v	"	
5 ♂	"	152676 v	"	
6 ♂	"	152677 v	"	
7 ♀	"	152678 v	"	
8 ♀	"	152679 v	"	
9 ♀	"	152680 v	"	
8030 ♀	<i>Phalanger</i>	152831 v	Head in alcohol.	1035-487-83-23
1 ♂	<i>Echymipera</i>	152471 v	Skull only	303- — - 59-23



# Catalogue

Bernhard Camp, Chintung R., Netherlands New Guinea 50-75m.  
May 7, 1939.

8032	♂	<i>Hydromys</i>	152828 ✓	Alcoholic
3	♂	<i>Echymipera</i>	152472 ✓	Skull only 436-104-62-22
4	♂	<i>Rattus</i>	152356 ✓	400-181-37-18
5	♀	<i>Echymipera</i>	152839 ✓	Alcoholic
6	Juv.	"	152781 ✓	"
7	♂	<i>Emballonura</i>	152681 ✓	"
8	♀	"	152682 ✓	"
9	♂	<i>Phalanger</i>	151814 ✓	980-449-79-21

May 8, 1939

8040	♂	<i>Emballonura</i>	152683 ✓	Alcoholic
1	♀	"	152684 ✓	"
2	♂	<i>Thomomys</i>	152840 ✓	"

6 Bats no field No. Cat. No. 152659-664.

16	"	"	"	152688-703
5	"	"	"	152704-708

5	<i>Rattus</i>	"	"	152841-845
1	<i>Phascogale</i>	"	"	152846 embryo
1	<i>Echymipera</i>	"	"	152847.

Alcoholic.

127



Specimens collected at Hallardin and vicinity by Archbold. 111

List of Skull Numbers.  
Archbold Series to be  
sent New York Jan. 1, 1938.

#6251	109404
6252	109387
3	109397
4	109738
5	109873
6	109874
7	109471
8	109740
9	109741
6260	151783 ~
1	110133 ~
2	109833
3	109668 also
4	109432
5	152742 ~
6	109433
7	

6270 109437

6271 109414  
6272 152743 ~

6274 109743

7	6277 109453
8	6278 109454
9	6279 109434
6280	6280 109436
1	6281 109472
2	109739
3	6282
4	6283 109468
5	110131 ~
	6284
	6285 109466

~~Myotis No Field No. 152501 in alcohol~~







MAMMALOGY ARCHIVE



100221977

